

13 F.F. K.

A

251

# C A T A L O G U E

OF

HOT-HOUSE and GREEN-HOUSE PLANTS

FRUIT and FOREST  
TREES,

TREE and KITCHEN  
GARDEN SEEDS,

FLOWERING SHRUBS,

PERENNIAL and ANNUAL

HERBACEOUS PLANTS,

FLOWER SEEDS,

GARDEN MATS and TOOLS.

---

By WILLIAM MALCOLM,

NURSERYMAN and SEEDSMAN,

Near KENNINGTON TURNPIKE, SURRY.

---

L O N D O N,

Printed for the AUTHOR. 1778.

[Price Two Shillings.]





BY WILLIAM WILSON

IN THE MUSEUM OF THE

BRITISH MUSEUM

LONDON

PRINTED BY J. JOHNSON

ST. PAULS CHURCH-YARD

TO THE  
R E A D E R.

**T**O preface a work of so little importance to the Public as the following Catalogue, may by some be deemed unnecessary, were it not to explain the Plan, and recommend one regular and universal System of Botany, from hence one general Catalogue, wherein the same Plants are expressed and perfectly understood by all.

The Figures in Geometry, the Scale in Music, are the same in all Countries; and in reality so are the generic Characters of Plants, for example, a monandrous Plant (i. e. of one stamen) in Jamaica, China, Siberia, or the Orkneys, remains unalterably the same when brought to England (some *Lusus Naturæ* excepted), hence the Sexual System of Linnæus has the preference to any other; because whatever attempts are made to improve it, the principle must still continue: I therefore make use of his generic and specific Names, to which I have annexed the most intelligent and best known English ones, so far as they have any.

I have also, for the sake of regularity as well as information, alphabetically arranged them under the three following heads, viz. the Hot-house, the Green-house, and the Open Ground.

Under



## iv TO THE READER.

Under the first of these are all those very tender Plants, which are brought from the hottest Climates. Under the second are all those Plants that do not require so great a Degree of Heat as the former, yet will not bear the Cold of our Climate, but require the Protection of a Green-house or Glass-case. The third I have divided into four Parts, the first of which contains all Hardy Trees and Shrubs; the second, all Perennial Herbaceous Plants; the third, the various Sorts of Fruit Trees, with Bulbous and Fibrous rooted Flowers; and the fourth contains the most useful Seeds for the Kitchen and Flower Garden, or for the Improvement of Land.

### E R R A T A Trivialia Nomina necessario corrigenda.

Page	lege	Page	lege
1. Aletis,	Aletris.	39. Cnorum,	Cneorum.
2. Coft,	Coast.	40. Atropurpurus,	Atropurpureus?
9. Nymphæfolium,	Nymphæfolia.	40. Meuke,	Meaux.
12. Moth Melon,	Moth Mullein.	53. Pyrifolia,	Pyrifolium.
16. Xylophylla.	Xylophylla.	58. Sylvestrus,	Sylvestris.
21. China,	China Orange.	69. Purpureo,	Purpurea.
25. Cardinal.	Cardinal Flower.	78. Plumbago,	Plumbago.
29. Bucks horned leaved,	Bucks horn leaved.	81. Alder,	Elder.
35. Clematis,	Clematis.	83. Alder leaved,	Elder leaved.
36. Variegata,	Variegatis.	83. Doronichum,	Doronisum.
38. Yellow Berry,	Yellow berried.		

der  
tes.  
re-  
will  
ro-  
I I  
on-  
all  
ous  
ed  
eds  
n-



48 *Acer Judicum* . 126.

149 *Achyranthes echinata*

6 *Aloe*, *Spec. nova*. 221.

150 --- *Minorca*.

645 --- *alter. variegat.*

# S T O V E P L A N T S.

Genera.      Species.      English Names.

<i>Abrus,</i>	<b>P</b> Recatorius,	Jamaican	Wild liquorice,
<i>Achras,</i>	Mammofa,	American	Marmelade.
	Sapota,	Leffer American	Mammee.
<i>Achyranthes,</i>	Aspera,		
	Lappacea,		
<i>Adansonia,</i>	Digitata,	Æthiopian	Sour gourd.
<i>Adenanthera,</i>	Pavonina,	Bastard	Flower fence.
<i>Adiantum,</i>	Pedatum,	Foot-shaped	} Maiden hair.
	Capillus Veneris,	True	
<i>Eschynomine,</i>	Grandiflora,	Bastard	Sensitive plant,
<i>Agave,</i>	Vivipara,	Childing	} Aloe.
	Karatto,	American	
	Fœtida,	Stinking	
<i>Aletris,</i>	Capensis,	Cape	} 75. Aletris, vulgarly Aloe.
	Hyacinthoides,	Hyacinth flowered	
	Zeylanica,	Zeylon	
	Guinenfis,	Guinea	
	Fragrans,	Sweet	
<i>Aloe,</i>	Perfoliata arborea,	Sword shaped	} Aloe.
	§ Obscura Glauca,	Greater spotted maj.	
	γ Glauca minor,	Leffer ditto	
	♫ Ferox,	Greater prickly	
	ε Brevioribus,		
	ζ Dorso omnino Spinosa,		580.



## STOVE PLANTS.

Genera. Species. English Names.

582 611	<i>Aloe</i>	<i>n</i> <i>Glauca</i> , <i>s</i> <i>Maculis Notatis</i> , <i>i</i> <i>Inermis</i> , <i>x</i> <i>Flore Rubro</i> , <i>λ</i> <i>Spinosa Major</i> , <i>μ</i> <i>Spinosa Minor</i> , <i>Disticha</i> , <i>β</i> <i>Linguiforme</i> , <i>γ</i> <i>Verrucosa</i> , <i>δ</i> <i>Carinata</i> ,  <i>Humilis</i> , <i>Vera</i> , <i>Variegata</i> , <i>Spiralis</i> , <i>Retusa</i> , <i>Viscosa</i> ,	Dwarf Glaucous Without Spines Red flowered Greater prickly Lesser prickly Soap Tongue Pearl Tongue Triangular keel shaped Hedgehog True Barbadoes Partridge breast Spiral Cushion Triangular	612. 579. 642. 644. Aloe. 687. 551. 565. 613. 6
522 195 5	<i>Alstroemeria</i>	<i>Pelegrina</i> , <i>Ligta</i> ,		
29	<i>Amaryllis</i>	<i>Capensis</i> , <i>Formosissima</i> , <i>Regina</i> , <i>Undulata</i> , <i>Longifolia</i> , <i>Orientalis</i> , <i>Guttata</i> , <i>Zeylanica</i> , <i>Ciliaris</i> , <i>Vittata</i> , <i>Crispa</i> ,	Cape Jacobaea Mexican With waved Flowers Cape Cost Brunswegian Spotted Zeylon African Scarlet New striped Curled	Lily, Daffodil.
	<i>Anemum</i>	<i>Zinziber</i> , <i>Zernambet</i> ,	True Bastard	Ginger.
	<i>Amyris</i>	<i>Balsamifera</i> ,		
	<i>Anacardium</i>	<i>Occidentale</i> ,		

*Aloe margarit. minor.* 420. 437. 458. 492.

— alter. <sup>576.</sup>

— dentata. 439. 566. 574. 577.

— Margarit. minima &

— Herbacea

— Hostidapumila

— recurva perfoliata. 641.

— incurva

— Pumila 389. 439. 565. 566. 577.  
580. 643.

— Perfoliata 595. 612. 613. 617. 622.  
641. 674. 853.

*Hyssum (alpinum)*

*Amaryllis Belladonna.* 955.  
*Farnicensis.*

*Andryala lanceolata*



171 *Androsace villosa*

403 *Annona palustris* 460  
175 ----- *Madroff*  
510 ----- *glabra.*

968 *Arenaria*

957 *Arum crinitum*  
230 ----- *trilobum*  
989 ----- *vulgare*

131 *Aplepias americana*

660 *Atropa solanacea*  
1002 ----- *frutescens*

## S T O V E P L A N T S.

Genera. Species.

English Names.

<i>Annona</i> ,	<i>Muricata</i> ,	Sour	}	Custard Apple.
	<i>Squamosa</i> ,	Sweet		
	<i>Reticula</i> ,	Netted		
	<i>Asiatica</i> ,	Asiatic		
<i>Antholyza</i> ,	<i>Æthiopica</i> ,	Æthiopian	}	Watsonia;
	<i>Cunonia</i> ,	Persian		
	<i>Meriana</i> ,	Greater		
	<i>Merianella</i>	Lesser		
<i>Apocynum</i> ,	<i>Frutescens</i> ,	Shrubby	}	Dogbane
	<i>Reticulatum</i> ,	Climbing		
	<i>Lannabium</i>			
<i>Arctopus</i> ,	<i>Echinatus</i> ,			
6 <i>Aristolachia</i> ,	<i>Indica</i> ,	Indian		Birthwort.
	<i>orientale</i>			
9 <i>Artemesia</i> ,	<i>Indiaca</i> ,	Indian		Mugwort.
	<i>arborescens</i>			
1 <i>Arum</i> ,	<i>Colocasia</i> ,	Greater	}	249.
	<i>Minor</i> ,	Lesser		
	<i>Esculentum</i> ,	Eatable		
	<i>Macrorhizon</i> ,			
	<i>Arborescens</i> ,	Tree		
	<i>Peregrinum</i> ,	Heart leaved		
	<i>Divaricatum</i> ,			
	<i>Palmatum</i> ,	Minorca		
	<i>Pedatum</i> ,	Foot shaped		
	<i>Lusitanicum</i> ,	Lusitanian		
	<i>Sequinum</i> ,	Dum Cane		
	<i>cristatum</i>			
2 <i>Arundo</i> ,	<i>Bambos</i> ,	Bamboo	}	Cane.
	<i>Donax Versicolor</i> ,	Striped Portugal		
7 <i>Asclepias</i> ,	<i>Gigantea</i> ,	Auricula tree	}	248- Swallow-wort. -346.
	<i>Curassavica</i> ,	Orange Apocynum		
5 <i>Banisteria</i> ,	<i>Laurifolia</i> ,	Jamaican		Banisteria.
2 <i>Barleria</i> ,	<i>Prionitis</i> ,			
<i>Basella</i> ,	<i>Rubra</i> ,	Red	}	Malabar Night- shade.
	<i>Alba</i> ,	White		



## S T O V E P L A N T S.

Genera. Species. English Names.

*Baubinia*, Ungulata, American }  
Acuminata, Pointed leaved } Mountain Ebony.

*Bignonia*, Sempervirens, Evergreen }  
Leucoxylon, Jamaica tulip tree }  
Peruviana, Peruvian } Trumpet Flower.  
135 ----- Indica, Indian ----- }

240 *Bixa*, Orillana, American Arnatto.

739 *Bocconia*, Frutescens, Tree Salindine.

*Boerhavia*, Scandens, American Hogweed.

*Bombax*, Ceiba, Five leaved }  
Pentandrum, Seven leaved }  
Goffypinum, Hairy } Silk Cotton-tree.

578 *Bontia*, Daphnoides, Barbadoes Wild Olive.

*Borassus*, Flabellifolius, Fan Palm.

*Bromelia*, Ananas, Queen }  
Sugar loaf }  
Smooth leaved }  
Green }  
Green with few }  
Spines }  
Shining smooth }  
leaved }  
Green fruited }  
Red fruited } Pine Apple.  
Montserrat }  
Black Antigua }  
Bogwarp }  
Olive coloured }  
Providence }  
Silver striped }  
Wild Jamaica }  
Wild ditto }

239 ----- Pinguin,  
Karata,

*Browallia*, Elata,  
Demissa,

209 *Pignonia unguis-lati*. 835 vide p. 36.  
273 ————— *Haus*. 422.

127 *Blechnum orientale*. 327.

166 *Boerhaavia hirsuta*. 352.



754 *Buddleja globosa*

25 *Cacalia atriplicifolia* .180. Vide p. 82.  
842 ----- *Anteuphorbium*

148 *Calceolaria pinnata*

## S T O V E P L A N T S.

Genera. Species. English Names.

<i>Brunia,</i>	<i>Lanuginosa,</i>		
	<i>Ciliata,</i>		
<i>Brunfelsia,</i>	<i>Americana,</i>		
<i>Buchnera,</i>	<i>Æthiopica,</i>		
<i>Cacalia,</i>	<i>Papillaris,</i>	Foreign	Colt's foot.
<i>Cactus,</i>	<i>Melocactus,</i>	Greater Melon, or	
	$\beta$ <i>Intortus,</i>	{ Spirally twisted	
		{ with Spines erect	
	$\gamma$ <i>Recurvus,</i>	{ Spir. twist. with	
		{ Spines recurved	
	<i>Mamillaris,</i>	Red spined lesser	
		Melon	
	$\beta$ <i>Proliferus,</i>	Childing Melon	
2	----- <i>Triangularis,</i>	Three-sided Torch	- 106
1	----- <i>Tetragonus,</i>	Four-sided Torch	
2	----- <i>Hexagonus,</i>	Six-sided Torch	Torch Thistle. 138
	<i>Heptagonus,</i>	Seven-sided ditto	
	<i>Lanuginosus,</i>	Woolley	
2	----- <i>Peruvianus,</i>	Peruvian	
3	----- <i>Repandus,</i>	Obtuse angled	
	<i>Royeni,</i>	Nine angled	
	<i>Glacilis,</i>		
1	----- <i>Grandiflorus,</i>	Greater flowering	
	<i>Flagelliformis</i>	Creeping Cereus	
	<i>Pitajaya,</i>		
	<i>Parasiticus,</i>		
	<i>Ficus Indicus,</i>	Indian Fig	
	<i>Tuna,</i>	Greater ditto	- 118. 833.
	<i>Elatior,</i>	Black spined	
	<i>Maximus,</i>	Greatest ditto	
105	----- <i>Cochenilifer,</i>	Cochineal Fig	
103	----- <i>Curassavicus,</i>	Least Indian	Indian Fig.
	<i>Spinosissimus,</i>	Clustered Spiney	
8	----- <i>Phyllanthus,</i>	Spleenwort-leaved	112
	<i>Pereskia,</i>	American Goose-	
		berry	
	<i>Portulacifolius,</i>	Purslane-leaved	

*Opuntia* - 91. 120.  
*Pentagonus* - 98.



## S T O V E P L A N T S.

Genera. Species. English Names.

*Camellia*, Japonica fl. Albo, White Flowering } Tuffubakki.  
 β Flore Pleno Rubro, Double Red

67 *Canna*, Indica, Common Red - 371. 671.  
 β Variegata, Striped-leaved } Indian Shot.  
 γ Lutea, Yellow flowered  
 103 ----- Glauca, Smooth Green  
 Angustifolia, Narrow-leaved

*Capparis*, Spinosa, Prickly } Caper Tree.  
 921 ----- Arborea, Tree

11. *Capficum*, Frutescens, Barberry - 296. 84. 90. 141.  
 Minimum, Cayan } Guinea Pepper.  
 Pyramidale, Yellow.  
 Conida, Hen

1056 *Carica*, Papaya, Melon-shaped - 325 -  
 Posoposa, Pear-shaped } Papaw.

*Caryota*, Urens, Stinging Palm.

109 *Cassia*, Fistula, Medicinal - 718.  
 302 ----- Biflora, Two-flowered  
 574 ----- Ligustrina, Privett-leaved } Wild Senna.  
 Tenuissima, Slender-podod  
 Mimosaoides, Mimosa-leaved  
 330 ----- Bicapsula, Two-capsuled  
 110 ----- Senna, True Senna

*Cassyltha*, Filiforme, Barbarian Cassyltha.

*Catesbaea*, Spinosa, Lily Thorn.

*Cedrella*, Odorata, Barbadoes Cedar.

*Celastrus*, Bullatus, Suppose Jamaica Staff Tree.

*Cerbera*, Ahouai, Oval-leaved } Ahouai.  
 Manghas, Lanceolate-leaved

293 *Cestrum*, Diurnum, Day Smelling - 759.  
 Nocturnum, Night Smelling } Bastard Jasmine.  
 Montanum, South Sea Laurel

358 ----- *Yecidum*.  
 444 ----- *latifolium*. 505. 691.

60 *Cesalpinia crista*. 319.

66 *Canella (cinamonica)*.

68 *Cassia Herbaria*  
65 ----- *Javanica*  
61 ----- *occidentalis*  
61 ----- *Planisiliqua*. 705.  
61 *Casuarina equisetifolia*.

64 *Celonia nodiflora*. 929.

63 *Leonotus asiaticus*. 317.  
61 ----- *africanus*. 771.

61 *Celtis occidentalis*



57 *Cinchona officinalis*

22 *Gifus Sicyoides*. 944.

392 --- *virginica*

338 --- *trifoliata*

550 *Comallaria majalis*

( 7 )

S T O V E P L A N T S.

Genera. Species. English Names.

*Cissus*, *Cordifolia*, Heart-shaped } Jamaica Wild  
*Acida*, Sour } Grape.

68 *Chamærops*, *Humilis*, Dwarf }  
*Glabra*, Palmetto Royal } Palm.

*Chrysophyllum* *Cainito*, Damson Tree of Ja- }  
*Glabrum*, Smooth-leav'd } maica } Star Apple.

*Citharexylum* *Cinereum*, American }  
*Quadrangulare*, White-flowered } Fiddle Wood.

64 *Claytonia*, *Portulacaria*,  
*Virginica*  
*Cleome*, *Pentaphyllum*, Five-leaved }  
*Heptaphyllum*, Seven-leaved } Bastard Mustard.

63 *Clitoria*, *Ternatea* fl. Albo, 271. 655.  
*Fl. Coeruleo*,

62 *Clusia*, *Flaya*, Yellow-flowered } Balsam Tree. 708. 709.  
*alaternoides*.

*Cocoloba*, *Uvifera*, Sea-side }  
*Punctata*, Spotted } Grape.

*Cocos*, *Nucifera*, Cocoa } Nut.

61 *Coffea*, *Arabica*, True } Coffee Tree. 475.

*Commelina*, *Africana*,  
*Benghalensis*,  
*Erecta*,

*Copaifera*, *Officinalis*,

60 *Cordia*, *Sebestina*, Lignum Aloes

*Cornutia*, *Pyramidalis*,

*Corypha*, *Umbraculifera*, Thatched } Palm.

*Costus*, *Arabicus*, Arabian } Costus.



## S T O V E P L A N T S.

Genera. Species. English Names.

525	Cotyledon,	Laciniata, Serrata,	Cut-leaved Sawed-leaved	} Cotyledon.
139	Crassula,	Punctata, Perfoliata,	Spotted Jacob's Ladder	} Lesser Orpine.
236		Quadrata,	Whip Chord	
580		Portulacaria, <i>coccinea</i> - - - <i>wide green</i> no.	Purflane-leav'd	
	Crataeva,	Tapia,	Garlick	Pear.
387	Crescentia,	Cujeta,	Calabash Tree	
523	Crinum,	Latifolium, Zeylanicum,	Broad-leaved Zeylon	} Lily Asphodel.
364		Asiaticum,	Asiatic	
		Fl. Variegatis,	With striped Flowers	
309		Americanum,	American	
956		β Fl. Variegato,	Striped ditto	508.
282	Crotalaria,	Laburnifolia, Retufa,	Laburnum-leaved Wedge-shaped-leaved	} Crotolaria.
		Chinenfis, <i>Jamaica</i>	China	
376	Croton,	Cascarilla, Glabellum, Palmatum,	Wild Rosemary-leaved Apple-leaved Bastard	} Tallow Tree.
	Curcuma,	Longa,	Long-rooted	
	Cycas.	Circinalis, β Latifolia,	Sago Broad-leaved	} Palm.
729	Cynanchum,	Hirtum,	American	
678		<i>suberosum</i>		Scamony. 722
	Cytissus,	Cajan,	Pigeon	Pea.
40	Delima,	Sarmentosa,		
958	Dioscorea,	Bulbifera, Sativa,	Jamaica Yamms Briony-leaved	} Dioscorea.
	Dracena,	Draco,	True	
246		Enifolia, Ferrea,	Sword-shaped-leaved Iron-coloured-leaved	} Dragon Tree.

- 1 *Craspula pellucida*  
 6 ----- *scabra*. 498.  
 2 ----- *obovata*  
 9 ----- *ciliata*  
 2 ----- *tetragona*. 839.

*Critinum maritimum*

*Lunula thymoides*.

*Daphne Indica*.

*Delphinium elatum*.

*Dodonaea viscosa*

3 *Dolichos sempervirens*  
 7 ----- (Brazil creeper)



34 *Echites suberecta*. 104. 294. 319.

746 *Eryson fetidum*. 888. 904.

713 *Eupatorium* (W. Tid)

65 *Euphorbia Clavi-Mercuris*. 85.

128 ----- *cereiformis*

856 ----- *Paralias*. 829

849 ----- *Spec*. 873-886.

## S T O V E P L A N T S.

Genera. Species. English Names.

*Dracontium*, *Pertusum*, Perforated-leaved }  
*Spinosum*, Prickly } Dragons.

1 *Duranta*, *Ellisia*, Leaves growing } --- 1058.  
 by pairs }  
 4 --- *Plumieri*, Prickly alternate- } *Duranta*.  
 leaved } --- 281-696.

12 *Ehretia*, *Tinifolia*,

*Elæocarpus*, *Serrata*,

*Elephantopus*, *Scaber*, Rough-leaved }  
*Tomentosus*, Downy-leaved } Elephant's Foot.

9 *Erythrina*, *Herbacea*, Herbaceous }  
 --- *Corallodendron*, True - --- } Coral Tree. 307. 322  
 --- *Picta*, Black-spined }

9 *Eugenia*, *Malacensis*, Jamaica }  
 --- *Jambos*, Wild - --- } Pomey Rose.  
 --- *Spec. nova*. } 324. 491.

7 *Euphorbia*, *Antiquorum*, Triangular }  
 --- *Neriifolia*, Oleander-leaved } --- 561. 829.  
 --- *Officinatum*, Medicinal - --- }  
 --- *Cotonifolia*, Rhus-leaved } Spurge. 125. 134  
 --- *Canariensis*, Canary }

4 *Fagara*, *Pterota*, }  
 --- *Tragodes*, }  
 --- *Piperita*, } Lechea.

1 *Ficus*, *Religiosa*, Poplar-leaved - } --- 716.  
 --- *Benghalensis*, Bengal - --- } 413  
 --- *Racemosa*, Clustered - --- } 305.

3 --- *Dumofus*, }  
 --- *Nova*, } Fig Tree.  
 --- *Sycamorus*, }

--- *Pumila*, Dwarf  
 --- *Nymphæfolium*, Water Lily-leaved

--- *Benjamina*,  
 --- *Indica*, Indian - --- 345. 519.



## S T O V E P L A N T S.

	Genera.	Species.	English Names.
12	<i>Gardenia</i> ,	Florida Fl. Pleno, β Flore Simplici,	Double-flowered } Cape Jasmine. Single-flowered }
	<i>Genipa</i> ,	<i>Americana</i> ,	
	<i>Gesneria</i> ,	<i>Tomentosa</i> ,	
	<i>Gloriosa</i> ,	<i>Superba</i> , <i>Simplex</i> ,	Superb } Lily.
	<i>Gomphrena</i> ,	<i>Globosa</i> , <i>Perennis</i> ,	Globe Perennial } Amaranth.
192	<i>Gossypium</i> ,	<i>Arboreum</i> ,	Shrubby Cotton.
257	—	<i>religiosum</i>	
333	<i>Grewia</i> ,	<i>Orientalis</i> ,	Eastern Grewia.
232	—	<i>Sp. Java</i>	
	<i>Guajacum</i> ,	<i>Officinale</i> ,	Lignum Vitæ
	<i>Guarea</i> ,	<i>Trichilloides</i> ,	
	<i>Guettarda</i> ,	<i>Speciosa</i> ,	
204	<i>Guilandina</i> ,	<i>Bonduc</i> ,	Indian
496	—	<i>Bonducella</i> ,	Lesler
78	—	<i>Moringa</i> ,	Zeylon
226	—	<i>Lacerans</i>	
953	<i>Haemanthus</i> ,	<i>Coccineus</i> , β <i>Ferrugineus</i> , <i>Ciliaris</i> , <i>Puniceus</i> , <i>Carinatus</i> ,	Tongue-shaped Dark-flowered Hairy Waved-leaved Keel-shaped } Blood Flower.
314	<i>Hæmatoxylum</i> ,	<i>Campechianum</i> ,	Logwood — — — 268
136	<i>Hedysarum</i> ,	<i>Styracifolium</i> , <i>Vacillante</i> ,	Storax-leaved } French Honeyfuckle. Chinese } Moving Plant.
47	<i>Helicteris</i> ,	<i>Ifora</i> , ?	Screw Tree
	<i>Heliocarpus</i> ,	<i>Americannus</i> ,	American Sun Seed.
215	<i>Heliotropium</i> ,	<i>Peruvianum</i> ,	Peruvian sweet Heliotrope. 237.
	<i>Hernandia</i> ,	<i>Sonora</i> ,	Jack in a Box

2 *Gleditsia monosperma*

6 *Gnaphalium orientale*. 1033. vide p. 70

2 *Gouania Dominicensis*

*Hedyosarum* <sup>spec.</sup>  
\_\_\_\_\_ *amentaceum* } vide p. 70  
\_\_\_\_\_ *pulchellum*

*Helicteres* (w. p. d.)  
\_\_\_\_\_ (f. p. d.)  
\_\_\_\_\_ spec. nov.



190 Hibiscus (France)

77 Holcus (Spec)

201 - - - - - Spec. Jamaica.

813 Inula Crithmifolia

583 Iris maritima

951 - - - Paeonia.

701 Jasminum Azyricum

891 - - - - - Grandiflorum

## S. T. O. V. E. P. L. A. N. T. S.

Genera.	Species.	English Names.
<i>Hibiscus</i> ,	<i>Mutabilis</i> ,	Changeable Rose } 258. 506. 520.
	<i>Ficulneus</i> ,	Fig-leaved
	<i>Tiliaceus</i> ,	Lime-leaved - 463.
	<i>Populneus</i> ,	Poplar-leaved
	<i>Malvaviscus</i> ,	Mallow-leaved
	<i>Abelmoscus</i> ,	Musk-leaved } Syrian Mallow.
	<i>Sabdariffa</i> ,	Cut-leaved
	<i>Rosa Sinenfis Simpt.</i>	Single China Rose - 688.
	<i>Fl. Pleno</i> ,	Double ditto
	<i>Spinifex</i> ,	Prickly-capsuled
	<i>Hirtus</i> ,	Hairy-leaved
	<i>spec.</i>	
<i>Hippomane</i> ,	<i>Mancinella</i> ,	Mancineel } Apple.
	<i>Biglandulosa</i> ,	Bay-leaved
<i>Hura</i> ,	<i>Crepitans</i> ,	Sand Box Tree.
<i>Hymenaea</i> ,	<i>Courbaril</i> ,	Locust Tree, or Gum Elemi Tree. 170.
<i>Jatropha</i> ,	<i>Multifida</i> ,	Multifid - - - 249. 409.
	<i>Urens</i> ,	Stinging - - - } French Physic
	<i>Curcas</i> ,	American } --- Nut 279. 520.
	<i>Gossypifolia</i>	
<i>Illecebrum</i> ,	<i>Lanata</i> ,	Woolly Mountain Knot Grass.
<i>Indigofera</i> ,	<i>Tinctorea</i> ,	True Guatamella } Indigo
	<i>Argentea</i> ,	Shrubby
	<i>Standens</i>	
<i>Jussiaea</i> ,	<i>Repens</i> ,	
<i>Justicia</i> ,	<i>Ecbolium</i> ,	Reflexed-flowered } 656.
	<i>Hyssopifolia</i> ,	Hyssop-leaved - } Malabar Nut. 650.
	<i>Picta</i> ,	Painted
<i>Ixora</i> ,	<i>Americana</i> ,	American } Wild Jasmine,
	<i>Coccinea</i> ,	Scarlet
<i>Kæmpferia</i> ,	<i>Galanga</i> ,	
<i>Lagerstræmia</i>	<i>Indica</i> ,	Formerly Munchhausen.
<i>Lantana</i> ,	<i>Camara</i> ,	Nettle-leaved, } American Viburnum.
		without Prickles }



## S T O V E P L A N T S.

	Genera.	Species.	English Names.
707	<i>Lantano,</i>	<i>Aculeata,</i>	Prickly Nettle- leaved
667	-----	<i>Odorata,</i>	Sweet-scented
19	-----	<i>Involucrata,</i>	Round-leaved
30	-----	<i>Trifolia,</i>	Three-leaved
		<i>Angustifolia,</i>	Narrow-leaved
	<i>Lavandula,</i>	<i>Multifida,</i>	Canary
		<i>Pectinata,</i>	Lavender.
	<i>Laurus,</i>	<i>Cinnamomum,</i>	Cinnamon Tree
		<i>Cassia,</i>	Bastard ditto
408	-----	<i>Perfia,</i>	Alligator Pear
		<i>Fœtans,</i>	Stinking
45	<i>Leea,</i>	<i>Crispa,</i>	
		<i>Æquata,</i>	
		<i>Nova,</i>	
531.	<i>Lechea,</i>	<i>Major</i>	
111	<i>Limodorum,</i>	<i>Tuberosum,</i>	Bastard Hellebore. 264. 3.
	<i>Limonia,</i>	<i>Trifoliata,</i>	Mandarine Orange.
42	<i>Lobelia,</i>	<i>Longiflora,</i>	Long-tubed Cardinal Flower.
903		<i>coronopifolia</i>	
348	<i>Malpighia,</i>	<i>Glabra,</i>	Smooth-leaved
316	-----	<i>Verbascifolia,</i>	Moth Melon-leaved
		<i>Nitida,</i>	Shining
		<i>Urens</i>	Stinging
626	-----	<i>Municefolia</i>	
	<i>Mammea,</i>	<i>Americana,</i>	American Mammee Apple.
	<i>Mangifera,</i>	<i>Indica,</i>	Indian Mangoe Tree.
	<i>Maranta,</i>	<i>Arundinacea,</i>	Indian flowering Reed
		<i>Galanga,</i>	Indian arrow Root
33	<i>Martynia,</i>	<i>Perennis,</i>	Perennial Martynia. 80. 163.
		203. 218. 244. 313. 782.	
	<i>Melastoma,</i>	<i>Holofericea,</i>	American Gooseberry Tree.

13 *Lawsonia spinosa* . 172. 253.

2 *Lepidium alpinum* *vide p. 73.*

165. *Ludwigia ovata* . 263.

902 *Malva capensis*



769 *Melianthus major*.

- 35 *Mimosa virgata*. -- 528. 634.  
44 ----- *Spec. & Ind.* 182. 222. 233. 303.  
56 ----- *Unguis cati*  
124 ----- *Latifolia*. -- 289  
161 ----- *Jamaicensis*  
257 ----- *Vaga*  
259 ----- *Punctata*  
292 ----- *Monaspurma*  
294 ----- *Peticulata*  
306 ----- *Glauc* ----- 363. 530.  
331 ----- *Lebbeh*  
402 ----- *Horrida*  
538 ----- *Peregrina*

328 *Myrsine rotunda*. 661.

261 *Panicum Dichotamum*

## S T O V E P L A N T S.

Genera. Species. English Names.

*Mesua*, *Ferrea*, Indian Rose Chestnut.

*Michelia*, *Campaca*,

*Mimosa*, *Pudica*, Humble Plant

*Latifiliqua*, Broad-podod

29 ----- *Farnesiana*, Italian Gazia } 342.

10 ----- *Cornigera*, Horned } Acacia.

62 ----- *Arborea*, Indian Tree

20 ----- *Pernambucana*, ----- } 358.

36 ----- *Nilotica*, Gum Arabic ----- } 542, 689.

*Pigra*, Recurved Spines,

*Munchbausia* *Speciosa*,

14 *Musa*, *Paradisiaca*, Plaintain Tree ----- 456. 539

*Myrtus*, *Zeylanica*, Zeylon

*Dioica*, Oval-leaved

6 ----- *Pimento*, Long-leaved ----- } Myrtle.

0 ----- *Nyctanthes*, *Sambac*, Single Arabian

β *Flore Pleno*, Double ditto

γ β *Fol. Variegatis*, Striped ditto

δ *Etrusca*, Duke of Tuscany's } Jasmine.

*Omphalia*, *Triandria*,

*Ophioxylum*, *Serpentinum*,

*Pancratium*, *Zeylanicum*, Zeylon

*Elatum*,

*Mexicanum*, Mexican

00 ----- *Caribœum*, Caribee ditto ----- } Narcissus.

29 ----- *Amboinenfe*, Broad-leaved ----- } 393. 467.

60 ----- *Gibraltar*, ----- } 488.

*Parkinsonia*, *Aculeata*,

*Passiflora*, *Serratifolia*, Sawed-leaved

5 ----- *Laurifolia*, Laurel-leaved ----- } 367.

*Maliformis*, Apple-shaped

*Quadrangularis*, Square-stalked

*Murucuja*, Moon-shaped Leaf

15 ----- *Vesputilio*, var.

7 ----- *Normalis*

} Passion Flower.



## STOVE PLANTS.

Genera. Species. English Names.

372	<i>Passiflora</i>	<i>Holosericea</i> , <i>Suberosa</i> , <i>Minima</i> , <i>Fœtida</i> , <i>Capsularis</i> ,	Silky-leaved Ivy-leaved Small-flowered Stinking Red-fruited	} Passion Flower.
	<i>Pentapetes</i>	<i>Phœnicea</i> ,	Indian Vervin	
			Mallow.	
48	<i>Petiveria</i>	<i>Alliacea</i> ,	Guiney	
81		<i>Octandra</i> ,	American	
				} Henweed.
372	<i>Phyllanthus</i>	<i>Grandifolia</i> , <i>Emblica</i> , <i>Maderaspatensis</i> ,	American Indian Madeira	} Love Flower.
399	<i>Physalis</i>	<i>Peruviana</i> .		
	<i>Physalis</i>	<i>Curassavica</i> ,	Winter Cherry of Curassao.	
9		<i>Alexandra</i> ,		151. 842.
	<i>Phytolacca</i>	<i>Dioica</i> ,	American,	Nightshade.
	<i>Piper</i>	<i>Reticulatum</i> , <i>Obtusifolium</i> ,	Black Obtuse-leaved	} Pepper.
158				
374	<i>Piscidia</i>	<i>Erythrina</i> ,	Jamaica	Dogwood Tree.
	<i>Pisonia</i>	<i>Aculeata</i> ,	Jamaica	Fingrego.
	<i>Plumbago</i>	<i>Zeylanica</i> ,	Zeylon	Leadwort.
673		<i>Scandens</i>		1059
	<i>Plumeria</i>	<i>Rubra</i> , <i>Alba</i> , <i>Obtusa</i> ,	Red White Obtuse-leaved	} Jasmine.
	<i>Poinciana</i>	<i>Bijuga</i> , <i>Pulcherrima</i> ,		} Barbadoes Flower Fence.
	<i>Polyanthes</i>	<i>Tuberosa</i> , β <i>Fl. Pleno</i>	Single White Double White	} Tuberoſe.
88	<i>Polypodium</i>	<i>Aureum</i> ,	Hares Foot	Fern. 372
993		<i>auriculatum</i>		
	<i>Portlandia</i>	<i>Grandiflora</i> , <i>Hexandria</i> ,		
107	<i>Psidium</i>	<i>Pyriferum</i> , <i>Pomiferum</i> ,	Pear-shaped Apple-shaped	} 350. 385. 652. Guava.

8 *Paspiflora Jamaic.* 26. 627.

6 *Mullinia triternata*

2 ——— *cururu*

2 ——— *Barbadosis.*

7. *Pantagonula Americana*

6 *Phaseolus* (F. Ind)

8 *Pronia Aculeata*

6 *Piper Verticillatum* 178. 245.

2 ——— *Amalago.* 725.

3 *Portulaca Anacampteros.* 105. 144.



169 *Pterocarpus* (E. Ind.)

132 *Pulmonaria maritima* 985

177 *Pharus* (China)

684 ----- *colubrinus*

693 *Phus lucida major* 776. 783

766 ----- *parvatum*

814 ----- *tomentosum*

897 ----- *odorata*

159 *Phuellia paniculata*

173 ----- *clandestina*

20 *Sedum arachnoideum*

962 *Sagina procumbens*

1028 *Scabiosa atro-purpurea*

911 *Stachys lutea* 1009.

82 *Sida jamaica*

255 ----- *indica*

398 ----- *viscosa*

629 ----- *rhombifolia*

411 *Solidago pinnatifolia* -- 721.

374 *Solanum papilionaceum*

638 ----- *tomentosum* -- 910.

680 ----- *acanthifolium*

401. ----- *bonariense*

## S T O V E P L A N T S

Genera. Species. English Names.

Pteris,	Caudata,		} Jamaica Fern.
	Lineata,		
6. Randia,	Vittata.	278. 349. 784.	
	Mitis,		
	Aculeata,		
10 Raulvolfia,	Nitida,		
3 Rivinia,	Humilis,	-- 96.	
	β Canescens,		
	Octandra,		
6 Rondeletia,	Americana,	Timus-leaved	Rondeletia.
12 Saccharum,	Officinale,	Sugar Cane	
8	<i>Mumilum</i>		
Salicornia,	Fruticosa,	Shrubby	Glasswort.
69 Sapindus,	Saponaria,	Indian	} 733. Soap Berry.
	Spinofus,	American	
Senecio,	Pseudo China,		
9 Serrularia,	Pentaphylla,		
Sida,	Cordifolia,	Heart-shaped	} Indian Mallow.
11	Abutilon,		
	<i>multiflora</i>		311.
Sideroxylon,	Inerme,	Æthiopian	} Iron Wood.
	Spinofum,	Thorny	
Salanum,	Verbascifolium,	Woolly	} Nightshade. 732.
	igneum,	Red-spined	
2	Sodomeum,	Apple-bearing	
	Guinense,	Guinea	
	Pomiferum,	Greater Apple-bearing	
	<i>radicans</i>		326.
7 Sophora,	Tomentosa,	Zeylon Silver	Colutea. 147. 378
	<i>microphylla</i>		
3 Spondias,	Mombin,		} Black American Plum.
	Myrobalanus,		
	Luteo,		
Stapelia,	Variegata,	Lesser	} Swallow Wort.
	Hirsuta,	Greater	
	<i>Mammillaris</i>		137.
			143



## S T O V E P L A N T S.

Genera. Species. English Names.

	<i>Sterculea</i> ,	Fœtida,	Zeylon	<i>Stercuiea</i> .
664	<i>Swietenia</i> ,	Mahagoni,	American	Mahogany Tree.
167	<i>Tamarindus</i> ,	Indicus,	Tamarind Tree	529
512	<i>Theobroma</i> ,	Cacao,	Chocolate Nut	
725	-----	Gauzuma,	Bastard Cedar	
	-----	Augusta,	China ditto	273.
	<i>Tournefortia</i> ,	Volubilis,		
		Fœtidissima,		
		Cymosa,		
431	-----	Serrata,		
	<i>Triumfetta</i> ,	Lappula,		
	<i>Turnera</i> ,	Ulmifolia,		
	<i>Urena</i> ,	Lobata,	Indian	Mallow.
	<i>Urtica</i> ,	Nivea,	China	Nettle.
	<i>Verbesina</i> ,	Alata,	Indian	Hemp Agrimony.
50	<i>Vinca</i> ,	Rosea,	Madagascar	Periwinkle. 247.
	<i>Vitis</i> ,	Trifoliata,	Three-leaved	} Wild Vine.
		Indica,	Indian	
123	<i>Volkameria</i> ,	Inermis,	193. 299. 310. 360. 430. 726	
511	-----	Aculeata,		
	<i>Winterania</i> ,	Canella,	Bastard	Cinnamon.
	<i>Xylophilla</i> ,	Latifolia,	Broad-leaved	Love Flower.
	<i>Zamia</i> ,	Pumila,	Dwarf sawed-leaved	Palm.

e. 3. *Sarchonanthus lanuginosus*

30 *Journefortia Ehretia.*

24 *Villa pseudo-cypripus*

ny.

247.



1062 *Alchemilla Pentaphylla.*

969 *Arenione Alpina.* 972.  
1064 ——— *Thalactroides*

# GREEN HOUSE PLANTS.

Genera.	Species.	English Names.
<i>Achillea</i> ,	<i>Ægyptiaca</i> ,	Ægyptian Milfoil.
<i>Adeloides</i> ,	<i>Lucida</i> ,	
<i>Agave</i> ,	<i>Americana</i> ,	American
	β <i>Fol. Variegatis</i> ,	Striped ditto
	<i>Virginica</i> ,	Virginian
		} Aloe.
<i>Albuca</i> ,	<i>Maxima</i> ,	Greatest
	<i>Major</i> ,	Greater
	<i>Minor</i> ,	Lesser
		} Bastard Star of Bethlehem.
<i>Aletris</i> ,	<i>Uvaria</i> ,	Iris Uvaria - - - 1053.
<i>Aloe</i> ,	<i>Succotrina</i> ,	Succotorine
	<i>Plicatilis</i> ,	Fan
	<i>Mitriiformis</i> ,	Mitre-shaped - - - 860.
		} Aloe.
<i>Amaryllis</i> ,	<i>Atamasco</i> ,	Atamasco
	<i>Sarnienfis</i> ,	Guernsey
		} Lily.
<i>Ambrosia</i> ,	<i>Arborefcens</i> ,	Shrubby
	<i>Mexicana</i> ,	
<i>Amellus</i> ,	<i>Lychnitis</i> ,	Cape Star
		Flower. - - - 804.
<i>Anagallis</i> ,	<i>Monelli</i> ,	Blue
		Pimpernel.
<i>Anagryis</i> ,	<i>Fœtida</i> ,	Stinking Bean
		Trefoil.
<i>Anthemis</i> ,	<i>Maritima</i> ,	Sea
		Camemile.
<i>Anthericum</i> ,	<i>Frutescens</i> ,	Shrubby
	<i>Asphodeloides</i> ,	Asphodel-leaved
	<i>Alooides</i> ,	Aloe-leaved - - - 564. 481.
		} Spiderwort.
<i>Antholiza</i> ,	<i>Ringens</i> ,	Scarlet
	<i>Maura</i> ,	Yellow
		} Antholiza.



## GREEN HOUSE PLANTS.

	Genera.	Species.	English Names.
	<i>Antbospermum</i>	<i>Æthiopicum</i> ,	<i>Æthiopian</i> , Amber-Tree.
703	<i>Antbyllis</i> ,	<i>Barba Jovis</i> , <i>Heterophylla</i> , <i>Cytisoides</i> ,	<i>Silver-bush</i> <i>Various-leaved</i> <i>Spanish</i> } <i>Kidney-Vetch.</i>
	<i>Antirrhinum</i> ,	<i>Triste</i> ,	<i>Dwarf-black</i> }
816	-----	<i>Majus Variegatum</i> ,	<i>Striped-leaved</i> }
	-----	<i>Alpinum</i> ,	<i>Austrian</i> }
788	-----	<i>molle</i>	
	<i>Arctotis</i> ,	<i>Aspera</i> ,	<i>Rough-leaved</i> }
	β	<i>Fl. Aurantiis</i> ,	<i>Orange-flowered</i> }
1020	-----	<i>Plantaginea</i> ,	<i>Plantain-leaved</i> }
	-----	<i>Superba</i> ,	<i>Superb</i> }
1022	-----	<i>diffusa</i>	
	<i>Arduina</i> ,	<i>Bispinosa</i> ,	<i>Cape</i> } <i>Buckthorn.</i>
	<i>Aristolochia</i> ,	<i>Sempervirens</i> ,	<i>Evergreen</i> }
	-----	<i>Serpentaria</i> ,	<i>Serpent-rooted</i> }
	-----	<i>Maxima</i> ,	<i>Large-climbing</i> }
70	<i>Asclepias</i> ,	<i>Fruticosa</i> ,	<i>Shrubby</i> } <i>Swallow Wort.</i>
	<i>Ascyrum</i> ,	<i>Crux Andræ</i> ,	<i>St. Andrew's</i> } <i>Cross.</i>
	<i>Aspalathus</i> ,	<i>Creticus</i> ,	<i>Cretan</i> }
	-----	<i>Albens</i> ,	<i>White</i> }
	<i>Asparagus</i> ,	<i>Retrofractus</i> ,	<i>Larch-leaved</i> }
	-----	<i>Albus</i> ,	<i>White</i> }
	-----	<i>Acutifolius</i> ,	<i>Sharp-leaved</i> }
	-----	<i>Declinatus</i> ,	<i>Bristly-leaved</i> }
	-----	<i>Sarmentofus</i> ,	<i>Treble-thorned</i> }
	<i>Asphodelus</i> ,	<i>Fistulosus</i> ,	<i>Lesser</i> } <i>King's-Spear.</i>
	<i>Aster</i> ,	<i>Fruticosa</i> ,	<i>Shrubby</i> } <i>Starwort.</i>
	<i>Astragalus</i> ,	<i>Tragacantha</i> ,	<i>Goats-thorn</i> , } <i>Milk-Vetch.</i>
	<i>Athanasia</i> ,	<i>Trifurcata</i> ,	<i>Three-pointed</i> }
700	-----	<i>Crithmifolia</i> ,	<i>Sapphire-leaved</i> }
	<i>Atragens</i> ,	<i>Alpina</i> ,	<i>Goldy-locks.</i>

CONFIDENTIAL

1900

1947

English Edition

1940

1944

10

1. The first part of the document is a letter from the President of the United States to the Congress, dated January 1, 1861. It is a copy of the original letter, and is signed by Abraham Lincoln.

Amherst

*Arctostaphylos multiflora*  
*diffusa*

*diffusa*

1000

— *Grain*

11/17/19

Notes M. 200

Aster, M. nov. 773.



573 *Atriplex Portulacoides* . 840.

1004 *Cassierina Equisetifolia* . 51. 384  
720 ----- *tuberosa*

## GREEN HOUSE PLANTS.

Genera. Species.

English Names.

13	<i>Atraphaxis</i> , <i>Undulata</i> ,		
17	<i>Baccharis</i> , <i>Ivcefolia</i> ,	Ploughman's	} Spikenard.
	----- <i>Nerifolia</i> ,	Oleander-leaved	
14	----- <i>Patrida</i>		
	<i>Berberis</i> , <i>Cretica</i> ,	Cretan	Barberry.
8	<i>Bosca</i> , <i>Yervamora</i> ,	Golden-rod	
38	<i>Bubon</i> , <i>Macedonicum</i> ,	Macedonian	} Parsley. 808.
65	----- <i>Galbanum</i> ,	Galbaniferous,	
19	<i>Buphtbalmum</i> <i>Frutescens</i> ,	Shrubby	} 775. Ox-Eye.
	<i>Arborefcens</i> ,	Tree	
	<i>Maritimum</i> ,	Sea	
41	----- <i>Spinosum</i>		1035.
	<i>Bupleurum</i> , <i>Difforme</i> ,	Grass-leaved	} Hare's-Ear.
	<i>Longifolium</i> ,	Long-leaved	
	<i>Galbanum</i> ,	Galbaniferous	
7	<i>Cacalia</i> , <i>Ficoides</i> ,	Bastard Ficoides	} Foreign Colts-Foot.
18	----- <i>Repens</i> ,	Creeping	
	<i>Kleinia</i> ,	Cabbage-tree	
	<i>Caesus</i> , <i>Moniliformis</i> ,	Jointed India	Fig.
	<i>Calendula</i> , <i>Nudicaulis</i> ,	Naked-stalked	} Marygold.
	<i>Graminifolia</i> ,	Grass-leaved	
	<i>Fruticosa</i> ,	Shrubby	
3	<i>Calla</i> , <i>Æthiopica</i> ,	Æthiopian	Arum.
	<i>Callicarpa</i> , <i>Americana</i> ,		
	<i>Campanula</i> , <i>Americana</i> ,	American	Bell-Flower.
	<i>Canarina</i> , <i>Campanula</i> ,	Canary	Campanula.
	<i>Casserina</i> , <i>Pubescens</i> ,		
	<i>Cassine</i> , <i>Capensis</i> ,	Cape	} Hottentot-Cherry
	<i>Maurocenia</i> ,	Greater	
	β <i>Cerasus</i> ,	Lesser	
	<i>Americana</i> ,	American	



## GREEN HOUSE PLANTS.

Genera.	Species.	English Names.
<i>Celastrus</i> ,	<i>Pyracanthus</i> , <i>Buxifolius</i> , <i>Myrtifolius</i> ,	<i>Pyracantha</i> -leaved Box-leaved Canada } Staff-tree.
<i>Centaurea</i> ,	<i>Ragulina</i> , <i>Laciniata</i> , <i>Sempervirens</i> ,	Silver Cut-leaved Evergreen } Centaury.
<i>Ceratonia</i> ,	<i>Siliqua</i> ,	Carob-tree or St. John's Bread.
<i>Cerilla</i> ,	<i>Racemiflora</i> ,	
<i>Chenopodium</i> ,	<i>Capense</i> , <i>Multifidum</i> ,	Cape Shrubby } Wild Orach.
<i>Chironia</i> ,	<i>Frutescens</i> , <i>Baccifera</i> ,	Shrubby Berry-bearing } African Centaury.
<i>Chrysanthemum</i>	<i>Frutescens</i> , <i>Flosculosum</i> ,	Shrubby Maudlin-leaved } Corn Marygold.
<i>Chrysocoma</i> ,	<i>Coma Aurea</i> , <i>Cernua</i> , <i>Ciliata</i> ,	Greater shrubby Lesser Narrow-leaved } Goldy-locks.
<i>Cineraria</i> ,	<i>Geifolia</i> , <i>Amelloides</i> ,	Ground-Ivy-leaved Cape } Ragwort.
<i>Cistus</i> ,	<i>Creticus</i> , <i>Halimifolius</i> , <i>Populifolius</i> , <i>Pilosus</i> ,	Cretan Sea Purslane-leaved Poplar-leaved Hairy } Rock-rose.
<i>Citrus</i> ,	<i>Medica</i> , <i>Vulgaris</i> , $\beta$ <i>Fol. Variegatis</i> , $\gamma$ <i>Flore Pleno</i> , <i>Spinosum</i> , <i>Aurantium</i> , $\beta$ <i>Aureo Variegatum</i> , $\gamma$ <i>Argenteo Var.</i> $\delta$ <i>Salicifolia</i> , $\epsilon$ <i>Fol. Variegatis</i> ,	Citron Lemon-tree Striped ditto Double-flowering ditto. Lime Orange Gold-striped ditto Silver-striped ditto Willow-leaved Striped ditto

798

22

1045

1009

344.

1046

821 *Centaria orientalis*

179 *Blenopodium rugosum*

806 ----- *anthelminticum*

332 *Cistus vitifolia*

338 ----- *trifoliata*

894 ----- *helianthemum* vide p. 37

920 ----- *salvifolius* var. vide p. 37

923 ----- *laurifolius* vide p. 37

1042 ----- *albidus*



81 *Commulina communis*  
185 ----- *fulvipes*.

628 *Convolvulus hederaceus*  
724 ----- *vitifolius*  
759 ----- *batatas*

260 *Catylodon* Spec. 442. 623

## GREEN HOUSE PLANTS.

Genera.	Species.	English Names.
<i>Citrus</i> ,	2 Crispa, n Fol. Variegatis, 3 Myrtifolia, , Fol. Variegatis, x Pumila, λ Fol. Variegatis, μ Flore Pleno, Decumanus, Sinensis,	Curled Striped ditto Myrtle-leaved Striped ditto Nutmeg Striped ditto Double flowering ditto. Shaddock China
<i>Cliffortia</i> ,	Illicifolia,	
<i>Clusia</i> ,	Alaternoides, Pulchella,	
<i>Colutea</i> ,	Frutescens,	Scarlet Bladder Senna.
<i>Commelina</i> ,	Erecta, Africana,	Upright African } Commelina.
<i>Convolvulus</i> ,	Canariensis, Cneorum, Dorychnum, Cantabricus,	Canary Silvery Flax-leaved } Bindweed. 1039.
<i>Conyza</i> ,	Candida, <i>mollis</i> .	Cretan Fleabane.
<i>Coronilla</i> ,	Valentina, Glaucia, Juncea, Argentea,	Greater Lesser Rush-leaved Silver } Joint-podded 916. Colutea.
<i>Cotula</i> ,	Tanacetifolia,	Shrubby Tansey.
<i>Cotyledon</i> ,	Orbiculata, Hemisphaerica, Spuria,	Round-leaved Semiglobular Spatulate } Navel-Wort. 623. 68. 829. 872
<i>Crassula</i> ,	Coccinea, Cultrata,	Scarlet Orpine-leaved } Lesser Orpine. 624. 863. 865. 610
<i>Eroton</i> ,	Sebiferum,	Poplar-leaved Tallow-Tree. - 32 740.



## GREENHOUSE PLANTS.

Genera. Species. English Names.

*Canonia*, *Capensis*.

*Cupressus*, *Juniperoides*, Cape Cypress-Tree.

896

*Cyclamen*, *Indicum*, Persian }  
*β Odorata*, Sweet } Sow-Bread.

441

*Digitalis*, *Canariensis*, Canary }  
*Fulca*, } Fox-Glove.

*Dionaea*, *Muscipula*, Venus Fly-Trap.

*Diosma*, *Oppositifolia*, Opposite-leaved }  
*Hirsuta*, Hairy }  
*Rubra*, Red }  
*Ericoides*, Heath-leaved } African Spirea.  
*Ciliata*, Ciliated }  
*Cupressina*, Cyprus-leaved }  
*Lanceolata*, Lance-shaped }

*Dracocephalum* *Canariense*, Baulm of Gilead.

*Ebenus*, *Creticus*, Cretan Ebony.

*Empetrum*, *Album*, White Crow-Berry.

*Erica*, *Triflora*, Three-flowered }  
*Mediterranea*, Mediterranean }  
*Scoparia*, Beesom }  
*Viridi Purpurea*, Greenish purple } Heath.  
*Multiflora*, Many-flowered }  
*Tubiflora*, Tube-flowered }

978 *Erinus*, *Alpinus*, - - - 996.

883 *Eriocephalus*, *Africanus*,  
*Racemosus*,  
*Pectinifolius*,

381 *Euphorbia*, *Tithymaloides*, Myrtle-leaved }  
679 *Caput Medusæ*, Medusa's-head } Spurge.  
*Spinosa*, Prickly }  
*Armygdaloides* *Variegata*, Striped }

THE NEW YORK PUBLIC LIBRARY

ASTOR LENOX TILDEN FOUNDATION

500 N. 5TH ST. NEW YORK, N.Y.

1889

1889

1889

1889

1889

1889

1889

1889

1889

1889

1889

1889

1889

1889

1889

1889

1889

1889



卷之四

\_\_\_\_\_

\_\_\_\_\_

1875

11

11

18

100

1875

1870

18

1875

100

117

1870

11

11

18

1991

100

11/11/11

10

3

## GREEN HOUSE PLANTS.

Genera. Species. English Names.

<i>Euphorbia</i> ,	<i>Characias</i> ,	Red	} Spurge.
	<i>Heterophylla</i> ,		
<i>Fritillaria</i> ,	<i>Regia</i> ,	Greater	} <i>Coronna Regalis</i> .
	<i>Nana</i> ,	Lesser	
-----	<i>Lorimifolia</i>	-----	961.
<i>Galenia</i> ,	<i>Africana</i> ,	African	<i>Galenia</i> .
<i>Genista</i> ,	<i>Canariensis</i> ,	Canary	<i>Cytissus</i> .
<i>Geranium</i> ,	<i>Fulgidum</i> ,	Flaming-red	196. 225.
-----	<i>Inquinans</i> ,	Common Scarlet	908.
β	<i>Coccineum</i> ,	Deeper Scarlet	
-----	<i>Papilionaceum</i> ,	Butterfly	
-----	<i>Betulinum</i> ,	Birch-leaved	
β	<i>Variegatum</i> ,	Striped ditto	
-----	<i>Cuculatum</i> ,	Hollow-leaved	
β	<i>Angulatum</i> ,	Marsh Mallow-leaved	
-----	<i>Gibbosum</i> ,	Gouty-stalked	
-----	<i>Carnosum</i> ,	Fleshy	
-----	<i>Peltatum</i> ,	Ivy-leaved	
-----	<i>Acetosum</i> ,	Sorrel-leaved	
-----	<i>Cotyledonis</i> ,	Cotyledon-leaved	
-----	<i>Zonale</i> ,	Horse-shoe	793. 930. 1005.
β	<i>Variegatum</i> ,	Striped-leaved ditto	805. 945. 1061.
γ	<i>Fl. Igneo</i> ,	Flaming-flowered	} Crane's-Bill.
γ	<i>Fol. Argenteo</i> Var.	Silver-striped	
γ	<i>Fol. Aureo</i> Var.	Gold-striped	
-----	<i>Vitifolium</i> ,	Baulm-scented	944.
β	<i>Fol. Variegatis</i> ,	Striped-leaved ditto	
-----	<i>Capitatum</i> ,	Rose-scented	
-----	<i>Odoratissimum</i> ,	Sweet-smelling	
-----	<i>Terebinthinum</i> ,	Aromatic-smelling	950.
-----	<i>Alchemilloides</i> ,	Lady's Mantle-leaved	
-----	<i>Alceoides</i> ,	Mallow-leaved	
-----	<i>Grossularoides</i> ,	Gooseberry-leaved	
-----	<i>Coriandrifolium</i> ,	Coriander-leaved	
-----	<i>Myrrifolium</i> ,	Myrrh-leaved	
-----	<i>Triste</i> ,	Night-smell. carrot-leaved	
-----	<i>Pastinacæfolium</i> ,	Parsnep-leaved	
-----	<i>Lobatum</i> ,	Vine-leaved	
-----	<i>Trigonum</i>	Three-sided deep green stalks	
-----	<i>Hybridum</i>		



## GREEN HOUSE PLANTS.

Genera. Species. English Names.

*Geranium*, *Hirtum*, Hairy-leaved  
*Acaulis*, Dwarf-white  
*Rodilans*, Multifid } Crane's-Bill.

*Gladiolus*, *Tristis*, Spotted-flowered } Sword-lily.

*Gnidia*, *Pinifolia*,

*Gordonia*, *Lafianthus*, Loblolly-bay.

1034 *Gorteria*, *Regens*,  
*Ciliaris*,

*Grewia*, *Occidentalis*,

*Halleria*, *Lucida*, African-fly } Honeyfuckle,

*Heliotropium* *Peruvianum*, Peruvian  
*Fruticosum*, Tree } Turnsole.

763 *Hermannia*, *Althæifolia*, Althea-leaved  
*Alnifolia*, Alder-leaved  
*Grossularifolia*, Gooseberry-leaved } Hermannia.  
*Lavendulifolia*, Lavender-leaved

757 ----- *condicans*

917 *Hippia*, *Frutescens*, Æthiopian shrubby } Tansey.

*Hopea*, *Tinctorea*,

770 *Hyoscyamus*, *Aureus*, Golden } Henbane. 1010.

*Hypericum*, *Balearicum*, Minorcan-yellow  
*Monogynum*, Chinese Tutfan } St. John's Wort.  
 831 ----- *Olympicum* 1029.

929 *Jasminum*, *Grandiflorum*, Catalonian  
*Azoricum*, Azorian } Jasmine.  
*Odoratissimum*, Yellow Indian

*Iberis*, *Sempervirens*, Narrow-leaved  
*Semperflorens*, Broad-leaved } Candy Tuft-Tree.  
 1031 ----- *β Fol. Variegatis*, Striped-leaved

*Ilex*, *Gibraltarica*,  
*Perado*,

*Illecebrum*, *Paronychia*, Mountain } Knot-grass.

# GENERAL INSTRUCTIONS

TO THE OFFICERS AND MEN

OF THE ARMY

OF THE UNITED STATES

OF THE ARMY

OF THE UNITED STATES

OF THE ARMY

OF THE UNITED STATES

OF THE ARMY

OF THE UNITED STATES

OF THE ARMY

OF THE UNITED STATES

OF THE ARMY

OF THE UNITED STATES

OF THE ARMY

OF THE UNITED STATES



994 *Pinna Correalis.*

## GREEN HOUSE PLANTS

Genera.	Species.	English Names.
<i>Illicium</i> ,	<i>Annifatum</i> ,	Aniseed-tree
<i>Indigofera</i> ,	<i>Glauca</i> ,	
<i>Juniperus</i> ,	<i>Bermudiana</i> ,	Bermudas Cedar, 1025
<i>Jussiaea</i> ,	<i>Adhatoda</i> ,	Malabar-nut
<i>Ixia</i> ,	<i>Chinensis</i> ,	
	<i>Africana</i> ,	
	<i>Crocata</i> ,	
	<i>Flexuosa</i> ,	
	<i>Corymbosa</i> ,	
	<i>Uniflora</i> ,	
	<i>Bulbifera</i> ,	
	<i>Ciliaris</i> ,	
	<i>Maculata</i> ,	
<i>Kiggelaria</i> ,	<i>Africana</i> ,	
<i>Lantana</i> ,	<i>Africana</i> ,	African Ilex-leaved
	<i>Salvifolia</i> ,	Sage-leaved Jessamine } American Viburnum.
<i>Lavandula</i> ,	<i>Multifida</i> ,	Canary
	<i>Dentata</i> ,	Serrated-leaved } Lavender-Tree.
<i>Lavatera</i> ,	<i>Triloba</i> ,	Three-leaved
	<i>Olbia</i> ,	Small-flowered } Mallow.
<i>Laurus</i> ,	<i>Camphora</i> ,	Camphire-tree
	<i>Indica</i> ,	Laurus Regis
	<i>Æstivalis</i> ,	Deciduous
	<i>Borbonia</i> ,	Carolina } Bay-Tree.
<i>Linum</i> ,	<i>Arboreum</i> ,	Tree
	<i>Flavum</i> ,	Yellow
	<i>Maritimum</i> ,	Sea } Flax.
<i>lobelia</i> ,	<i>Minuta</i> ,	Dwarf pale-blue
	<i>Urens</i> ,	Blois } Cardinal.
<i>Lotus</i> ,	<i>Jacobæus</i> ,	Black
	<i>Creticus</i> ,	Cretan } Bird's-foot Trefoil.



## GREENHOUSE PLANTS.

Genera. Species. English Names.

909	<i>Lotus,</i>	<i>Dorychnum,</i>	Montpelier	} Bird's-foot Tree-foil.
		<i>Hirtus,</i>	Hairy	
		<i>Erectus,</i>	Upright	
	<i>Lycium,</i>	<i>Afrum,</i>	African	} Box-Thorn.
		<i>Barbarum,</i>	Prickly	
		<i>Capulare,</i>	Mexican	
	<i>Manulea,</i>	<i>Tomentosa,</i>		
1069	<i>Marrubium,</i>	<i>PseudoDictamnus,</i>	Bastard	Dittany of Crete.
	<i>Medeola,</i>	<i>Asparagioides,</i>	Bastard	} Asparagus.
		$\beta$ <i>Angustifolia,</i>	Narrow-leaved	
		<i>Virginica,</i>	Virginian	
887	<i>Medicago,</i>	<i>Arborea,</i>	Moon	Trefoil. 889.
212	<i>Melia,</i>	<i>Azedarach,</i>	Common	} Bread-Tree. 361. 945. 744.
		<i>Azedarachta,</i>	Indian	
	<i>Melissa,</i>	<i>Cretica,</i>	Cretan	Baulm.
	<i>Melanthus,</i>	<i>Major,</i>	Greater	} Honey-Flower.
		<i>Minor,</i>	Lesser	
744	<i>Mentha,</i>	<i>Canariensis,</i>	Shrubby	Canary-Mint.
	<i>Mesembryan-</i>	<i>CrySTALLINUM,</i>	Diamond	}
630	<i>themum,</i>	<i>GENICULIFLORUM,</i>	Jointed	
451	-----	<i>NOCTIFLORUM,</i>	Night-flowering	}
418	-----	<i>Splendens,</i>	Shining-flowered	
	-----	<i>Umbellatum,</i>	Umbellated	683. 857.
416	-----	<i>Expansum,</i>	Broad-leaved	486
507	-----	<i>Tripodium,</i>	Plain-leaved	}
485	-----	<i>Calamiforme,</i>	Quill-leaved	
513	-----	<i>Bellidiflorum,</i>	Daisy-flowered	Fig Marygold. 559. 571.
383	-----	<i>Deltoides,</i>	Delta-shaped	469. 632.
		$\beta$ <i>Major,</i>	Greater Delta	}
		$\gamma$ <i>Minor,</i>	Lesser Delta	
541	-----	<i>Barbatum,</i>	Bearded	}
589	-----	$\beta$ <i>Humile,</i>	Dwarf-bearded	
428	-----	<i>Hispidum,</i>	Bristly-stalked	570. 687.

Membr. aggregatum . 375.  
gibbosum  
pubescens. — 489.  
procumbens  
ciliatum  
carinatum  
cordifolium — 501.  
fissum — 500.  
cordifolium  
ciliatum



- 16 Mesembr. sp. nov. Cape of Good Hope  
 1417. ----- alterum. 659.  
 462. ----- levigatum - 556. 688.  
 610 ----- aureum. 636. 876.  
 630 ----- succulentum.  
 686 ----- australe.

## GREEN HOUSE PLANTS.

Genera.	Species.	English Names.	
<i>Mesembryanthemum</i> ,	β Striatum,	Striped-flowered	
	Villosum,	Downy-leaved	427.
	Scabrum,	Rough-leaved	588. 657. 665.
	Emarginatum,	Notched-flowered	
	Uncinatum,	Lesser-hooked	607. 609. 875.
	β Major,	Greater ditto	
	Spinosum,	Prickly	618. 871.
	Tuberosum,	Tuberous-rooted	
	Tenuifolium,	Slender-leaved	671.
	Stipulaceum,	Upright shrubby	668.
	Crassifolium,	Thick-leaved creep- ing	568.
	Glomeratum,	Crowded	
	Loreum,	Leathery-stalked	527.
	Pugioniforme,	Dagger-leaved	663.
	Filamentosum,	Six-sided Purple	
	Falcatum,	Crooked-leaved	
	Forficatum,	Forked	
	Edule,	Eatable-fruited	
	Bicolorum,	Two-coloured	
	Serratum,	Serrated	Fig Marygold.
	Micans,	Glittering	685.
	Glaucum,	Glaucous-leaved	599.
	Corniculatum,	Greater-horned	537.
	β Minor,	Lesser ditto	
	Tortuosum,	Twisted-leaved	557.
	Veruculatum,	Spit-leaved	619.
	Rostratum,	Beaked	515. 535.
	Ringens, <i>canin.</i>	Dog's-chops	516.
	Ringens Felinum,	Cat's-chops	585.
	Dolabriforme,	Hatchet-leaved	590.
	Difforme,	Deformed	654.
	Albidum,	White	532.
	Linguiforme,	Tongue-leaved	509. 546. 636.
	β Angustiore,	Narrow-leaved	
	Scalpatrum,	Broad-leaved	
	Longifolium,	Long-leaved	
	Acinaciforme,	Cymeter-leaved	
	Echinatum,		569.
	Decumbens,	Prostrate	584.
	<i>Echinatum latum.</i>		



## GREEN HOUSE PLANTS.

Genera.	Species.	English Names.
<i>Meterocedros</i> ,	<i>Obliqui</i> ,	
<i>Moræa</i> ,	<i>Vegeta</i> ,	
	<i>Juncea</i> ,	
762 <i>Myrica</i> ,	<i>Quercifolia</i> ,	Oak-leaved
	β <i>Hirsuta</i> ,	Hairy
	<i>Cordifolia</i> ,	Holly-leaved
	<i>Trifoliata</i> ,	Three-leaved
	<i>Carolinienfis</i> ,	Carolina
756 --- <i>Cercifolia</i>		
<i>Myrsine</i> ,	<i>Africana</i> ,	African
		Box-Tree.
707 <i>Myrtus</i> ,	<i>Communis</i> ,	Broad-leaved
	β <i>Fl. Pleno</i> ,	Double-flowering
797 --- <i>Italica</i> ,		Upright
	♂ <i>Fol. Variegatis</i> ,	Striped ditto
	ε <i>Tarantina</i> ,	Box-leaved
	ζ <i>Fol. Variegatis</i> ,	Striped ditto
818 --- <i>Romana</i> ,		Roman
	δ <i>Boetica</i> ,	Orange-leaved
	ι <i>Lusitanica</i> ,	Dutch
892 --- <i>Rosmarinifolia</i> ,		Rosemary-leaved
710 --- <i>Mucronata</i> ,		Nutmeg-leaved
994 --- <i>Fol. Variegatis</i> ,		Striped ditto
	ν <i>Brasiliana</i> ,	Brasil or shining-leaved
	<i>Maculata</i> ,	Blotch-leaved
336 <i>Nerium</i> ,	<i>Oleander</i> ,	Single red
	β <i>Albo</i> ,	Single white
	<i>Zeylanicum</i> ,	Sweet white
46 --- <i>Divaricatum</i> ,		Double-flowered
	β <i>Fol. Variegatis</i> ,	Striped-leaved
	<i>Antidysentericum</i> ,	
<i>Olea</i> ,	<i>Europæa Latifolia</i>	Broad-leaved Euro- pean
	β <i>Angustifolia</i> ,	Narrow-leaved
	<i>Capensis</i> ,	Cape
	<i>Americana Opinata</i> ,	Supposed American
		Olive-Tree.

Candleberry-Myrtle.

Box-Tree.

925.

1014.

864. 1014! Myrtle.

874. 906. 912. 919.

803. 815. 895. 933.

1057.

452. 709. 811.

Rosebay.

919.  
933.  
855.

86 *Ocimum gratissimum*.



476. *Othonnia gibbosa* 616.  
591. ——— *teretifolia*  
760. ——— *dentata*.

997 *Thaca alpina*

## GREEN HOUSE PLANTS.

Genera. Species. English Names.

Ononis,	Crispa,	Curled	} Rest Harrow.
	Natrix,	Viscous	
	Rotundifolia,	Round-leaved	
Origanum,	Dictamnus,	True Dittany of Crete	} Marjoram.
	Sipylum,	Dittany of Mount Si-	
		pylus	
	Creticum,	Cretan	
	Marjorana,	Sweet Marjoram	
Osteospermum	Pisiferum,	Pea-shaped	} Hard seeded 809. 890
	Moniliferum,	Poplar-leaved	
Othonna,	Pectinata,	Dentated	} Ragwort.
	Coronopifolia,	Bucks-horned-leaved	
	Arborefcens,	Tree	
	Cheirifolia,		
	Parviflora,	African	
Pancratium,	Carolinianum,	Carolina	Daffodil.
Passerina,	Filiformis,	African	Sparrow-Wort.
Passiflora,	Incarnata,	Three-leaved	} Passion-Flower.
	Lutea,	Yellow	
Periploca,	Africana,	African	Virginia Silk.
Philadelphus	Aromaticus	Lati-Broad-leaved Aromatic	} New Zeylon Tea or Myrtle.
	folia		
	β Angustifolia,	Narrow-leaved	
	Hirsutus,	Hairy-leaved	
	Lucidus,	Shining-leaved	
Phlomis,	Leonurus,	Scarlet	} Jerusalem Sage.
	Nepetifolia,	Cape	
	Purpurea,	Purple	
	Indica		
Phyllis,	Ericoides,	Narrow-leaved	} Venetian Heath.
	Buxifolia,	Box-leaved	
Phyllis,	Nobla,	Bastard	Hare's Ear.

*Phyllarea angustifolia*



## GREEN HOUSE PLANTS.

Genera. Species. English Names.

	<i>Physalis</i> ,	<i>Somnifera</i> ,	Shrubby Winter	Cherry.
	<i>Pistacia</i> ,	<i>Trifolia</i> ,	Three-leaved	} <i>Pistacia</i> -Nut.
		<i>Vera</i> ,	True	
		<i>Terebinthus</i> ,	Turpentine	
1044	—	<i>Lentiscus</i> ,	Mastic-Tree	
		<i>Angustifolia</i> ,	Narrow-leaved	
975	<i>Polygala</i> ,	<i>Myrtifolia</i> ,	Myrtle-leaved	Milkwort.
	<i>Peterium</i> ,	<i>Spinofum</i>	Shrubby	Burnet.
913	<i>Prasium</i> ,	<i>Majus</i> ,	Shrubby	Hedge-Nettle.
1006	<i>Protea</i> ,	<i>Argentea</i> ,	Cape	} Silver-Tree.
1001	—	<i>Conifera</i> ,		
		<i>Lepidocarpodendrum</i> ,		
		<i>Parviflora</i> ,		
	<i>Pteralea</i> ,	<i>Pinnata</i> ,	Pinnated-leaved	} Trefoil.
		<i>Aculeata</i> ,	Prickly-leaved	
		<i>Bituminosa</i> ,	Bituminous	
		<i>Cytissoides</i> ,	Cytissus-leaved	
		<i>Angustifolia</i> ,	Narrow-leaved	
		<i>Bracteata</i> ,		
	<i>Punica</i> ,	<i>Nana</i> ,	Dwarf	Pomegranate.
814	<i>Rhus</i> ,	<i>Tomentosus</i> ,	Hairy-leaved	} Sumach.
		<i>Angustifolius</i> ,	Narrow-leaved	
766	—	<i>Lævigatum</i> ,	Smooth-leaved	
897	—	<i>Odorata</i> ,	Sweet-smelling	
776	—	<i>Lucidum</i> ,	Shining-leaved	
		<i>Minor</i> ,	Lesser ditto	783.
	<i>Rozella</i> ,	<i>Ciliata</i> ,		
	<i>Rosa</i> ,	<i>Indica</i> ,	China	Rose.
	<i>Rosmarina</i> ,	<i>Fol. Argenteo Va-</i>	Silver-striped	Rosemary.
		<i>riegatis</i>		
	<i>Royena</i> ,	<i>Glabra</i> ,	Smooth-leaved	Royena.

*Primula auricula*  
-----  
*decora*

*Mivincia lunnilis* 96. vide p. 15.



1007 *Aubia peregrina*  
796 *Burner tuberosus* 966.

14 *Salvia coccinea* 545. 695. 900  
250 --- *Filiifolia* . 936.  
898 --- *Capensis*

64. *Saxifraga Bryoides* 963. 1066.  
974 --- *aspera*.

## GREENHOUSE PLANTS.

Genera. Species. English Names.

<i>Royena,</i>	<i>Hirsuta,</i>	Hairy-leaved	} <i>Royena.</i>
	<i>Lucida,</i>	Shining-leaved	
	$\beta$ <i>Fol. Variegatis,</i>	Striped ditto	
	<i>Villosa,</i>	Covered with soft hairs	
	<i>Rigida,</i>	Stiff-leaved	
	<i>Latifolia,</i>	Broad-leaved	

<i>Rufus,</i>	<i>Hypophyllum,</i>	Broad-leaved	} Alexandrian
	<i>Androgynum,</i>	True	

<i>Sakia,</i>	<i>Mexicana,</i>	Mexican	} 721. 1052.
	<i>Africana,</i>	African-blue	
	<i>Aurea,</i>	Yellow	
	<i>Canariensis,</i>	Canary	
	<i>Paniculata,</i>	Panicked-flowered	

<i>Scabiosa</i>	<i>Africana,</i>	African	} Scabious.
	<i>Cretica,</i>	Cretan	
	<i>Rigida,</i>	Stiff-leaved	

<i>Schinus,</i>	<i>Molle,</i>	Soft	} Mastic-Tree.
	<i>Areira,</i>	Peruvian	

<i>Scrophularia,</i>	<i>Sambucifolia,</i>	Elder-leaved	} Figwort.
	<i>Frutescens,</i>	Shrubby	

<i>Selago,</i>	<i>Corymbosa,</i>	
	<i>Spuria,</i>	

<i>Sempervivum</i>	<i>Arboreum,</i>	Tree Sedum	} House-Leek.
	$\beta$ <i>Variegatum,</i>	Striped ditto	
	<i>Canariense,</i>	Canary	
	<i>Africanum,</i>	African	

<i>Sideritis,</i>	<i>Syriaca,</i>	Syrian,	} Ironwort.
	<i>Canariensis,</i>	Canary	

<i>Sideroxylum</i>	<i>Oppositifolia,</i>	Opposite-leaved	} Ironwood.
	<i>Lycioides,</i>	Canada	

<i>Silene,</i>	<i>Fruticosa,</i>	Myrtle-leaved	} Viscous Cam-
	<i>Gigantea,</i>	Giant	

*acaulis* - 986.



## GREENHOUSE PLANTS.

Genera. Species. English Names.

	<i>Sisyrinchium</i> ,	Bermudianum,	Greater	}	Bermudiana.
		$\beta$ Minus,	Lesser		
		Palmifolium,	Palmated		
750	<i>Smilax</i> ,	Excelsa,	Eastera	}	Rough Bindweed
	<i>Solanum</i> ,	<i>Flori dense</i> , PfuedoCapficum,	Winter		
	<i>Soldanella</i> ,	Alpina,	Alpine	}	Soldanel.
	<i>Spartium</i> ,	Monospermum,	White Spanish or Portugal		
		Spinofum,	Prickly	}	Broom.
	<i>Statice</i> ,	Fruticosa,	Shrubby		
		Monopetala,	Narrow-leaved	}	Sea-Pink.
		Tartaricum,	Tartarian		
		Speciosa,	Plantain-leaved		
	<i>Struthiola</i> ,	Virgata,		}	
15	<i>Styrax</i> ,	Officinale, !	Medicinal		
				}	Storax-Tree.
1043	<i>Tarchonanthus</i>	Camphoratus,	African		
	<i>Taxus</i> ,	Elongata,	}	Yew-Tree.	
		Nucifera,			
614	<i>Tetragonia</i> ,	Fruticosa,	}		
		Herbacea,			
	<i>Teucrium</i> ,	Latifolium,	Broad-leaved Spanish	}	Germander Ma-
		Fruticans,	Common Spanish		
238		Marum,	Syrian	}	rum. 939.
		Polium,	Shrubby		
		$\beta$ Luteum,	Yellow	}	Mountain Poley.
		$\gamma$ Album,	White		
		Creticum,	Cretan		
850		<i>Flavum</i>		}	
194	<i>Thea</i> ,	Viridis,	Green		
1071		Bohea,	Bohea	}	Tea. 1070
	<i>Thymra</i> ,	Verticillata,	Verticillate		
		Spicata,	Spiked	}	Mountain Hyf-

5.

weed

la.

7.

cy.

10

1.



727. *Tichillia glabra*

995 *Lupillozo Palmaria*  
1065 *Bryoides*

## GREEN HOUSE PLANTS.

Genera.	Species.	English Names.
<i>Thymus</i> ,	<i>Maftichina</i> ,	Maftick Thyme.
<i>Trachelium</i> ,	<i>Cœruleum</i> ,	Blue Throat-wort.
<i>Trichomanes</i> ,	<i>Canariensis</i> ,	Portugal Fern.
<i>Triopteris</i> ,	<i>Jamaicensis</i> ,	
<i>Tropæolum</i> ,	<i>Majus</i> , Fl. Pleno, Double	Nasturtium.
<i>Ulex</i> ,	<i>Capensis</i> ,	Cape Furze.
<i>Verbena</i> ,	<i>Bonariensis</i> ,	Tallest Vervain.
-----	<i>Indica</i> .	
<i>Vitex</i> ,	<i>Negundo</i> ,	China } Chaste-Tree.
-----	<i>Trifoliata</i> ,	Three-leaved } 140. 297.
<i>Wachendorfia</i>	<i>Thyriflora</i> ,	
	<i>Paniculata</i> ,	
<i>Xeranthemum</i>	<i>Fulgidum</i> ,	Shining
	<i>Retortum</i> ,	Reflexed } Everlasting- 1018
<i>Yucca</i> ,	<i>Gloriosa</i> ,	Entire-leaved
-----	<i>Aloifolia</i> ,	Sawed-leaved ----- } 606. 824. 878. 1003.
-----	<i>Draconis</i> ,	Dragon-leaved
-----	<i>Filamentosa</i> ,	Threaded-leaved } Adam's-Needle,
<i>Zygophyllum</i> ,	<i>Sessilifolium</i> ,	Sessile
	<i>Morgfana</i> ,	Four-leaved } Bean-Caper.



# HARDY TREES and SHRUBS.

Genera.	Species.	English Names.
<i>Acer</i> ,	<i>Sempervirens</i> ,	Evergreen
	<i>Pseudoplatanus</i> ,	Sycamore
	β <i>Fol. Variegatis</i> ,	Striped
	<i>Rubrum</i> ,	Scarlet-coloured
	β <i>Fl. Pallido</i> ,	Sir Char. Wager's
	<i>Saccharinum</i> ,	Sugar
	<i>Platanoides</i> ,	Norway
	<i>Pensylvanicum</i> ,	Mountain
	<i>Campestre</i> ,	Wild English
	<i>Monspesulanum</i> ,	Montpelier
	<i>Creticum</i> ,	Cretan
	<i>Negundo</i> ,	Ash-leaved
	<i>Tartaricum</i> ,	Tartarian
	<i>Opalus</i> ,	Cut-leaved
		} Maple.
<i>Æsculus</i> ,	<i>Hippocastanum</i> ,	Common-horse
	β <i>Fol. Variegatis</i> ,	Striped-leaved
	<i>Pavia</i> ,	Scarlet
	<i>Fl. Luteo</i> ,	Yellow
		} Chestnut.
<i>Amorpha</i> ,	<i>Fruticosa</i> ,	Bastard
		Indigo.
<i>Amygdalus</i> ,	<i>Perfica</i> ,	Peach-tree or
	β <i>Fl. Pleno</i> ,	Double-flowering
	<i>Pumila</i> ,	Dwarf-peach
	<i>Communis</i> ,	Common
	β <i>Dulcis</i> ,	Sweet
	γ <i>Sativa</i> ,	White-flowering
	♫ <i>Amara</i> ,	Bitter
	<i>Orientalis</i> ,	Eastern
	<i>Nanus</i> ,	Single
	β <i>Fl. Pleno</i> ,	Double-flowering
		} Almond.



BS.



STATE OF NEW YORK

IN SENATE

JANUARY 18, 1891

REPORT

OF THE

COMMISSIONERS OF THE LAND OFFICE

IN RESPONSE TO A RESOLUTION

PASSED BY THE SENATE

APRIL 18, 1890

ALBANY:

JOHN B. LANE, PRINTER

1891

7

7

7

## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.
<i>Andromeda</i> ,	Arborea,	Tree
	Racemosa,	Branching
	Myrtifolia,	Myrtle leaved
	Axillaris,	Flowers coming out from armpits
	Calyculata,	Cupped
	Paniculata,	Pannicled
	Polifolia,	Greater-Rosemary- leaved
	β Minor	Leffer ditto
	Mariana,	Maryland
	Ferruginea,	Iron-coloured
<i>Annona</i> ,	Lucida,	Shining-leaved
	Daboecia,	Cantabrian-heath
	Globulifera,	Globular
	Pilulifera,	
	Triloba,	North American
	Glabra,	Smooth
		Custard Apple or Papaw-Tree.
	Spinosa,	Prickly
	Nudicaulis,	Naked-stalked
		Berry-bearing Angelica-Tree.
<i>Arbutus</i> ,	Unedo,	Common
	β Fl. Rubro,	Red-flowered
	γ Fl. Pleno,	Double ditto
	δ Fol. Undulatis,	Undulated
	Andrachne,	Eastern
	Alpina,	Mountain
	Uva Ursi,	Bear-berry
<i>Stragane</i> ,	Alpina,	Alpine
		Climatis.
<i>Atriplex</i> ,	Halimus,	Sea
		Purflane-Tree.
<i>Azalia</i> ,		Early-white
		Late-white
		Pale-red
		Late-red
		Glaucous
		Scarlet
		American Honey- suckle.



## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.	
<i>Baccharis</i> ,	<i>Halimifolia</i> ,	Tree	Groundsel.
<i>Berberis</i> ,	<i>Vulgaris</i> ,	Common	} Barberry.
	<i>Sine Offa</i> ,	Without stones	
<i>Betula</i> ,	<i>Alba</i> ,	Common	} Birch-Tree.
	<i>Nigra</i> ,	Black	
	<i>Lenta</i> ,	Poplar-leaved	
	<i>Canadensis</i> ,	Canada	
	<i>Nana</i> ,	Dwarf	
	<i>Incana</i> ,	Hoary-leaved	
	<i>Laciniata</i> ,	Cut-leaved	
	<i>Alnus</i> ,	Alder-tree	
<i>Bignonia</i> ,	<i>Catalpa</i> ,	Catalpa	} 209-835. Trumpet-Flower.
	<i>Radicans</i> ,	Ash-leaved	
	<i>Unguis Cati</i> ,	Four-leaved	
<i>Bupleurum</i> ,	<i>Fruticosum</i> ,	Æthiopian	Hare's-Ear.
<i>Buxus</i> ,	<i>Sempervirens</i> ,	Evergreen	} Box.
	<i>Arborefcens</i> ,	Tree	
	β <i>Angustifolia</i> ,	Narrow-leaved	
	γ <i>Aureo Variegata</i> ,	Gold-striped	
	δ <i>Argenteo Variegata</i> ,	Silver-striped	
	<i>Suffruticosus</i> ,	Dwarf	
<i>Calycanthus</i> ,	<i>Floridus</i> ,	Carolina	Allspice.
<i>Carpinus</i> ,	<i>Betulus</i> ,	Common	} Hornbeam.
	<i>Ostrya</i> ,	Hop	
	<i>Orientalis</i> ,	Eastern	
<i>Cassine</i> ,	<i>Peragua</i> ,	South-Sea	Tea-Tree.
<i>Ceanothus</i> ,	<i>Americana</i> ,	American New Jersey	Tea-Tree.
<i>Celastrus</i> ,	<i>Scandens</i> ,	Climbing	} Staff-Tree.
	<i>Bullatus</i> ,	Virginian	
<i>Celtis</i> ,	<i>Australis</i> ,	European	} Nettle-Tree.
	<i>Orientalis</i> ,	Eastern	
	<i>Occidentalis</i> ,	Western	





BRONX COUNTY HISTORICAL SOCIETY

1900-1901

1902-1903

1904-1905

1906-1907

1908-1909

1910-1911

1912-1913

1914-1915

1916-1917

1918-1919

1920-1921

1922-1923

1924-1925

1926-1927

1928-1929

1930-1931

1932-1933

1934-1935

1936-1937

1938-1939

1940-1941

## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.
<i>Cephalanthus</i> ,	<i>Occidentalis</i> ,	Button-wood Tree.
<i>Cercis</i> ,	<i>Siliquastrum</i> ,	European
	<i>Canadense</i> ,	American
		} Judas-Tree.
<i>Chionanthus</i> ,	<i>Virginiana</i> ,	Virginian
	<i>β Angustifolia</i> ,	Narrow-leaved
		} Snow-Drop-Tree
<i>Cistus</i> ,	<i>Laurifolius</i> ,	Laurel-leaved
	<i>Ladaniferus</i> ,	Gum
	<i>Salicifolius</i> ,	Willow-leaved
	<i>Salvifolius</i> ,	Sage-leaved
	<i>Crispus</i> ,	Curled-leaved
	<i>Incanus</i> ,	Hoary
	<i>Italicus</i> ,	Italian
	<i>Monspeliensis</i> ,	Montpelier
	<i>Helianthemum</i> ,	Dwarf
	<i>Apenninus</i> ,	Mountain
		} Rock-Rose.
<i>Clematis</i> ,	<i>Crispa</i> ,	Curled-flowered
	<i>Viticella</i> ,	Single-blue
	<i>β Purpurea Simplex</i> ,	Single Purple
	<i>γ Floré Pleno</i> ,	Double Purple
	<i>δ Fl Rubra Simplex</i> ,	Single-red
	<i>Orientalis</i> ,	Eastern
	<i>Viorna</i> ,	Carolina
	<i>Virginiana</i> ,	Virginian
	<i>Dioica</i> ,	Evergreen
	<i>Vitalba</i> ,	Common Traveller's Toy
	<i>Sibirica</i> ,	Siberian
	<i>Flammula</i> ,	Flame-coloured
		} Virgin's-Bower.
<i>Clethra</i> ,	<i>Alnifolia</i> ,	
<i>Cneorum</i> ,	<i>Tricoccon</i> ,	Widow
		Wail.
<i>Colutea</i> ,	<i>Arborefcens</i> ,	Bladder
	<i>Orientalis</i> ,	Eastern
	<i>Istria</i> ,	Pocock's
		} Senna.
<i>Comarum</i> ,	<i>Palustre</i> ,	Marsh
		Cinquefoil.



## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.
<i>Commelina</i> ,	<i>Communis</i> ,	
<i>Coriaria</i> ,	<i>Myrtifolia</i> ,	Myrtle-leaved Sumach.
<i>Cornus</i> ,	<i>Florida</i> ,	Virginian red
	<i>Mascula</i> ,	Male
	<i>Fœmina</i> ,	Female
	<i>Sanguinea</i> ,	Bloody
	<i>Alba</i> ,	White
	<i>Nova Belgica</i> ,	New Holland
	<i>Stricta</i> ,	Upright
		} Dogwood.
<i>Coronilla</i> ,	<i>Emerus</i> ,	Scorpion Senna
	<i>Coronata</i> ,	Jointed-podded
		} Colutea.
<i>Corylus</i> ,	<i>Avellana</i> ,	Common-Hazel
	$\beta$ <i>Sativa</i> ,	White-Filbert
	$\gamma$ <i>Fructu Rubente</i> ,	Red ditto
	$\delta$ <i>Fructu Maxima</i> ,	Cob-Nut
	<i>Columna</i> ,	Byzantine
	<i>Cornuta</i> ,	Amer. Cuckold-Nut
		} Nut-Tree.
<i>Crataegus</i> ,	<i>Oxyantha</i> ,	Common
	$\beta$ <i>Fl. Pleno</i> ,	Double ditto
	$\gamma$ <i>Præcox</i> ,	Glaassenbury-thorn
	$\delta$ <i>Fructu Flavo</i> ,	Yellow-Berry
	<i>Azarolus</i> ,	Azarole
	<i>Prunifolius</i> ,	Plum-leaved
	$\beta$ <i>Salicifolia</i> ,	Willow-leaved
	<i>Coccinea</i> ,	Great American A-
		zarole
	<i>Crus Galli</i> ,	Cockspur-Thorn
	<i>Dulcis</i> ,	Sweet-scented Haw
	<i>Tomentosa</i> ,	Gooseberry-leaved
	<i>Acerifolia</i> ,	Maple-leaved
	<i>Pyrifolia</i> ,	Pear-leaved
	<i>Flava</i> ,	Yellow ditto
	<i>Penfylvanica</i> ,	Penfylvanian
	<i>Aria</i> ,	White Beam-tree
	<i>Torminalis</i> ,	Wild Maple-leaved
		} Hawthorn or Wild Service.

# REPORT OF THE

COMMISSIONER OF THE

LAND OFFICE

FOR THE YEAR 1881

IN RESPONSE TO A RESOLUTION

PASSED BY THE HOUSE OF REPRESENTATIVES

ON FEBRUARY 2, 1881

AND BY THE SENATE

ON FEBRUARY 10, 1881

AND BY THE HOUSE OF REPRESENTATIVES

ON FEBRUARY 10, 1881

AND BY THE SENATE

ON FEBRUARY 10, 1881

AND BY THE HOUSE OF REPRESENTATIVES

ON FEBRUARY 10, 1881

AND BY THE SENATE

ON FEBRUARY 10, 1881

AND BY THE HOUSE OF REPRESENTATIVES

ON FEBRUARY 10, 1881

AND BY THE SENATE

ON FEBRUARY 10, 1881

AND BY THE HOUSE OF REPRESENTATIVES

ON FEBRUARY 10, 1881

AND BY THE SENATE

ON FEBRUARY 10, 1881

AND BY THE HOUSE OF REPRESENTATIVES

ON FEBRUARY 10, 1881

AND BY THE SENATE



THE HISTORY OF THE

REIGN OF

CHARLES THE FIRST

BY

JOHN BURNET

OF

THE UNIVERSITY OF OXFORD

AND

OF THE SOCIETY OF THE

CLERGY

OF THE UNIVERSITY OF OXFORD

AND

OF THE SOCIETY OF THE

CLERGY

OF THE UNIVERSITY OF OXFORD

AND

OF THE SOCIETY OF THE

CLERGY

OF THE UNIVERSITY OF OXFORD

AND

OF THE SOCIETY OF THE

CLERGY

OF THE UNIVERSITY OF OXFORD

AND

OF THE SOCIETY OF THE

CLERGY

OF THE UNIVERSITY OF OXFORD

AND

OF THE SOCIETY OF THE

CLERGY

OF THE UNIVERSITY OF OXFORD

AND

OF THE SOCIETY OF THE

CLERGY

OF THE UNIVERSITY OF OXFORD

AND

OF THE SOCIETY OF THE

CLERGY

OF THE UNIVERSITY OF OXFORD

AND

OF THE SOCIETY OF THE

## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.
<i>Cupressus</i> ,	<i>Sempervirens</i> ,	Upright
$\beta$	<i>Horizontalis</i> ,	Male-spreading
	<i>Disticha</i> ,	Deciduous
	<i>Thyoides</i> ,	White-Cedar
	<i>Lusitanicus</i> ,	Cedar of Goa
		} Cyprus.
<i>Cytisus</i> ,	<i>Laburnum</i> ,	Common-Laburnum
	<i>Sessilifolius</i> ,	<i>Cytisus Secundus</i>
		Clutii
	<i>Hirsutus</i> ,	Hairy-evergreen
	<i>Nigricans</i> ,	Black
	<i>Austriacus</i> ,	Siberian
	<i>Tartaricus</i> ,	Tartarian
	<i>Supinus</i> ,	Trailing
	<i>Glutinosus</i>	Clammey
		} Base Trefoil-Tree
<i>Daphne</i> ,	<i>Laureola</i> ,	Wood-laurel
	<i>Mezerium</i> ,	Common
$\beta$	<i>Rubrum</i> ,	Early-red
$\gamma$	<i>Flore Albo</i> ,	White-flowering
	<i>Cnorum</i> ,	Narrow-leaved
	<i>Tartonnaira</i> ,	Tartonnaira
	<i>Alpina</i> ,	Woolley-leaved
		} Mezerion.
<i>Diospyros</i> ,	<i>Lotus</i> ,	Indian-Date
	<i>Virginica</i> ,	Pishamin
		} Plum.
<i>Dirca</i> ,	<i>Palustris</i> ,	Marsh
		} Leatherwood.
<i>Elæagnus</i> ,	<i>Angustifolia</i> ,	Narrow-leaved
	<i>Latifolia</i> ,	Broad-leaved
		} Wild-Olive.
<i>Empetrum</i> ,	<i>Nigrum</i> ,	Black
		} Crow-Berries.
<i>Ephedra</i> ,	<i>Distachya</i> ,	Shrubby
	<i>Monostachya</i> ,	Dwarf
		} Horse-Tail.
<i>Epigæa</i> ,	<i>Repens</i> ,	Trailing
		} Arbutus.
<i>Erica</i> ,	<i>Vulgaris</i> ,	Common
	<i>Tetralix</i> ,	Four-leaved
	<i>Cinerea</i> ,	Ash-coloured
		} Heath



## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.	
<i>Erica</i> ,	<i>Ciliaris</i> ,	Hairy	} Heath.
	<i>Mediterranea</i> ,	Mediterranean	
	<i>Longiflora</i> ,	Long-flowered	
	<i>Tubiflora</i> ,	Long-tubed	
	<i>Multiflora</i> ,	Many-flowered	
<i>Euonymus</i> ,	<i>Europæus</i> ,	European	} Spindle-Tree
	<i>Latifolius</i> ,	Broad-leaved	
	<i>Americanus</i> ,	Evergreen	
	<i>Verrucosus</i> ,	Worted	
	<i>Atropurpureus</i> ,		
<i>Euphorbia</i> ,	<i>Amygdaloides</i> ,	Common	Spurge.
<i>Fagus</i> ,	<i>Castanea</i> ,	Spanish	} Chestnut and Beech.
	β <i>Fol. Variegatis</i> ,	Striped ditto	
	<i>Pumila</i> ,	Chincapin	
	<i>Sylvatica</i> ,	Common	
	β <i>Fol. Purpureis</i>	Purple-leaved	
<i>Ficus</i> ,	<i>Carica</i> ,	Eatable Fig with great Varieties.	
<i>Fothergilla</i> ,	<i>Gardeni</i> ,		
	β <i>Lanceolata</i> ,		
<i>Fraxinus</i> ,	<i>Excelsior</i> ,	Common	} Ash.
	<i>Ornus</i> ,	Dwarf	
	<i>Americana</i> ,	Carolina	
	<i>Alba</i> ,	White	
	<i>Rotundifolia</i> ,	Manna	
	<i>Nova Anglica</i> ,	New England	
	<i>Paniculata</i> ,	Flowering	
<i>Gaultheria</i> ,	<i>Procumbens</i> ,		
<i>Genista</i> ,	<i>Tinctorea</i> ,	Dyers	} Broom.
	<i>Italica</i> ,	Lucca,	
	<i>Sagitalis</i> ,	Jointed dwarf	
	<i>Candicans</i> ,	Montpelier	
	<i>Florida</i> ,	Spanish dyers	
	<i>Anglica</i> ,	Petty-whin	





*[Faint, illegible text across the page, possibly bleed-through from the reverse side.]*

G  
G  
  
G  
G  
H  
  
H  
H  
  
Hi  
Hy  
Hy  
  
faji

## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.	
<i>Ginkgo</i> ,	<i>Biloba</i> ,	Maiden-hair	Tree.
<i>Gleditsia</i> ,	<i>Triacanthus</i> ,	Three-thorned	} Acacia.
	<i>Monosperma</i> ,	Water	
	<i>Inermis</i> ,	Eastern	
<i>Glycine</i> ,	<i>Frutescens</i> ,	Carolina	} Kidney-Bean-
	<i>Apios</i> ,	Virginian	
<i>Guilandina</i> ,	<i>Dioica</i> ,	Canada	Bonduc.
<i>Halesia</i> ,	<i>Tetraptera</i> ,		
	<i>Diptera</i> ,		
<i>Hamamelis</i> ,	<i>Virginica</i> ,	Witch	Hazel.
<i>Hibiscus</i> ,	<i>Syriacus</i> ,	Syrian	} Althea Frutex.
	β <i>Fl. Purpureo</i> ,	Purple	
	γ <i>Fl. Rubro</i> ,	Red	
	δ <i>Fl. Albo</i> ,	White	
	ε <i>Fl. Variegatis</i> ,	Striped	
	ζ <i>Fol. Variegatis</i> ,	Striped-leaved	
<i>Hippophae</i> ,	<i>Rhamnoides</i> ,	Sea	Buckthorn.
<i>Hydrangea</i> ,	<i>Arborescens</i> ,		
<i>Hypericum</i> ,	<i>Androsæmum</i> ,	Tutsan	} St. John's Wort.
	<i>Afcyron</i> ,	Large-flowered	
	<i>Hircinum</i> ,	Stinking	
	<i>Olympicum</i> ,	Olympian	
	<i>Prolificum</i> ,	Prolific	
	<i>Canariense</i> ,	Canary	
<i>Jasminum</i> ,	<i>Officinale</i> ,	Common	} Jasmine.
	β <i>Fol. Argenteis</i> ,	Silver-striped	
	<i>Variegatis</i> ,		
	γ <i>Fol. Aureo</i> <i>Varie-</i>	Gold-striped	
	<i>gatis</i> ,		
	<i>Fruticans</i> ,	Common yellow	
	<i>Humile</i> ,	Italian	



## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.
<i>Ilex</i> ,	<i>Aquifolium</i> ,	Common
	β <i>Variegatum</i> ,	Great Variety of striped
	<i>Echinatum</i> ,	Green Hedge-hog
	β <i>Fol. Aureo Variegatis</i> ,	Gold-striped
	γ <i>Fol. Argenteo Variegatis</i> ,	Silver-striped
	<i>Cassine</i> ,	Dahoon
	β <i>Angustifolia</i> ,	Narrow-leaved
<i>Itea</i> ,	<i>Virginica</i> ,	
<i>Iva</i> ,	<i>Frutescens</i> ,	Bastard
		Jesuits-Bark.
<i>Juglans</i> ,	<i>Regia</i> ,	Common
	<i>Nigra</i> ,	Black
	<i>Alba</i> ,	White
	<i>Cinerea</i> ,	Shag-bark
		Walnut.
<i>Juniperus</i> ,	<i>Communis</i> ,	Common Juniper
	<i>Suecia</i> ,	Swedish ditto
	<i>Oxycedrus</i> ,	Spanish
	<i>Lycia</i> ,	Lycian Cedar
	<i>Phoenicea</i> ,	Phœnician ditto
	<i>Virginica</i> ,	Virginian red ditto
	<i>Sabina</i> ,	Dwarf Savin
	β <i>Lusitanica</i> ,	Upright
	γ <i>Fol. Variegatis</i> ,	Striped ditto
		Junipers.
<i>Kalmia</i> ,	<i>Angustifolia</i> ,	Narrow-leaved
	<i>Latifolia</i> ,	Broad-leaved
	β <i>Fol. Variegatis</i> ,	Striped-leaved
		Dwarf-Laurel.
<i>Lavandula</i> ,	<i>Stæchas</i> ,	French
	<i>Spica</i> ,	Spiked
	<i>Latifolia</i> ,	Broad-leaved.
		Lavender.
<i>Lavatera</i> ,	<i>Venata</i> ,	Tree
		Mallow.
<i>Laurus</i> ,	<i>Nobilis</i> ,	Common
	β <i>Undulata</i> ,	Undulated
	γ <i>Tenuifolia</i> ,	Narrow-leaved
		Bay-Tree.





1841  
HARRY L. BARTON  
Clerk of the Court

No.	Name	Amount	When Paid
1	John Smith	100	Jan 1
2	John Smith	100	Jan 1
3	John Smith	100	Jan 1
4	John Smith	100	Jan 1
5	John Smith	100	Jan 1
6	John Smith	100	Jan 1
7	John Smith	100	Jan 1
8	John Smith	100	Jan 1
9	John Smith	100	Jan 1
10	John Smith	100	Jan 1
11	John Smith	100	Jan 1
12	John Smith	100	Jan 1
13	John Smith	100	Jan 1
14	John Smith	100	Jan 1
15	John Smith	100	Jan 1
16	John Smith	100	Jan 1
17	John Smith	100	Jan 1
18	John Smith	100	Jan 1
19	John Smith	100	Jan 1
20	John Smith	100	Jan 1
21	John Smith	100	Jan 1
22	John Smith	100	Jan 1
23	John Smith	100	Jan 1
24	John Smith	100	Jan 1
25	John Smith	100	Jan 1
26	John Smith	100	Jan 1
27	John Smith	100	Jan 1
28	John Smith	100	Jan 1
29	John Smith	100	Jan 1
30	John Smith	100	Jan 1
31	John Smith	100	Jan 1
32	John Smith	100	Jan 1
33	John Smith	100	Jan 1
34	John Smith	100	Jan 1
35	John Smith	100	Jan 1
36	John Smith	100	Jan 1
37	John Smith	100	Jan 1
38	John Smith	100	Jan 1
39	John Smith	100	Jan 1
40	John Smith	100	Jan 1
41	John Smith	100	Jan 1
42	John Smith	100	Jan 1
43	John Smith	100	Jan 1
44	John Smith	100	Jan 1
45	John Smith	100	Jan 1
46	John Smith	100	Jan 1
47	John Smith	100	Jan 1
48	John Smith	100	Jan 1
49	John Smith	100	Jan 1
50	John Smith	100	Jan 1
51	John Smith	100	Jan 1
52	John Smith	100	Jan 1
53	John Smith	100	Jan 1
54	John Smith	100	Jan 1
55	John Smith	100	Jan 1
56	John Smith	100	Jan 1
57	John Smith	100	Jan 1
58	John Smith	100	Jan 1
59	John Smith	100	Jan 1
60	John Smith	100	Jan 1
61	John Smith	100	Jan 1
62	John Smith	100	Jan 1
63	John Smith	100	Jan 1
64	John Smith	100	Jan 1
65	John Smith	100	Jan 1
66	John Smith	100	Jan 1
67	John Smith	100	Jan 1
68	John Smith	100	Jan 1
69	John Smith	100	Jan 1
70	John Smith	100	Jan 1
71	John Smith	100	Jan 1
72	John Smith	100	Jan 1
73	John Smith	100	Jan 1
74	John Smith	100	Jan 1
75	John Smith	100	Jan 1
76	John Smith	100	Jan 1
77	John Smith	100	Jan 1
78	John Smith	100	Jan 1
79	John Smith	100	Jan 1
80	John Smith	100	Jan 1
81	John Smith	100	Jan 1
82	John Smith	100	Jan 1
83	John Smith	100	Jan 1
84	John Smith	100	Jan 1
85	John Smith	100	Jan 1
86	John Smith	100	Jan 1
87	John Smith	100	Jan 1
88	John Smith	100	Jan 1
89	John Smith	100	Jan 1
90	John Smith	100	Jan 1
91	John Smith	100	Jan 1
92	John Smith	100	Jan 1
93	John Smith	100	Jan 1
94	John Smith	100	Jan 1
95	John Smith	100	Jan 1
96	John Smith	100	Jan 1
97	John Smith	100	Jan 1
98	John Smith	100	Jan 1
99	John Smith	100	Jan 1
100	John Smith	100	Jan 1

## HARDY TREES and SHRUBS.


Genera.	Species.	English Names.
<i>Laurus</i> ,	Sassafras,	Sassafras-tree
	Benzoin,	Benjamin-tree
<i>Ledum</i> ,	Palustre,	Marshy-Cistus
	β Procumbente,	Trailing
	Latifolium,	Broad-leaved
	Thymifolium,	Thyme-leaved
	β Fol. Variegatis,	Striped ditto
		} Wild-Rosemary.
<i>Ligustrum</i> ,	Vulgare,	Common
	Italicum,	Italian Evergreen
	Latifolium,	Carolina Bay-leaved
		} Privett.
<i>Liquid amber</i> ,	Peregrinum,	Fern-leaved Gale
	Styracifluum,	Maple-leaved
		} Sweet Gum.
<i>Liriodendron</i> ,	Tulipifera,	Virginian Tulip-Tree.
<i>Lonicera</i> ,	Sempervirens,	Greatest Trumpet
	β Minus,	Lesser ditto
	Americana,	Evergreen
	β Balearicum,	Minorca Evergreen
	Glauca,	Smooth-leaved
	Caprifolia,	Early white
	Periclymenum,	Dutch
	β Germanicum,	Long-blowing
	γ Italicum,	Italian
	♫ Vulgare,	Common
	ε Quercifolium,	Oak-leaved
	ζ Campestre,	Large white
	Nigra,	Black-berried
	Cærulea,	Blue-berried
	Tartarica,	Tartarian
	Xylosteum,	Fly
	Alpigena,	Upright Fly
	Symphoricarpus,	Shrubby St. Peter's-wort.
	Diervilla,	Dwarf yellow

## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.
<i>Lotus,</i>	<i>Hirsutus,</i> <i>Rectus,</i>	Hairy Bird's-foot Upright } Trefoil.
<i>Lycium,</i>	<i>Chinense,</i> <i>Capulare,</i>	Chinese or Mexican } Bastard Tea-Tree
<i>Magnolia,</i>	<i>Grandiflora,</i> <i>Glauca,</i> <i>Acuminata,</i> <i>Tripetala,</i>	Laurel-leaved Small Blue Umbrella-tree } Tulip-Tree.
<i>Menispermum,</i>	<i>Canadense,</i> <i>Virginicum,</i>	Canada Virginian } Moon-Seed.
<i>Mespilus,</i>	<i>Sylvestris,</i> <i>Germanica,</i> <i>Pyracantha,</i> <i>Arbutifolia,</i> <i>Amelanchier,</i> <i>Chamæmispilus,</i> <i>Cotoneaster,</i> <i>Canadensis,</i> <i>Orientalis,</i>  <i>Virginica,</i>	Common Dutch or German Evergreen Thorn Arbutus-leaved Amelanchier Bastard quince Dwarf-quince Snowy-mespilus Dwarf-cherry of mount Ida Virginian blue-ber- ried } Medlar-Tree.
<i>Mimosa,</i>	<i>Pinnatifidis,</i> <i>Elegantissimis,</i>	} Silk-flowering Tree.
<i>Morus,</i>	<i>Alba,</i> <i>Rubra,</i> <i>Nigra,</i> <i>Papyrifera,</i> <i>Sinctoria</i>	White Red Black Cut-leaved Paper } Mulberry.
<i>Myrica,</i>	<i>Gale,</i> <i>Carolinensis,</i> <i>Cerifera,</i>	Sweet Gale Carolina Common Candle-ber- ried } Myrtle.
<i>Nyssa,</i>	<i>Aquatica,</i> <i>Sylvatica,</i>	Water Upland } Tupelo.



Free



C  
P  
P  
P  
P

Pa  
P

## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.	
<i>Ononis</i> ,	<i>Fruticosa</i> ,	Shrubby	Rest-Harrow.
<i>Passiflora</i> ,	<i>Cærulea</i> ,	Blue	Passion-Flower.
<i>Periploca</i> ,	<i>Græca</i> ,	Virginian	Silk.
<i>Philadelphus</i> ,	<i>Coronarius</i> ,	White Syringo, or	} Mock-Orange.
	<i>Inodorus</i> ,	Dwarf	
<i>Phyllærea</i> ,	<i>Latifolia</i> ,	True	} Mock-Privett.
	β <i>Media</i> ,		
	γ <i>Oleafolia</i> ,	Olive-leaved	
	δ <i>Ligustrina</i> ,	Privet-leaved	
	<i>Angustifolia</i> ,	Narrow-leaved	
	<i>Rosmarinifolia</i> ,	Rosemary-leaved	
	<i>Spinosa</i> ,	Prickly	} Jerusalem-Sage.
<i>Plomis</i> ,	<i>Fruticosa</i> ,	Tree	
	<i>Angustifolia</i> ,	Narrow-leaved	
	<i>Purpurea</i> ,	Purple	} Pine or Fir
<i>Pinus</i> ,	<i>Sylvestris</i> ,	Scotch	
	β <i>Latifolius</i> ,	Pineaster	
	<i>Pinea</i> ,	Stone	
	<i>Tæda</i>	Frankincense	
	<i>Virginiana</i> ,	Jersey	
	<i>Cembra</i> ,	Siberian Stone	
	<i>Strobus</i> ,	Weymouth	
	<i>Cedrus</i> ,	Cedar of Lebanon	
	<i>Larix</i> ,	Larch	
	β <i>Nigra</i> ,	Black	
	<i>Picea</i> ,	Silver	
	<i>Balsamea</i> ,	Balm of Gilead	
	<i>Canadensis</i> ,	White spruce	
	<i>Abies</i> ,	Norway ditto	
	β <i>Rubra</i> ,	Red ditto	
	<i>Palustris</i> ,	Swamp	
	<i>Nigra</i> ,	Black Spruce	
	<i>Halipensis</i> ,	Aleppo	
	<i>Americana</i> ,	Hemlock	



## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.	
<i>Platanus,</i>	<i>Orientalis,</i>	Eastern	} Plane-Tree.
	<i>Occidentalis,</i>	Western	
	β <i>Hispanica,</i>	Spanish	
<i>Populus,</i>	<i>Nigra,</i>	Black	} Poplar.
	<i>Alba,</i>	White	
	<i>Major,</i>	Cut-leaved	
	<i>Tremula,</i>	Aspen	
	<i>Carolinienfis,</i>	Carolina	
	<i>Paduensis,</i>	Lombardy	
	<i>Balsamifera,</i>	Tacamahacca	
	β <i>Major,</i>	Greater	
	<i>Heterophylla,</i>	American	
	<i>Aethenienfis,</i>	Æthenian	
<i>Prinos,</i>	<i>Verticillatus,</i>	Sawed-leaved	} Winter-Berry.
	<i>Glaber,</i>	Smooth-leaved	
<i>Prunus,</i>	<i>Padus,</i>	Common Bird	} Cherry.
	<i>Virginiana,</i>	Carolina	
	<i>Canadensis,</i>	Canada	
	<i>Mahaleb,</i>	Perfumed	
	<i>Stricta,</i>	Upright Bird	} Laurel.
	<i>Nigra,</i>	Black	
	<i>Lusitanica,</i>	Portugal	
	<i>Lauro Cerasus,</i>	Common	
	<i>Armeniaca,</i>	Apricot-tree	
	<i>Cerasus,</i>	Cherry-tree	
	<i>Avium,</i>	Wild ditto	
	<i>Domestica,</i>	Plum-tree	
	<i>Institia,</i>	Bullace-tree	
	<i>Spinosa,</i>	Sloe-tree	
	<i>Damascena,</i>	Damson-tree	
<i>Ptelea,</i>	<i>Trifoliata,</i>	Shrubby	Trefoil.
<i>Punica,</i>	<i>Granata,</i>	Single	} Pomegranate.
	β <i>Fl. Pleno,</i>	Double	
<i>Pyrus,</i>	<i>Communis,</i>	Common	} Pear-Tree.
	β <i>Fol. Variegatis,</i>	Striped ditto	
	γ <i>Fl. Pleno</i>	Double	







## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.
<i>Pyrus</i> ,	Coronaria,	Sweet Crab
	Sempervirens,	Evergreen ditto
	Baccata,	Siberian ditto
	Cydonia,	Quince
		} Apple-Tree.
<i>Quercus</i> ,	Robur,	Common English
	Phellos,	Willow-leaved
	β Fol. Oblongis,	Oblong ditto
	γ Fol. Brevibus,	Short-leaved
	δ Heterophyllos,	Various-leaved
	Ilex,	Evergreen
	β Fol. Oblongis,	Long-leaved ditto
	Gramuntia,	Holly-leaved
	Suber,	Cork
	Coccifera,	Kermes-leaved
	Prinus,	Sinuated ditto
	Nigra,	Black
	Rubra,	Scarlet
	Montana,	Mountain
	Alba,	White Virginian
	Æsculus,	Chestnut-leaved
	Ægilops,	Prickly-cuped Span- nish
<i>Rhamnus</i> ,	Cerris,	Turkey
	Carolinensis,	Live
	Catharticus,	Common
	Alaternus,	Alaternus
	β Fol. Maculatis,	Common blotched
	γ Fol. Argenteis	Silver-striped
	Variegatis,	
	δ Fol. Aureo Varie-	Gold-striped
	riegatis,	
	ε Fol. Laciniatis,	Jagged-leaved
	ζ Fol. Lac. Varie-	Striped-jagged
	riegatis,	
	Alpinus,	Alpine
	Frangula,	Berry bearing Alder
	Paliurus,	Christ's-thorn
	Lineatus,	Supple-Jack
<i>Rhododendron</i>	Maximum,	Greatest
		} Dwarf Rose-Bay.

## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.
<i>Rhododendron</i>	Ponticum,	Pontic
	Ferrugineum,	Iron-coloured
	β Fol. Variegatis,	Striped ditto
	Hirsutum,	Hairy ditto
		} Dwarf Rose-Bay.
<i>Rhodora</i> ,	Canadensis,	Bastard
		} Rose-Bay.
<i>Rhus</i> ,	Coriaria,	Myrtle-leaved
	Vernix,	Varnish-tree
	Radicans,	Creeping
	Toxicodendron,	Three-leaved
	Cotinus,	Venus
	Copallinum,	Lentileus-leaved
	Typhina,	Stag's-horn
	Glabra,	Virginian
	Sinenfis,	Lacker-tree
		} Sumach.
<i>Ribes</i> ,	Rubrum,	Red
	Fructu Albo,	White
	Nigrum,	Black
	Grossularia,	Common
	Cynosbati,	Prickly-fruited
		} Currant-tree.
		} Gooseberry-tree.
<i>Robinia</i> ,	Pseudo Acacia,	False
	Hispida,	Scarlet
	Caragana,	Caragana
	Frutescens,	Shrubby
	Pygmæa,	Four-leaved
		} Acacia.
<i>Rosa</i> ,	Spinosissima,	White Scotch
		Red Scotch
		Yellow Scotch
	Muscifera,	Moss Provence
		Common Provence
		Cabbage Provence
		Red Provence
		Blush Provence
		New white Provence
	Inermis,	Thornless
	Lutea Simplex,	Single yellow
	β Lutea Pleno,	Double yellow
	Austriacum,	Austrian
		} Rose.

5.

-Bay.

ree.



REPORT OF THE SENATE

On the Report of the Committee on the

1870	James A. Smith	James A. Smith	James A. Smith
1871	James A. Smith	James A. Smith	James A. Smith
1872	James A. Smith	James A. Smith	James A. Smith
1873	James A. Smith	James A. Smith	James A. Smith
1874	James A. Smith	James A. Smith	James A. Smith
1875	James A. Smith	James A. Smith	James A. Smith
1876	James A. Smith	James A. Smith	James A. Smith
1877	James A. Smith	James A. Smith	James A. Smith
1878	James A. Smith	James A. Smith	James A. Smith
1879	James A. Smith	James A. Smith	James A. Smith
1880	James A. Smith	James A. Smith	James A. Smith
1881	James A. Smith	James A. Smith	James A. Smith
1882	James A. Smith	James A. Smith	James A. Smith
1883	James A. Smith	James A. Smith	James A. Smith
1884	James A. Smith	James A. Smith	James A. Smith
1885	James A. Smith	James A. Smith	James A. Smith
1886	James A. Smith	James A. Smith	James A. Smith
1887	James A. Smith	James A. Smith	James A. Smith
1888	James A. Smith	James A. Smith	James A. Smith
1889	James A. Smith	James A. Smith	James A. Smith
1890	James A. Smith	James A. Smith	James A. Smith
1891	James A. Smith	James A. Smith	James A. Smith
1892	James A. Smith	James A. Smith	James A. Smith
1893	James A. Smith	James A. Smith	James A. Smith
1894	James A. Smith	James A. Smith	James A. Smith
1895	James A. Smith	James A. Smith	James A. Smith
1896	James A. Smith	James A. Smith	James A. Smith
1897	James A. Smith	James A. Smith	James A. Smith
1898	James A. Smith	James A. Smith	James A. Smith
1899	James A. Smith	James A. Smith	James A. Smith
1900	James A. Smith	James A. Smith	James A. Smith

## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.
<i>Rosa</i> ,	<i>Poterifolia</i> ,	Burnet-leaved
	<i>Moschata Simplex</i> ,	Single-musk
β	<i>Moschata Pleno</i> ,	Double ditto
	<i>Centifolia</i> ,	Dutch 100 leaved
		Singleton's 100 leaved
		Blush 100 leaved
		Single-velvet
		Dutch-velvet
		Great-white
		Red-cluster
		Blush-cluster
		Red-Belgic
		Blush-Belgic
	<i>Villosa</i> ,	Apple-bearing
β	<i>Fl. Pleno</i> ,	Double ditto
		True-maiden's-blush
		Great-maiden's-blush
		Semidouble-red
		Double-red
		Double-cinnamon
		Red-monthly
		White-monthly
		Striped-monthly
		York and Lancaster
	<i>Puerilis</i> ,	Childing
	<i>Bicolor</i> ,	Marbled
	<i>Damascena</i> ,	Common-damask
β	<i>Fl. Albo</i> ,	White ditto
	<i>Germanica</i> ,	Frankford
	<i>Vericolor</i> ,	Rosa-Mundi
	<i>Gallica</i> ,	Imperial
	<i>Sempervirens</i> ,	Evergreen
	<i>Pensylvanica</i> ,	Pensylvanian
β	<i>Fl. Pleno</i> ,	Double ditto
	<i>Regealis</i> ,	Great Royal
	<i>Rose de Meuke</i> ,	Rose de Muke
β	<i>Minor</i> ,	Lesser ditto
		Burgundy
		Rose St. François

Rose.



## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.
<i>Rosa</i> ,	Virginis,	Virgin
β Pleno,		Double ditto
Indica,		Evergreen China
Alpina,		Alpine
Eglanteria,		Common Sweet-briar
β		Eglantine ditto
γ Fl. Pleno,		Common double ditto
δ Fl. Rubente,		Double Blush ditto
ε Fl. Incarnato,		Double scarlet ditto
<i>Rosmarinus</i> ,	Officinalis,	Common
β Fol. Aureo Vari-	egatis,	Gold-striped
		Rosemary.
<i>Rubus</i> ,	Idæus,	Red
β Fructu Alba,		White-fruited
Hispidus,		Canada
Odoratus,		Flowering
Fruticosus,		Common
β Fl. Pleno,		Double ditto
Fructu Alba,		White-fruited
		Raspberry.
<i>Ruscus</i> ,	Aculeatus,	Butcher's-Broom
γ Hypoglossum,		Tongue upon 'Tongue
Racemosus,		Branching
		Knee-Holly.
<i>Ruta</i> ,	Graveolens,	Garden
β Latifolia,		Broad-leaved
γ Tenuifolia,		Narrow-leaved
		Rue.
<i>Salix</i> ,	Hermaphroditica,	Shining
Pentandria,		Sweet Willow
Triandria,		White bark
Amygdalina,		Almond
Purpurea,		Norfolk
Rubra,		Red
Alba,		White
Helix,		Yellow dwarf
Reticulata,		Oval-leaved
Aurita,		Round-leaved
Arenaria,		Sand
		Willow.



1948-1949

2000

This image shows a blank, aged, cream-colored page, likely an endpaper or flyleaf of a book. The paper has a slightly textured appearance with some faint smudges and discoloration, characteristic of old paper. There is no text or other markings on the page.



1871

11

This image shows a blank, aged, cream-colored page, likely an endpaper or flyleaf of a book. The paper has a slightly textured appearance with some faint smudges and discoloration, characteristic of old paper. The left edge of the page shows the binding of the book.

THE JOURNAL OF THE

AMERICAN GEOGRAPHICAL SOCIETY

FOR THE YEAR 1900

PUBLISHED BY THE SOCIETY

NEW YORK

1901

VOLUME 1

NUMBER 1

JANUARY

1901

1901

1901

1901

1901

1901

1901

1901

1901

1901

1901

## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.
<i>Salix</i> ,	<i>Repens</i>	Creeping
	<i>Fusca</i> ,	Brown
	<i>Rosmarinifolia</i> ,	Rosemary-leaved
	<i>Caprea</i> ,	Common Sallow
	β <i>Fol. Variegatis</i> ,	Striped ditto
	<i>Viminalis</i> ,	Osier,
	<i>Glauca</i> ,	Pyrenian smooth
	<i>Lanata</i> ,	Lapland
	<i>Babylonica</i> ,	Weeping
	<i>Fragilis</i> ,	Brittle
		} Willow.
<i>Salsola</i> ,	<i>Fruticosa</i> ,	Shrubby
		} Glasswort.
<i>Sambucus</i> ,	<i>Nigra</i> ,	Common black
	β <i>Fructu Alba</i> ,	White-berried
	γ <i>Fol. Variegatis</i> ,	Striped
	δ <i>Fol. Laciniatis</i> ,	Cut-leaved
	<i>Racemosus</i> ,	Red-berried Mountain
	<i>Canadensis</i> ,	Canada
		} Elder.
<i>Santolina</i> ,	<i>Chamæcyparissus</i> ,	Lavender
	<i>Rosmarinifolia</i> ,	Great Rosemary
	β <i>Minor</i>	Lesser
		} Cotton.
<i>Smilax</i> ,	<i>Aspera</i> ,	Rough
	<i>Rotundifolia</i> ,	Round-leaved
	<i>Laurifolia</i> ,	Laurel-leaved
	<i>Sarsaparilla</i> ,	Sarsaparilla
	<i>Tamnoides</i> ,	Briony-leaved
		} Bindweed.
<i>Sorbus</i> ,	<i>Aucuparia</i> ,	Mountain Ash
	<i>Domestica</i> ,	True
		} Service.
<i>Spartium</i> ,	<i>Junceum</i> ,	Spanish
	β <i>Flore Pleno</i> ,	Double ditto
	<i>Scoparium</i> ,	Common
	<i>Striatum</i> ,	Fluted
	<i>Radiatum</i> ,	Starry
	<i>Alba Nova</i>	New white
		} Broom.
<i>Spiræa</i> ,	<i>Salicifolia</i> ,	Willow-leaved
	<i>Crenata</i> ,	White-flowered
		} Spiræa.



## HARDY TREES and SHRUBS.

Genera.	Species.	English Names.
<i>Spiræa</i> ,	<i>Tomentosa</i> ,	Red flowered
	<i>Hypericifolia</i> ,	Hypericum Frutex.
	<i>Opulifolia</i> ,	Virginian Gilder-rose
		} <i>Spiræa</i> .
<i>Staphylea</i> ,	<i>Pinnata</i> ,	Five-leaved
	<i>Trifoliata</i> ,	Three-leaved
		} Bladder-nut.
<i>Stewartia</i> ,	<i>Malacodendron</i> ,	
<i>Styrax</i> ,	<i>Officinale</i> ,	Medicinal
	<i>Grandifolium</i> ,	A new large-leaved
		} Storax-Tree.
<i>Syringa</i> ,	<i>Vulgare</i> ,	Common
	β <i>Fl. Albo</i> ,	White
	γ <i>Scotica</i> ,	Scotch
	<i>Perfica</i> ,	Persian
	β <i>Laciniata</i> ,	Cut-leaved
		} Lilac.
<i>Tamarix</i> ,	<i>Gallica</i> ,	French
	<i>Germanica</i> ,	German
		} Tamarisk.
<i>Taxus</i> ,	<i>Baccata</i> ,	Berry-bearing
		} Yew-Tree.
<i>Thea</i> ,	<i>Viridis</i> ,	Green
	<i>Bohea</i> ,	Bohea
		} Tea-Tree.
<i>Thuya</i> ,	<i>Orientalis</i> ,	China
	<i>Occidentalis</i> ,	Common
	<i>Americana</i> ,	Sweet
		} Arbor Vitæ.
<i>Tilia</i> ,	<i>Europæa</i> ,	Common
	β <i>Viminibus Rubris</i> ,	Red-twigg'd
	<i>Americana</i> ,	American
		} Lime-Tree.
<i>Ulmus</i> ,	<i>Campestris</i> ,	English
	β <i>Fol. Variegatis</i> ,	Striped
	<i>Angustifolius</i> ,	Cornish
	<i>Belgica</i> ,	Dutch
	<i>Americana</i> ,	American
	<i>Scabra</i> ,	Rough-leaved
	<i>Glabra</i> ,	Smooth-leaved
		} Elm.



THE UNIVERSITY OF CHICAGO

LIBRARY

540 EAST 58TH STREET

CHICAGO, ILL. 60637

TEL. 733-4331

1968

1969

1970

1971

1972

1973

1974

1975

1976

1977

1978

1979

1980

1981

1982

1983

1984



# HARDY TREES and SHRUBS

Genera, Species, English Names.

<i>Laccinium</i> ,	<i>Myrtillus</i> ,	Black	} Whortle-Berries
	<i>Uliginosum</i> ,	Great Bilberry-bush	
	<i>Album</i> ,	White	
	<i>Vitis Idæa</i> ,	Red Whort	
	<i>Oxycoccus</i> ,	Craneberry	
	<i>Hispidula</i> ,	Marthy	
	<i>Mucronatum</i> ,	Pointed-leaved	
	<i>Corymbosum</i> ,	Cluster flowered	
	<i>Frondosum</i> ,	Branching	
	<i>Ligustrinum</i> ,	Privett-leaved	
	<i>Stamineum</i> ,	Long-leaved	

<i>burnum</i> ,	<i>Tinus</i> ,	Common Laurustinus	} Pliant Mealy-Tree.
β	<i>Variegatum</i> ,	Common striped ditto	
γ	<i>Lucidum</i> ,	Shining ditto	
β	<i>Variegatum</i> ,	Striped ditto	
ε	<i>Hirsutum</i> ,	Hairy ditto	
	<i>Nudum</i> ,	American Tinus	
	<i>Prunifolium</i> ,	Plum-leaved	
	<i>Dentatum</i> ,	Sawed-leaved	
	<i>Lantana</i> ,	Wayfaring-tree	
β	<i>Latifolium</i> ,	Broad-leaved ditto	
γ	<i>Variegatum</i> ,	Stripe dditto	
	<i>Acerifolium</i> ,	Maple-leaved	
	<i>Opulus</i> ,	Common Gilder-rose	
β	<i>Fl. Pleno</i> ,	Double ditto	
	<i>Lentago</i> ,	Canada ditto	
	<i>Pyrifolia</i> ,	Pear-leaved	
	<i>Cassinioides</i>	Cassia-berry Bush	

<i>nea</i> ,	<i>Major</i> ,	Great blue	} Periwinkle.
β	<i>Minor</i> ,	Leffer blue	
γ	<i>Aureo Variegato</i> ,	Gold-striped	
δ	<i>Argenteo Var.</i>	Silver-striped	

<i>ex</i> ,	<i>Agnus Castus</i> ,	Common	} Chaste-Tree.
	<i>Latifolius</i> ,	Broad-leaved	

<i>is</i> ,	<i>Vulpina</i> ,	Fox	} Grapes.
	<i>Arborea</i> ,	Tree	

# HARDY TREES and SHRUBS.

Genera.	Species.	English Names.
<i>Vitis</i> ,	<i>Laciniosa</i> , <i>Vinifera</i> ,	Parley-leaved Eatable Grapes in } Grapes. Collection
<i>Yucca</i> ,	<i>Aloifolia</i> , <i>Filamentosa</i> ,	Sawed-leaved Threaded } Adam's Needle.
<i>Zanthoxylum</i> ,	<i>Clava Herculis</i> ,	Tooth-ach Tree.

S.

edle.



THE HISTORY OF THE  
CITY OF BOSTON  
FROM THE FIRST SETTLEMENT  
TO THE PRESENT TIME  
IN TWO VOLUMES  
BY NATHANIEL BENTLEY  
VOL. II  
PUBLISHED BY J. B. LEECH, 15 NASSAU ST.  
NEW YORK  
1857

# HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Canthus,</i>	<i>Mollis,</i>	Smooth-leaved
	<i>Spinosus,</i>	Prickly-leaved
	<i>Spinosissimus,</i>	Most prickly
		} Bear's-Breech.
<i>Chillea,</i>	<i>Santolina,</i>	Lavender Cotton-leaved
	<i>Ageratum,</i>	Sweet Maudlin
	<i>Falcata,</i>	Indented-leaved
	<i>Tomentosa,</i>	Hoary-leaved
	<i>Pubescens,</i>	Downy-leaved
	<i>Abrotanifolia,</i>	Southernwood-leaved
	<i>Macrophylla,</i>	Feverfew-leaved
	<i>Clavennæ,</i>	Silver-leaved
	<i>Parmica,</i>	Single Sneezewort
	β <i>Flo. Pleno,</i>	Double ditto
	<i>Alpina,</i>	Alpine
	<i>Atrata,</i>	Camomile-leaved
	<i>Millefolium,</i>	Common Yarrow
	β <i>Fl. Purpureo,</i>	Purple ditto
	<i>Odorato,</i>	Odoriferous
	<i>Cretica,</i>	Cretan
	<i>Nobilis,</i>	Noble
		} Milfoil.
<i>Cnida,</i>	<i>Cannabina,</i>	Virginian Hemp.
<i>Conium,</i>	<i>Lycotctonum,</i>	Yellow
	β <i>Altissimum,</i>	Tall
	γ <i>Humile,</i>	Low
	<i>Uncinatum,</i>	American
	<i>Napellus,</i>	Early blue
	<i>Pyrenaicum,</i>	Fennel-leaved
	<i>Anthorum,</i>	Wholesome
		} Wolfsbane.

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Aconitum</i> ,	Variegatum,	Striped
	Cammarum,	Greater Monks-hood
	β Fl. Purpureo,	Purple
	γ Fl. Pur. Cœruleo,	Blueish purple
	Album,	White
		} Wolfsbane.
<i>Acorus</i> ,	Calamus,	Sweet
		Rush.
<i>Aëlea</i> ,	Spicata,	Spike-flowered
	Alba,	White-berried
	Racemosa,	Branching
		} Herb Christoph.
<i>Adonis</i> ,	Vernalis,	Perennial
		Adonis.
<i>Adoxa</i> ,	Moschatellina,	Moschatel or
		Hollow-Root.
<i>Ageratum</i> ,	Altissimum,	Perennial
		Hemp Agrimony.
<i>Agrimonia</i> ,	Eupatoria,	Common
	Agrimonioides,	Three-leaved
	Adorata,	Sweet-smelling
		} Agrimony.
<i>Agrostemma</i> ,	Coronaria,	Common single
	β Fl. Rubra Pleno,	Double red
	Flos Jovis,	Mountain
		} Rose-Campion.
<i>Ajuga</i> ,	Orientalis,	Eastern
	Pyramidalis,	Pyramidal
	Reptans,	Creeping
		} Bugle.
<i>Alcea</i> ,	Rosea,	Common
	β Variegata,	French
	Ficifolia,	Palmated-leaved
		} Holyhock.
<i>Alchemilla</i> ,	Vulgaris,	Common
	β Hirsuta,	Hairy ditto
	Pentaphylla,	Five-leaved
	Alpina,	Alpine
		} Lady's-Mantle.
<i>Aletris</i> ,	Uvaria,	Floridan
	Farinosa,	Hoary-leaved
		} Aletris.



oph

ot.

nony

on.

le.

1871

W. A. L. S. P. R. I. N. T.

*[Faint, illegible text, likely bleed-through from the reverse side of the page]*

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Allium</i> ,	<i>Sativum</i> ,	Common
	<i>Scorodoprasum</i> ,	Rocamboles
	<i>Flavum</i> ,	Yellow
	<i>Urfinum</i> ,	Ramson
	<i>Moly</i> ,	Yellow Moly
	<i>Magicum</i> ,	Broad-leaved Moly
	<i>Roseum</i> ,	Starry
	<i>Sphærocephalon</i> ,	Chives
	<i>Victorialis</i> ,	Broad-leaved
	<i>Cepa</i> ,	Onion
	<i>Porrum</i> ,	Leek
<i>Althea</i> ,	<i>Senescens</i> ,	Narcissus-leaved
	<i>Canadense</i> ,	Canada-tree Onion
	<i>Officinalis</i> ,	Common Marsh
<i>Alyssum</i> ,	<i>Hirsuta</i> ,	Hairy
	<i>Cannabina</i> ,	Hemp-leaved
	<i>Halimifolium</i> ,	Prickly
<i>Amaryllis</i> ,	<i>Saxatile</i> ,	Common yellow
	<i>Hyperboreum</i> ,	Purple
	<i>Utriculatum</i> ,	Bladder-podded
	<i>Incanum</i> ,	Hairy
	<i>Montanum</i> ,	Mountain
	<i>Verficaria</i> ,	Dentated-leaved
	<i>Alpestre</i> ,	Italian
	<i>Creticum</i> ,	Cretan
<i>Ammi</i> ,	<i>Belladonna</i> ,	Belladonna
	<i>Vernalis</i> ,	Spring
	<i>Lutea</i> ,	Yellow
<i>Anchusa</i> ,	<i>Majus</i> ,	Greater
	<i>Glaucifolium</i> ,	Perennial
<i>Andryala</i> ,	<i>Officinalis</i> ,	Great
	<i>Sempervirens</i> ,	Evergreen
<i>Anemone</i> ,	<i>Lanata</i> ,	Downy Sow
	<i>Hepatica Alba</i> ,	White Hepatica
	<i>β Fl. RubroSimplici</i> ,	Single red

Garlick.

Mallow.

Madwort.

Lily.

Bishop's-Weed.

Bugloss.

Thistle.

Anemone or  
Wind-Flower.



## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Anemone</i> , ♂ ♀ ♂ ♂ ♂ ♂ ♂ ♂ ♂ ♂ ♂ ♂	Fl. Rubro Pleno, Double red	Anemone or Wind-Flower.
	♂ Fl. Cæruleo Sim- plicis, Single blue	
	♀ Fl. Cæruleo Pleno, Double blue	
	Nemorosa, Single wood	
	♂ Nemorosa Pleno, Double wood	
	Sylvestrus Alba, German wood	
	♂ Alba Minor, Lesser White	
	Apennina, Mountain	
	Alpina, Alpine	
	Hortensis, Garden broad-leaved	
	Coronaria, Common garden	
	Dichotoma, Fork-stalked	
	Narcissiflora, Narcissus-flowered	
	Thalictroides, Goat's Rue-leaved	
	Pulsatilla, Common	Pasque Flower.
<i>Angelica</i> ,	Archangelica, Common	} Angelica.
	Atropurpurea, Dark purple	
	Lucida, Shining	
<i>Anthemis</i> ,	Nobilis, Common single	} Camomile.
	♂ Fl. Pleno, Double ditto	
	Pyrethrum, Pellitory of Spain	
	Tinctorea, Tansey-leaved	
<i>Anthericum</i> ,	Liliago, Grass-leaved	} Spider-Wort.
	Liliastrum, Savoy	
	Offifragum, Marsh	
<i>Anthyllis</i> ,	Vulneraria, Scarlet	Kidney-Vetch.
<i>Antirrhinum</i> ,	Monspesulanum, Sweet	} Snap-Dragon.
	Genistifolia, Broom-leaved	
	Majus, Greater	
	Linaria, Yellow Toad-Flax	
<i>Apocynum</i> ,	Androsæmifolium, Tutsan-leaved	} Dogsbane.
	Cannabinum, Canada	

GENERAL INSTRUCTIONS  
TO THE JURY

The jury is sworn to give a true and correct verdict according to the evidence presented to them. It is your duty to listen to the testimony of the witnesses and to weigh the evidence carefully. You are to decide whether the facts are proved by a preponderance of the evidence. You are not to be influenced by the arguments of the attorneys. You are to return your verdict in accordance with the law as given to you by the court.

The first question for you to decide is whether the defendant is guilty of the crime charged in the indictment. If you find that the defendant is guilty, you must return a verdict of guilty. If you find that the defendant is not guilty, you must return a verdict of not guilty. You must not return a verdict of guilty unless you are satisfied that the evidence proves beyond a reasonable doubt that the defendant committed the crime.

You are to consider the evidence in the case and to decide whether it is sufficient to prove the crime. You are to consider the testimony of the witnesses and the exhibits introduced in the case. You are to consider the arguments of the attorneys and the instructions of the court. You are to return your verdict in accordance with the law as given to you by the court.

You are to return your verdict in accordance with the law as given to you by the court. You are to return your verdict in accordance with the law as given to you by the court. You are to return your verdict in accordance with the law as given to you by the court.

1913

RECEIVED

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...



## HERBACEOUS PLANTS.

Genera.	Species.	English Names.	
<i>Aquilegia</i> ,	Vulgaris,	Common	} Columbine.
β	Fl. Pleno,	Double ditto	
γ	Fl. Rosea,	Rose-coloured	
δ	Fl. Variegatis,	Striped	
	Canadense,	Canada	
<i>Arabis</i> ,	Alpina,	White bastard	Tower-Mustard
<i>Aristolochia</i> ,	Pistilochia,	Spanish	} Birthwort.
	Clematitis,	Upright	
	Rotunda,	Round-rooted	
	Longa,	Long-rooted	
<i>Arnica</i> ,	Montana,	Plantain-leaved	} Arnica.
	Scorpioides,	Scorpion-rooted	
<i>Artemesia</i> ,	Abfinthium,	Wormwood	} Mugwort.
	Maritima,	Sea ditto	
	Abrotanum,	Southernwood-tre	
	Santonica,	Tartarian	
	Campestris,	Wild	
	Integrifolia,	Intire-leaved	
	Pontica,	Roman	
	Cærulefcens,	Lavender-leaved	
	Dracunculus,	Tarragon	
<i>Arum</i> ,	Dracunculus,	Common dragon's	} Wake-Robin.
	Maculatum,	Spotted-leaved	
	Triphyllum,	Three-leaved	
	Arifarum,	Friar's-Cowl	
β	Fol. Variegatis,	Striped-leaved	
	Virginicum,	Virginian	
<i>Arundo</i> ,	Donax,	Portugal	} Reed.
	Phragmitis,	Common	
	Epigejos,	Small Reed-grafs	
<i>Asarum</i> ,	Europæum,	Common	} Asarabacca.
	Canadense,	Canada	
	Virginicum,	Virginian	

## HERBAGEOUS PLANTS.

Genera.	Species.	English Names.
<i>Asclepias</i> ,	Vincetoxicum, Medicinal	} Swallow-Wort.
	Nigra, Black	
	Syriaca, Syrian	
β	Exaltata, White	
	Amæna, Purple	
	Incarinata, Flesh-coloured	
	Tuberosa, Orange Apocynum	} Woodroof.
<i>Asperula</i> ,	Odorata, Sweet	
<i>Asphodelus</i> ,	Luteus, Yellow	} Kingspear.
	Ramosus, Large white	
	Fistulosus, Dwarf	
<i>Asplenium</i> ,	Scolopendrium, Common	} Heart's-Tongue.
β	Crispa, Curled	
γ	Undulata, Waved-leaved	
δ	Multifida, Many-leaved	
	Ceterach, Spleenwort	
	Adiantum Ni-Black	} Maiden-Hair.
	grum,	
	Trichomanes, Common	
β	Viridum, Green	
	Ruta Muraria, Wall-Rue	} Starwort
<i>Aster</i> ,	Tripolium, Sea	
	Amellus, Italian	
	Divaricatus, Branching	
	Ericoides, Heath-leaved	
	Linariifolius, Toad-Flax-leaved	
	Rigidus, Rough-leaved	
	Undulatus, Waved-leaved	
	Nova Anglicæ, New England	
	Cordifolius, Heart-shaped	
	Puniceus, Red-stalked	
	Mutabilis, Variable	
	Tradescanti, Tradescants	
	Dumosus, Daisy	
	Novi Belgii, New Holland	
	Grandiflorus, Great-flowered	
	Alpinus, Alpine	





1871  
JAN 10 1871  
CENTRAL

THE

LIBRARY

OF THE

UNITED STATES

DEPARTMENT OF AGRICULTURE

WASHINGTON

1871

1871

1871

1871

1871

1871

1871

1871

1871

1871

1871

1871

1871

1871

Go  
Ber

rag

ran

ama

opa,

is,

mica

## HERBACEOUS PLANTS

Genera.	Species.	English Names.
<i>Ger.</i>	<i>Linifolius,</i>	Narrow-leaved
	<i>Concolor,</i>	Blue
	<i>Lævis,</i>	Smooth
	<i>Miser,</i>	Sad-flowered
	<i>Alienatus,</i>	Strange-flowered
	<i>Repens,</i>	Creeping
	<i>Aculeatus,</i>	Prickly-leaved
	<i>Corymbosus,</i>	Clustered-flowered
	<i>Umbellatus,</i>	Umbellated
	<i>Salicifolius,</i>	Willow-leaved
	<i>Purpureus,</i>	Purple
	<i>Virgatus,</i>	Slender-branched
<i>Tragalus,</i>	<i>Alopecuroides,</i>	Fox-tail yellow
	<i>Galegiformis,</i>	Goat's Rue-leaved
	<i>Cicer,</i>	Round podded
	<i>Glycyphyllos,</i>	Liquorice
	<i>Arenarius,</i>	Sand
	<i>Alpinus,</i>	Alpine
<i>Antia,</i>	<i>Major,</i>	Greater
	<i>Minor,</i>	Lesser
<i>Samanta,</i>	<i>Meum,</i>	Common
	<i>Cervaria,</i>	
<i>opa,</i>	<i>Mandragora,</i>	Mandrake
	<i>Belladonna,</i>	Deadly
<i>is,</i>	<i>Perennis,</i>	Common
	$\beta$ <i>Fl. Albo Pleno,</i>	Double white
	$\gamma$ <i>Fl. Rubra Pleno,</i>	Double red
	$\delta$ <i>Prolifera,</i>	Hen and Chicken
	$\epsilon$ <i>Cristata Alba,</i>	White Cockscornb.
	$\zeta$ <i>Cristata Rubra,</i>	Red Cockscornb.
<i>mica,</i>	<i>Officinalis,</i>	Common
	<i>Danica,</i>	Danish
	<i>Orientalis,</i>	Eastern
	<i>Alpina,</i>	Alpine

Starwort.

Milk Vetch.

Masterwort.

Spignel.

Nightshade.

Daify.

Betony.

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Bubon</i> ,	Galbanum, Sicilian, Macedonicum, Macedonian	} Parsley.
<i>Bulbocodium</i> ,	Vernum,	
<i>Buphtalmum</i> ,	Helianthoides, Autumnal Grandiflora, Great	} Ox-Eye.
<i>Bupleurum</i> ,	Longifolium, Long-leaved	Hare's-Ear.
<i>Cacalia</i> ,	Hastata, Spear-shaped Suaveolens, Sweet	} Foreign Colt's Foot. 18
25. - - - - -	Atriplicifolia, Orach-leaved Alpina, Alpine	
<i>Calla</i> ,	Palustris, Marsh-Bastard	Arum.
<i>Caltha</i> ,	Palustris Fl. Pleno, Double Marsh	Marygold.
<i>Campanula</i> ,	Trachelium, Nettle-leaved β Fl. Albo Pleno, Double white γ Fl. Cæruleo Simp. Single blue δ Fl. Cæruleo Pleno, Double blue Perficifolia, Peach-leaved β Fl. Albo Pleno, Double white γ Fl. Cæruleo Pleno, Double blue Pyramidalis, Pyramidal Latifolia, Broad-leaved Glomerata, Meadow Thyrsoidea, Echium-leaved Patula, Field Media, Canterbury Saxatilis, Daisy-leaved Rotundifolia, Round-leaved Rhomboides, Triangular-leaved β Alpina, Lesser ditto	} Bell-Flower.
<i>Cardamine</i> ,	Pratenfis, Purple β Fl. Albo Pleno, Double white Trifoliata, Three-leaved	
		} Lady's-Smock



HERBERT C. O'NEILL

General

1890

1891

1892

1893

1894

1895

1896

1897

1898

1899

1900

1901

1902

1903

1904

1905

1906

1907

1908

1909

132

1960-1961

1871

1871

[illegible]

18

11

10

100-2-7

17

1940

100

Set

Che

Ebe

Chl

**Chr**

**Ebr**

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.	
<i>Carduus</i> ,	<i>Casabonæ</i> ,	Fish	} Thistle.
	<i>Helenioides</i> ,	Melancholy	
<i>Cassia</i> ,	<i>Marilandica</i> ,	Maryland wild	Senna.
<i>Catananche</i> ,	<i>Cærulea</i> ,	Blue Candy	Lion's-Foot.
<i>Centaurea</i> ,	<i>Centaureum</i> ,	Greater Knapweed	} Centaury.
	<i>Jacea</i> ,	Common ditto	
	<i>Cineraria</i> ,	Greater blue-bottle	
	<i>Montana</i> ,	Lesser	
	<i>Crocodylium</i> ,	Great yellow	
	<i>Glaustifolia</i> ,	Great wood-leaved	
	<i>Phrygia</i> ,	Woolly-headed	
	<i>Pectinata</i> ,	Denticulated	
	<i>Flava</i> ,	Yellow	
	<i>Sibirica</i> ,	Siberian	
	<i>Splendens</i> ,	Silvery-cuped	
	<i>Scabiosa</i> ,	Scabious-leaved	
<i>Cerastium</i> ,	<i>Repens</i> ,	Creeping	} Moufe-Ear
	<i>Tomentosum</i> ,	Woolly	
<i>Chelidonium</i> ,	<i>Majus</i> ,	Greater	} Celandine.
	$\beta$ <i>Fl. Pleno</i> ,	Double-flowering	
	<i>Glaucium</i> ,	Horn-poppy	
<i>Chelone</i> ,	<i>Glabra</i> ,	Red	} Virginian Fox-Glove.
	<i>Alba</i> ,	White	
	<i>Hirsuta</i> ,	Hairy	
	<i>Penstemon</i> ,	Penstamon	
<i>Chlora</i> ,	<i>Perfoliata</i> ,		
<i>Chrysanthemum</i> ,	<i>Serotinum</i> ,	Creeping	} Corn-Marygold.
	<i>Alpina</i> ,	Alpine	
	<i>Leucanthemum</i> ,	Greater	
	<i>Balsamita</i> ,	Oriental	
<i>Chrysocoma</i> ,	<i>Linofyris</i> ,	German	} Goldy-Locks.
	<i>Biflora</i> ,	Siberian	



## HERBACEOUS PLANTS.

Genera.	Species.	English Names.	
<i>Chrysosplenium</i> ,	<i>Alternifolium</i> ,	Alternate-leaved	} Golden-Saxifrage
	<i>Oppositifolium</i> ,	Opposite-leaved	
<i>Circaea</i> ,	<i>Lutetiana</i> ,	Common Enchanters	} Nightshade.
	$\beta$ <i>Canadensis</i> ,	Canada	
	<i>Alpina</i> ,	Least	
<i>Clematis</i> ,	<i>Recta</i> ,	Upright	} Virgin's-Bower
	<i>Integrifolia</i> ,	Intire-leaved	
	<i>Flammula</i> ,	Creeping	
<i>Clinopodium</i> ,	<i>Vulgare</i> ,	Common Field	} Basil.
	<i>Incanum</i> ,	Hoary-leaved	
<i>Clypeola</i> ,	<i>Maritima</i> ,	Spanish-Treacle	Mustard.
<i>Colchicum</i> ,	<i>Autumnale</i> ,	Autumn	} Meadow-Saffron
	$\beta$ <i>Fl. Pleno</i> ,	Double	
	$\gamma$ <i>Fol. Variegatis</i> ,	Striped	
<i>Collinsonia</i> ,	<i>Canadensis</i> ,		
<i>Comarum</i> ,	<i>Palustre</i> ,	Marsh	Cinquefoil.
<i>Convallaria</i> ,	<i>Majalis</i> ,	Common	} Lily of the Valley
	$\beta$ <i>Latifolia Pleno</i> ,	Double	
	$\gamma$ <i>Rubra</i> ,	Red	
	<i>Verticillata</i> ,	Whirled	} Solomon's-Seal
	<i>Racemosa</i> ,	Branching	
	<i>Bifolia</i> ,	Two-leaved	
	<i>Multiflora</i> ,	Many-flowered	
	<i>Polygonata</i> ,	Great	
	$\beta$ <i>Odorata</i> ,	Sweet,	
<i>Convolvulus</i> ,	<i>Lineatus</i> ,	Dwarf	} Bindweed.
	<i>Soldanella</i> ,	Creeping	
<i>Conyza</i> ,	<i>Candida</i> ,	White	Fleabane.
<i>Coreopsis</i> ,	<i>Tripteris</i> ,	Three-leaved	} Tickseed-Sun-Flower.
	<i>Alternifolia</i> ,	Alternate-leaved	

( 187 )

NEGATIVE OF A PHOTOGRAPH

S.

axifra

e.

lower

affro

Valle

Seal

un-

THE BACON

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

C  
Cor  
Cor  
Cor  
Coty  
Gra  
roc  
ycla  
nog  
pri  
elph  
enta  
iant




## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Coreopsis</i> ,	Lanceolata, Verticillata, Alba,	Lanceolate-leaved Larkspur-leaved White } Tickseed-Sun- Flower.
<i>Coronilla</i> ,	Varia,	Herbaceous Colutea,
<i>Cortusa</i> ,	Matthioli,	Bear's-Ear Sanicle.
<i>Cotyledon</i> ,	Umbilicus,	English Navel-Wort.
<i>Crambe</i> ,	Maritima,	Sea Cabbage,
<i>Crocus</i> ,	Sativus, Vernus, Biflora, Autumnalis,	Saffron Spring of many sorts. Two-flowered Autumn blue } Crocus.
<i>Cyclamen</i> ,	Europæum, Vernale, Autumnale, Purpurescens, Orbiculatum, Coun of Miller,	Autumn Ivy-leaved Spring Heart-shaped Autumn Purple-flowered Round-leaved Round ditto Winter with red Flowers } Sow-Bread.
<i>Enoglossum</i> ,	Omphalodes,	Blue Venus Navel-Wort.
<i>Eripedium</i> ,	Calceolum, Bulbosum, Canadense,	English Bulbous Canada } Lady's-Slipper.
<i>Delphinium</i> ,	Grandiflorum, Elatum, Americanum, Staphisagria,	Great flowering Siberian Bee American Bee Staves-Acre } Larkspur.
<i>Dentaria</i> ,	Pentaphyllos, Bulbifera,	Five-leaved Bulb-bearing } Tooth-Wort.
<i>Flammula</i> ,	Barbatus, β Fl. Pleno,	Common Sweet-William. Double red ditto

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Dianthus</i> ,	<i>Armeria</i> ,	Deptford
	<i>Caryophyllus</i> ,	Carnation
	<i>Deltoides</i> ,	Maiden
	<i>Glaucus</i> ,	Mountain
	<i>Chinensis</i> ,	India
	<i>Arenaria</i> ,	Stone
	<i>Superbus</i> ,	Fringed
	<i>Alpinus</i> ,	Alpine
		} Pink.
<i>Dieltamnus</i> ,	<i>Albus</i> ,	White
	$\beta$ <i>Fl. Rubro</i> ,	Red
		} Fraxinella.
<i>Digitalis</i> ,	<i>Lutea Major</i> ,	Greater yellow
	$\beta$ <i>Minor</i> ,	Lesser
	<i>Purpurea</i> ,	Purple
	$\beta$ <i>Fl. Albo</i> ,	White
	<i>Thapsi</i> ,	Verbascum-leaved
	<i>Ferruginea</i> ,	Iron-coloured
		} Foxglove.
<i>Dodecatheon</i> ,	<i>Meadia</i> ,	American
		} Cowslip.
<i>Doronicum</i> ,	<i>Pardalianches</i> ,	Greatest
	<i>Plantagineum</i> ,	Plantain-leaved
	<i>Bellidiastrum</i> ,	Daisy-leaved
		} Leopard's-Bane
<i>Draba</i> ,	<i>Alpina</i> ,	Yellow Alpine
	<i>Pyrenaica</i> ,	Trifid-leaved
		} Madwort. Aly-
		fon.
<i>Dracocephalum</i> ,	<i>Virginicum</i> ,	Virginian
	<i>Austriacum</i> ,	Austrian
	<i>Ruyschiana</i> ,	Hyssop-leaved
		} Dragon's-Head
<i>Dryas</i> ,	<i>Octopetala</i> ,	
<i>Echinops</i> ,	<i>Sphærocephalus</i> ,	Globe
	<i>Ritro</i> ,	Lesser
		} Thistle.
<i>Echium</i> ,	<i>Vulgare</i> ,	Viper's
		} Bugloss.
<i>Epilobium</i> ,	<i>Angustifolium</i> ,	Narrow-leaved
	$\beta$ <i>Fl. Albo</i> ,	White
		} French-Willow





C  
p  
pi  
qu  
ri  
ry  
ry  
ry  
upa  
uph  
eru  
rag

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Salix</i>	<i>Latifolia</i> , <i>Hirsuta</i> , β <i>Fol. Variegata</i> ,	Broad-leaved Hairy Striped-leaved ditto
		} French-Willow.
<i>Geranium</i>	<i>Alpinum</i> ,	Alpine
		} Barren-Wort.
<i>Equisetum</i>	<i>Hyemale</i> ,	Winter
		} Horse-Tail.
<i>Androsace</i>	<i>Alpina</i> ,	
<i>Myrica</i>	<i>Fœtida</i> ,	Stinking
	<i>Aquatica</i> ,	Marsh
	<i>Maritima</i> ,	Sea
	<i>Planifolia</i> ,	Broad plain-leaved
	<i>Alpina</i> ,	Alpine
	<i>Amethystina</i> ,	Lesser Blue Mountain
	<i>Campestre</i> ,	Wild
		} Sea-Holly.
<i>Thlaspi</i>	<i>Barbarea</i> ,	Common yellow
	β <i>Fl. Pleno</i> ,	Double ditto
		} Hedge-Mustard.
<i>Viola</i>	<i>Dens Canis</i> ,	Purple
	β <i>Fl. Albo</i> ,	White
		} Dog's-Tooth Violet.
<i>Cannabis</i>	<i>Cannabinum</i> ,	Common English
	<i>Perfoliatum</i> ,	Perfoliated-leaved
	<i>Aromaticum</i> ,	Aromatic
	<i>Altissimum</i> ,	Narrow-leaved
	<i>Sessilifolium</i> ,	Virginian
	<i>Purpureum</i> ,	Purple
	<i>Odoratum</i> ,	Sweet-smelling
	<i>Maculatum</i> ,	Spotted
		} Hemp-Agrimony
<i>Euphorbia</i>	<i>Coralloides</i> ,	Coral-stalked
	<i>Myrsinites</i> ,	Dwarf
		} Spurge.
<i>Foeniculum</i>	<i>Commune</i> ,	Common
	<i>Tingitana</i> ,	Glaucous-leaved
	<i>Canadensis</i> ,	American
		} Fennel-Giant.
<i>Fragaria</i>	<i>Vesca</i> ,	Common Red-wood
	β <i>Alba</i> ,	White-wood
		} Strawberry.

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.	
<i>Fragaria</i> ,	Alpina,	Alpine	} Strawberry.
	Virginiana,	Scarlet	
	β Fol. Variegatis,	Striped ditto	
	Muricata,	Hautboy	
	Chillocensis,	Chili	
<i>Frankenia</i> ,	Lævis,	Smooth	} Sea-Heath.
	Pulverulenta,	Dusty	
<i>Fritillaria</i> ,	Imperialis,	Common	} Crown-Imperial
	β Fl. Luteo,	Yellow	
	γ Fl. Rubro,	Red	
	♫ Fol. Aureo Vari-	Gold-striped	
	egatis,		
	♫ Fol. Argenteo	Silver-striped	
	Var.		
	ζ Fl. Luteo Pleno,	Double yellow	
	η Fl. Rubro Pleno,	Double red	
	Perfica,	Persian	
	Pyrenaica,	Pyrenian	
	Meleagris,	Common	
β Aquitanica,	Dark yellow	} Checquered-T lips.	
	γ Nigra,		Black
	♫ Lutea,		Yellow
	♫ Fl. Umbellatis,		Umbelliferous
<i>Fumaria</i> ,	Bulbosa,	Bulbous-rooted	} Fumatory.
	β Radix Cava Alba,	White Hollow-rooted	
	Radix-Cava	Purple ditto	
	Purpurea,		
	Sempervirens,	Evergreen yellow	
Capnoides,	White-flowered		
<i>Galanthus</i> ,	Nivalis,	Single	} Snow-Drop.
	β Fl. Pleno,	Double	
<i>Galega</i> ,	Officinalis,	White	} Goats-Rue.
	β Fl. Purpureo,	Purple	
<i>Galeopsis</i> ,	Galeobdolon,	Common	} Hedge-Nettle.
	β Fol. Variegatis,	Striped	



erial

T

le

1944-1945

11

G

GL

**Glo**

Gly

Gly.

## HERBACEOUS PLANTS.


Genera.	Species.	English Names.
<i>Galium</i> ,	Boreale, Verum,	Northern Yellow
		} Lady's-Bed Straw.
<i>Gaura</i> ,	Biennis,	Virginian
		} Loose-Strife.
<i>Gentiana</i> ,	Lutea, Acaulis, Aclepiadea, Pneumonanthe, Purpureo, Cruciata,	Great yellow Gentianella Swallow-wort-leaved Marsh Purple Cross-wort-leaved
		} Fell-Wort.
<i>Geranium</i> ,	Maritimum, Nodosum, Striatum, Palustre, Pratenfe, Sylvaticum, Macrorrhizum, Sanguineum, β Lancastrienfe, Maculatum, Robertianum, Phœum, Moschatum,	Sea Knotted Streaked Marsh Meadow Wood Long-rooted Bloody Lancashire Spotted-leaved Herb Robert Black Musk
		} Crane's-Bill.
<i>Geum</i> ,	Virginianum, Rivale, Montanum, Alpinum, Urbanum,	Virginian Aquatic Mountain Alpine Common Avens
		} Herb Bennet
<i>Gladiolus</i> ,	Communis, β Fl. Variegatis,	Corn-Flag Striped ditto
<i>Globularia</i> ,	Vulgaris, Acaulis,	Common Dwarf
		} Globe-Daisy.
<i>Glycine</i> ,	Apios,	Tuberous-rooted
		} Milk-Vetch.
<i>Glycyrrhiza</i> ,	Glabra, Echinata,	Common Prickly-podded
		} Liquorice.



## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Gnaphalium</i> ,	Margaritaceum,	Everlasting
	Plantaginifolium,	Plantain-leaved
	Dioicum,	Dwarf
	Sylvaticum,	Wood
	Stachas,	French Lavender-leaved
		Cudweed.
<i>Gratiola</i> ,	Officinalis,	Hedge
		Hyssop.
<i>Gundelia</i> ,	Tournefortia,	
<i>Gunnera</i> ,	Perpenfa,	
<i>Gypsophila</i> ,	Perfoliata,	
	Prostrata,	
<i>Hedysarum</i> ,	Canadense,	Canada
	Violaceum,	Violet
	Paniculatum,	Virginian
	Onobrychis.	Common
	Caput Galli,	French
		Honeyfuckle.
<i>Helenium</i> ,	Autumnale,	Autumn
	Pubescens,	Soft
	Latifolium,	Broad-leaved
		Bastard Sun-flower
<i>Helianthus</i> ,	Multiflorus,	Common
β	Fol. Variegatis,	Striped ditto
	Decapetalus,	Ten-petalled
	Altissimus,	Tallest
	Giganteus,	Giant
	Virginianus,	Virginian
	Divaricatus,	Opposite-leaved
	Pubescens,	Covered with soft hairs
	Tuberosus,	Jerusalem-Artichoke
<i>Helleborus</i> ,	Hyemalis,	Winter Aconite
	Niger Major,	Greater Christmas-Rose.
β	Minor,	Lesser
	Trifolius,	Three-leaved
	Viridis,	Green
	Fœtidus,	Stinking
		Hellebore.







## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Helonias</i> .	Bullata, Aphodeloides,	
<i>Hemerocallis</i> ,	Flava, Fulva,	Yellow St. Bruno's } Day-Lily.
<i>Hesperis</i> ,	Matronalis, β Fl. Rubro Pleno, γ Fl. Albo Pleno, Tristis,	Double purple Double red Double white Wild Mountain } Dame's-Violet.
<i>Heuchera</i> ,	Americana,	American Sanicle.
<i>Hibiscus</i> ,	Palustris,	Marsh Althea.
<i>Hieracium</i> ,	Aurantiacum, Pilosella, Subadum, β Fol. Variegatis, Umbellatum,	Orange-flowered Moufe-ear Olive-leaved Striped Umbelliferous } Hawkweed.
<i>Hippocrepis</i> ,	Comosa,	Horse-shoe Vetch.
<i>Horminum</i> ,	Pyrenaicum,	Pyrenean Clary.
<i>Humulus</i> ,	Lupulus,	Common Hop.
<i>Hyacinthus</i> ,	Non Scriptus, β Fl. Albo, Orientalis, MuscariaCœrulea, β Fl. Albo, Monstrosus, Botryoides, Comosus,	English blue White Early Eastern white Blue Musk White Musk Feathered Grange Greater Grape } Hyacinth.
<i>Hydrastis</i> ,	Canadensis,	Yellow-root
<i>Hydrophyllum</i>	Virginicum, Canadense,	Virginian Canada } Water-Leaf.
<i>Hyssopus</i> ,	Officinalis, β Fol. Variegatis,	Common Striped } Hyssop.

## HERBACEOUS PLANTS.

Genera.	Species.	Englijb Names.
<i>Iberis</i> ,	<i>Rotundifolia</i> ,	Round-leaved Alpine Candy-Tuft.
<i>Imperatoria</i> ,	<i>Ostruthium</i> ,	Greater Masterwort.
<i>Inula</i> ,	<i>Helenium</i> ,	Common
	<i>Oculus Christi</i> ,	Woolly Fleabane
	<i>Chritmifolia</i> ,	Samphire-leaved
	<i>Hirta</i> ,	Hairy
	<i>Plebeja</i> ,	
	<i>Salicina</i> ,	Willow-leaved
<i>Iris</i> ,	<i>Orientalis</i> ,	Pocock's whitish
	<i>Sufiana</i> ,	Calcedonian
	<i>Germanica</i> ,	Dalmatian
	<i>Florentina</i> ,	Florentine
	<i>Graminea</i> ,	Grass-leaved
	<i>Tuberosa</i> ,	Snake's-Head
	<i>Pseudoacorus</i> ,	Yellow Marsh
	<i>Fœtidiffima</i> ,	Stinking Gladwin
	β <i>Fol. Variegatis</i> ,	Striped ditto
	<i>Spuria</i> ,	Narrow-leaved
	<i>Variegata</i> ,	Striped Hungarian,
	<i>Biflora</i> ,	Two-flowered
	<i>Pumila</i>	Dwarf purple
	<i>Squalens</i> ,	German
	<i>Vericolor</i> ,	American
	<i>Verna</i> ,	Dwarf Blue-Spring
	<i>Sambucina</i> ,	Alder-smelling
	<i>Sativa</i> ,	Yellow-flowered
	<i>Martinicensis</i> ,	Yellow, with black spots
	<i>Sibirica</i> ,	Siberian
	<i>Virginica</i> ,	Virginian
	<i>Sifyrinchium</i> ,	Crocus-rooted
	<i>Perfca</i> ,	Perfian
	<i>Xyphium</i> ,	Common bulbous
	β <i>Fl. Pleno</i> ,	Double ditto in Col- lection
<i>Ixia</i> ,	<i>Bulbocodium</i> ,	
<i>Lamium</i> ,	<i>Orvala</i> ,	Great purple
	<i>Garganicum</i> ,	Pale-flowered
	<i>Album</i> ,	White
	<i>Helveticum</i> ,	Switzerland

Elecampane.

Flower-de-Luce

Archangel.





1063

*Linnaea borealis*

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.	
<i>Asperpitium</i> ,	Trilobum,	Three-leaved	} Laferwort.
	Siler,	Mountain	
<i>Cathyrus</i> ,	Latifolius,	Broad-leaved	} Everlasting-Pea.
β	Magno Flore,	Great flowering	
	Sylvestris,	Wood	} Chickling-Vetch.
	Pisiformis,	Pea-podded	
	Nissolia,	Crimson	
<i>Leontodon</i> ,	Aureum,	Golden	Dandelion.
<i>Leonurus</i> ,	Cardiaca,	Common	} Motherwort.
	Tartaricus,	Tartarian	
<i>Pepidium</i> ,	Latifolium,	Broad-leaved	Pepperwort.
<i>Scucojum</i> ,	Vernum,	Great Spring	} Snowdrop.
	Æstivum,	Summer	
	Autumnale,	Autumn	
<i>Levisticum</i> ,	Levisticum,	Common	} Lovage.
	Scoticum,	Scotch	
<i>Lilium</i> ,	Candidum,	Common white	} Lily.
β	Fol. Variegatis,	Striped-leaved ditto	
γ	Fl. Variegatis,	Striped-flowered ditto	
δ	Fl. Pleno,	Double ditto	
	Bulbiferum,	Great Orange	
β	Fol. Variegatis,	Striped ditto	
γ	Fl. Pleno,	Double ditto	
	Caule Bulbifera,	Bearing Bulbs on the Stalk	
	Pomponium,	Pompony	
	Chalcedonicum,	Calcedonian	
	Superbum,	Superb	
	Martagon,	Martagon	
	Philadelphicum,	Philadelphia	
	Canadense,	Canada Martagon	
<i>Mullorrum</i>			
<i>Linum</i> ,	Perennis,	Siberian Perennial	Flax.

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.	
<i>Lithospermum</i> ,	<i>Officinale</i> ,	Common	} Gromwell.
	<i>Virginicum</i> ,	Virginian	
<i>Labelia</i> ,	<i>Cardinalis</i> ,	Scarlet	} Cardinal-Flower.
	<i>Siphilitica</i> ,	Blue	
	$\beta$ <i>Fl. Albo</i> ,	White ditto	
<i>Lotus</i> ,	<i>Corniculatus</i> ,	Horned	} Bird's-Foot Tre-
	<i>Cytissoides</i> ,	Cytissus-leaved	
	<i>Maritimus</i> ,	Sea	
<i>Lunaria</i> ,	<i>Rediviva</i> ,	Perennial	Honesty.
<i>Lupinus</i> ,	<i>Perennis</i> ,	Perennial	Lupine.
<i>Lychnis</i> ,	<i>Chalcedonica</i> ,	Scarlet	} Champion.
	$\beta$ <i>Fl. Pleno</i> ,	Double Scarlet	
	<i>Flos Cuculi</i> ,	Lesser Ragged-Robin	
	$\beta$ <i>Fl. Pleno</i> ,	Double ditto	
	<i>Dioica</i> ,	Greater Ragged-Robin	
	$\beta$ <i>Fl. Rubro Pleno</i> ,	Double red ditto	
	$\gamma$ <i>Fl. Albo Pleno</i> ,	Double white ditto	
	<i>Viscaria</i> ,	Catchfly	
	$\beta$ <i>Fl. Pleno</i> ,	Double ditto	
	<i>Alpina</i> ,	Alpine	} Double Portugal
	<i>Lusitanica</i> ,	Double Portugal	
<i>Lycopus</i> ,	<i>Europæus</i> ,	Common	} Water-Hore-
	<i>Virginicus</i> ,	Virginian	
<i>Lyfimachia</i> ,	<i>Vulgaris</i> ,	Common	} Loofestripe.
	<i>Quadrifolia</i> ,	Four-leaved	
	<i>Ciliata</i> ,	American	
	<i>Salicifolia</i> ,	Willow-leaved	
	<i>Ephimerum</i> ,	Eastern	
	<i>Nummularis</i> ,	Greater Monkwort	
	<i>Nemorum</i> ,	Wood	} Willow-Herb
<i>Lythrum</i> ,	<i>Salicaria</i> ,	Purple-spiked	
<i>Malva</i> ,	<i>Alcea</i> ,	Cut-leaved	} Mallow.
	<i>Moschata</i> ,	Musk-smelling	



ower

Tre-

6

Ge

Mar 1987

Matr

Melip

Melit

Ment

Merch

Mimu

Mona

Тарас

arci

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.	
<i>Marrubium</i> ,	Vulgare,	Common	} Horehound.
	Candidissimum,	White	
<i>Matricaria</i> ,	Parthenium,	Common	} Feverfew.
	β Fl. Pleno,	Double	
<i>Melissa</i> ,	Officinalis,	Common Garden	} Mint.
	Grandiflora,	Large-flowered	
	Calamentha,	Calamint	
<i>Melittis</i> ,	Melissophyllum,	Bastard	Baulm.
<i>Mentha</i> ,	Viridis,	Common Spear	} Mint.
	Piperita,	Pepper	
	Crispa,	Curled-leaved	
	Variegata,	Striped-leaved	
	Rotundifolia,	Round-leaved	
	Sylvestris,	Wild	
	Arvensis,	Field	
	Aquatica,	Water	
	Pulegium,	Pennyroyal	
	Verticilata,	Whirled	
<i>Mercurialis</i> ,	Perennis,	Perennial	} Mercury.
	Tomentosa,	Downy	
<i>Mimulus</i> ,	Ringens,	Bastard	} Monkey-Flower.
	Luteus,	Yellow	
<i>Monarda</i> ,	Fistulosa,	Purple	} Lion's-Tail.
	Didyma,	Ofwego-tree	
	Clinopodia,	White	
	Ciliata,	Hairy Virginian	
<i>Napaea</i> ,	Lævis,		
	Scabra,		
<i>Narcissus</i> ,	Pseudo Narcissus,	Daffodil	} Narciss.
	Poëticus,	Common White	
	β Fl. Pleno,	Double	
	Moschatus,	Musk	
	Tazetta,	Polyanthes	



## HERBACEOUS PLANTS.


Genera.	Species.	English Names.
<i>Narcissus</i> ,	<i>Odorus</i> ,	Sweet-smelling
	<i>Bicolor</i> ,	Two-coloured
	<i>Minor</i> ,	Lesser
	<i>Bulbocodium</i> ,	Hoop-Petticoat
	<i>Jonquilla</i> ,	Jonquil
$\beta$	<i>Fl. Pleno</i> ,	Double ditto
$\gamma$	<i>Fl. Maximo Sim-</i> <i>plici</i> ,	Large single ditto
<i>Nepeta</i> ,	<i>Cataria</i> ,	Common
	<i>Violacea</i> ,	Blue Spanish
	<i>Hirsuta</i> ,	Hairy
	<i>Italica</i> ,	Italian
<i>Oenothera</i> ,	<i>Fruticosa</i> ,	Tree
	<i>Pumila</i> ,	Dwarf
<i>Onoclea</i> ,	<i>Sensibilis</i> ,	Sensitive
<i>Onosma</i> ,	<i>Orientalis</i> ,	
	<i>Echioides</i> ,	
<i>Ophioglossum</i> ,	<i>Vulgatum</i> ,	Common
<i>Ophrys</i> ,	<i>Spiralis</i> ,	Triple Lady's-Traces
	<i>Nidus Avis</i> ,	Common
	<i>Monorchis</i> ,	Yellow Musk-Orchis
	<i>Anthropophora</i> ,	Man-Orchis
	<i>Ovata</i> ,	Greater
	<i>Insectifera</i> ,	Greatest-Fly
	<i>Andrachnitis</i> ,	Common-Bee
	<i>Spegodes</i> ,	Green-winged
<i>Orchis</i> ,	<i>Morio</i> ,	Common Female
	<i>Mascula</i> ,	Male
	<i>Bifolia</i> ,	Butterfly
	<i>Militaris</i> ,	Man
	<i>Maculata</i> ,	Spotted-leaved
	<i>Abortiva</i> ,	Bird's-Nest
	<i>Latifolia</i> ,	Broad-leaved
	<i>Pyramidalis</i> ,	Pyramidal

S.

80. *Cenothura parviflora*

ong

de.





## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Origanum</i> ,	Vulgare,	Common
	β Latifolium,	Broad-leaved
	γ Crispum,	Curled-leaved
		} Marjoram.
<i>Ornithogalum</i> ,	Pyrenaicum,	White and green
	Pyramidale,	Pyramidal
	Luteum,	Yellow
	Umbellatum,	Umbellated
		} Star of Bethle- hem.
<i>Orobus</i> ,	Vernus,	Purple-Spring
	Nigra,	Black
	Lathyroides,	Bastard Chickling
	Tuberosus,	Tuberous-rooted
	Sylvaticus,	Wood-Pea
	Luteus,	Yellow
		} Butter-Vetch.
<i>Osmunda</i> ,	Regalis,	Royal
	Spicant,	Spiked
	Crispa,	Curled
	Struthiopteris,	Ruffian
	Lunaria,	Moonwort
		} Flowering-Fern.
<i>Othonna</i> ,	Cheirifolia,	African
		} Ragwort.
<i>Oxalis</i> ,	Acetosella,	Common
	β Fl. Purpureo,	Purple
	Stricta,	Virginian
		} Wood-Sorrel.
<i>Pæonia</i> ,	Officinalis,	Common
	Mascula,	Male
	Fœminea,	Female
	β Fl. Albo Pleno,	Double white
	γ Fl. Rubra Pleno,	Double red
	Tenuifolia,	Larkspur-leaved
		} Pæony.
<i>Panax</i> ,	Quinquefolia,	Five-leaved
		} Ginseng.
<i>Pancratium</i> ,	Maritimum,	Sea
		} Daffodil.
<i>Papaver</i> ,	Cambricum,	Welch
	Orientalis,	Double red
		} Poppy.
<i>Paris</i> ,	Quadrifolia,	True-Love or
		} One Berry.

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Parthenium</i> ,	<i>Integrifolium</i> ,	Bastard Feverfew.
<i>Peltaria</i> ,	<i>Alliacea</i> ,	
<i>Phlomis</i> ,	<i>Tuberosa</i> ,	} Tuberous-rooted
	<i>Herba Venti</i> ,	
		Wind-herb
<i>Phlox</i> ,	<i>Paniculata</i> ,	Panicked
	β <i>Fl. Pallido</i> ,	Pale ditto
	<i>Maculata</i> ,	Spotted-stalked
	<i>Carolina</i> ,	Rough
	<i>Glaberrima</i> ,	Smooth
	<i>Divaricata</i> ,	Dwarf light-blue
	<i>Alba</i> ,	White
<i>Physalis</i> ,	<i>Alkekengi</i> ,	Winter-Cherry
<i>Phyteuma</i> ,	<i>Pauciflora</i> ,	Leafy-spiked
	<i>Orbicularis</i> ,	Round-headed
<i>Phytolacca</i> ,	<i>Decandra</i> ,	American
		Nightshade.
<i>Pinguicula</i> ,	<i>Vulgaris</i> ,	Common
		Butter-Wort.
<i>Plantago</i> ,	<i>Major</i> ,	Greater
	<i>Rosea</i> ,	Rose
	<i>Asiatica</i> ,	Asiatic
	<i>Media</i> ,	Middle-sized
	<i>Maritima</i> ,	Sea
	<i>Coronopus</i> ,	Buck's-horn
	<i>Psyllium</i> ,	Fleawort
<i>Plumbago</i> ,	<i>Europæa</i> ,	European
		Leadwort.
<i>Podophyllum</i> ,	<i>Peltatum</i> ,	Duck's Foot or
		May-Apple.
<i>Polemonium</i> ,	<i>Cœruleum</i> ,	Blue
	β <i>Fl. Albo</i> ,	White
	<i>Reptans</i> ,	Creeping
<i>Polygonum</i> ,	<i>Bistortum</i> ,	Bistort
	<i>Vipiperum</i> ,	Narrow-leaved
	<i>Virginianum</i> ,	Virginian
		Knot-Grass.

age.

on.

an.



( 25 )

THE HISTORY OF THE

ROYAL NAVY

FROM THE

EARLIEST

TO THE

PRESENT

TIME

BY

JOHN

BARRETT

ESQ.

OF

THE

NAVY

OFFICE

OF

THE

NAVY

OFFICE

OF

THE

NAVY

OFFICE

OF

THE

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Polymnia</i> ,	<i>Uvedalia</i> , <i>Canadensis</i> , <i>Tetragonothera</i> ,	Opposite-leaved Alternate-leaved Bastard Sun-flower or
		} Canada Chrysanthemum.
<i>Polypodium</i> ,	<i>Felix Mas</i> , <i>Felix Fœmina</i> , <i>Vulgare</i> <i>Cambricum</i> , <i>Fragrans</i> , <i>Aculeatum</i> , <i>Rhæticum</i> , <i>Fragile</i> , <i>Dryopteris</i> , <i>Lonchitis</i>	Male Fern Female Common Welch Sweet Prickly Stone Brittle Branching Great Spleenwort
		} Polypody or Fern.
<i>Potentilla</i> ,	<i>Hirta</i> , <i>Fragarioides</i> , <i>Rupestris</i> , <i>Argentea</i> , <i>Repens</i> , <i>Recta</i> , <i>Aurea</i> , <i>Canadensis</i> , <i>Monspeliensis</i> ,	Hairy Strawberry-leaved Alpine Silver Creeping Upright Golden Canada Montpelier
		} Cinquefoil.
<i>Poterium</i> ,	<i>Sanguiforba</i> ,	Garden Burnet.
<i>Primula</i> ,	<i>Veris</i> , β <i>Flore Purpureo</i> , γ <i>Fl. Rubro Pleno</i> , δ <i>Fl. Luteo Pleno</i> , ε <i>Elatior</i> ,  <i>Farinosa</i> , <i>Auricula</i> ,	Cowslip Double Purple Double red Double yellow Polyanthes in Varieties  Bird's-Eye Auriculas in Varieties
		} Primrose.
<i>Prunella</i> ,	<i>Vulgaris</i> , <i>Grandiflora</i> , <i>Laciniata</i> ,	Common Great-flowered Cut-leaved
		} Self-Heal.
<i>Pteris</i> ,	<i>Aquilina</i> , <i>Atropurpurea</i> ,	Common Virginian
		} Brakes.

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Pulmonaria</i> ,	<i>Officinalis</i> ,	Common
	$\beta$ <i>Fl. Albo</i> ,	White
	$\gamma$ <i>Maculata</i> ,	Spotted-leaved
	<i>Virginica</i> ,	Virginian
		} Lungwort.
<i>Pyrola</i> ,	<i>Rotundifolia</i> ,	Round-leaved
		Wintergreen.
<i>Ranunculus</i> ,	<i>Gramineus</i> ,	Grass-leaved
	<i>Flammula</i> ,	Intire-leaved
	<i>Ficaria Pleno</i> ,	Double Pilewort
	<i>Amplexicaule</i> ,	Plantain-leaved
	<i>Aconitifolium</i> ,	Double white Batchelor's-Button
	<i>Tuberosus</i> ,	Tuberous-rooted
	<i>Illiricus</i> ,	Illyrian
	<i>Acris</i> ,	Double upright
	<i>Thora</i> ,	Alpine
	<i>Repens</i> ,	Creeping
	<i>Alpestre</i>	Little Alpine
	<i>Auricomus</i> ,	Wood
	<i>Asiaticus</i> ,	Great Varieties
		} Crowfoot.
		981.
<i>Rheum</i> ,	<i>Raponticum</i> ,	Common English
	<i>Palmatum</i> ,	True
	<i>Dentatum</i> ,	Indented-leaved
	<i>Compactum</i> ,	Close-growing
	<i>Rhabarbarum</i>	Waved-leaved
		} Rhubarb.
<i>Rhexia</i> ,	<i>Virginica</i> ,	Virginian
	<i>Mariana</i> ,	Four-leaved
		} Loofestripe.
<i>Rhodiola</i> ,	<i>Rosea</i> ,	Rose
		Root.
<i>Rubia</i> ,	<i>Tinctorum</i> ,	Dyer's
	<i>Peregrina</i> ,	Four-leaved
		} Madder.
<i>Rubus</i> ,	<i>Arcticus</i> ,	Cloud-berry
	<i>Chamæmorus</i> ,	Bastard-Mulberry
<i>Rudbeckia</i> ,	<i>Purpurea</i> ,	Purple
	<i>Atropurpurea</i> ,	Dark purple
	<i>Angustata</i> ,	Narrow-leaved
	<i>Hirta</i> ,	Hairy-leaved
	<i>Laciniata</i> ,	Cut-leaved
		} American-Sunflower.





*[Faint, illegible handwritten notes]*

1944

11

11-11-11

\_\_\_\_\_

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Rumex</i> ,	<i>Patientia</i> ,	Patient
	<i>Britannica</i> ,	Water
	<i>Crispa</i> ,	Curled-leaved
	<i>Sanguinea</i> ,	Bloody
	<i>Acetosa</i> ,	Garden-Sorrel
	<i>Tuberosa</i> ,	Tuberous-rooted
		} Dock.
<i>Salvia</i> ,	<i>Officinalis</i> ,	Garden
	$\beta$ <i>Fol. Variegatis</i> ,	Striped
	$\gamma$ <i>Fol. Rubescentibus</i> ,	Red
	<i>Indica</i> ,	Indian
	<i>Glutinosa</i> ,	Glutinous
	<i>Sclarea</i> ,	Clary
	<i>Verticillata</i> ,	Whirled
	<i>Sylvestris</i> ,	Wood
		} Sage.
<i>Sambucus</i> ,	<i>Ebulus</i> ,	Dwarf Alder.
<i>Samolus</i> ,	<i>Valerandi</i> ,	Round-leaved Water Pimpernel.
<i>Sanguinaria</i> ,	<i>Canadensis</i> ,	Canada Puccoon.
<i>Sanguisorba</i> ,	<i>Officinalis</i> ,	Greater wild
	<i>Canadensis</i> ,	Canada
		} Burnet.
<i>Sanicula</i> ,	<i>Europæa</i> ,	European
	<i>Marilandica</i> ,	Maryland
		} Sanicle.
<i>Saponaria</i> ,	<i>Officinale</i> ,	Common Medicinal
	$\beta$ <i>Fl. Pleno</i> ,	Double ditto
	$\gamma$ <i>Hybrida</i> ,	Rough-leaved
		} Soapwort.
<i>Sarracenia</i> ,	<i>Purpurea</i> ,	Common
	<i>Flava</i> ,	Sweet yellow
		} Side-Saddle Flower.
<i>Satureja</i> ,	<i>Virginiana</i> ,	Virginian
	<i>Montana</i> ,	Winter
	<i>Capitata</i> ,	Headed
		} Savory.
<i>Satyrion</i> ,	<i>Hircinum</i> ,	Lizard-flowered
	<i>Viride</i> ,	Green or Frog
	<i>Albidum</i> ,	White
	<i>Repens</i> ,	Bastard
		} Orchis.



## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Saururus,</i>	<i>Cernuus,</i>	Lizard's Tail.
<i>Saxifraga,</i>	<i>Cotyledon,</i>	Pyramidal
	<i>Mutata,</i>	Leffer
	<i>Craffifolia,</i>	Thick-leaved
	<i>Pensylvanica,</i>	Pensylvanian
	<i>Nivalis,</i>	Snowy
	<i>Punctata,</i>	Spotted-flowered
	<i>Umbrosa,</i>	Spotted Hairy-foot- stalked
	<i>Cuneifolia,</i>	Wedge-leaved
	<i>Geum,</i>	London-Pride
	<i>Oppositifolia,</i>	Opposite-leaved
	<i>Autumnalis,</i>	Autumn
	<i>Rotundifolia,</i>	Round-leaved
	<i>Granulata,</i>	Granulate
	<i>β Fl. Pleno,</i>	Double ditto
	<i>Rivularis,</i>	Palmated-leaved
	<i>Hypnoides,</i>	Hypnum-leaved, or Lady's-Cushion
	<i>Stolonifera,</i>	China
	<i>Cespitosa,</i>	Lady's-Mantle
<i>Scabiosa,</i>	<i>Alpina,</i>	Alpine
	<i>Graminifolia,</i>	Grass-leaved
	<i>Succisa,</i>	Devil's-bite
	<i>Arvensis,</i>	Field
	<i>Leucantha,</i>	Snowy
	<i>Gramuntia,</i>	Cut-leaved
	<i>Altissima,</i>	Tallest growing
<i>Scandix,</i>	<i>Odorata,</i>	Sweet Myrrh.
<i>Scilla,</i>	<i>Peruviana,</i>	White Peruvian
	<i>β Fl. Cæruleo,</i>	Blue ditto
	<i>Italica,</i>	Italian blue
	<i>Amæna,</i>	
	<i>Bifolia,</i>	White starry
	<i>β Fl. Cæruleo,</i>	Blue ditto
	<i>Autumnalis,</i>	Autumn

181 10/2/85 5:00 PM 10/2/85 5:00 PM

# PLANTAE

Genus Species Locality

Genus Species Locality

Genus Species Locality

Genus Species Locality

Genus Species Locality

Genus Species Locality

Genus Species Locality

20  
991. *Sedum arachnoideum*  
----- *rubens.*

480.  
840.  
615. *Impatiens villosa*. 495.  
----- *arborescens*. 841. 859.  
----- *canariensis*

882.  
907. *Senecio rigida*  
----- *coronopifolia major.*



## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Scrophularia</i> ,	<i>Peregrina</i> ,	Nettle-leaved
	<i>Lucida</i> ,	Shining
	<i>Sambucifolia</i> ,	Alder-leaved
	<i>Aquatica</i> Fol. Va-	Water
	<i>riegatis</i> ,	
		} Figwort.
<i>Scutellario</i> ,	<i>Alpina</i> ,	Alpine
	<i>Altissima</i> ,	Nettle-leaved
	<i>Peregrina</i> ,	Foreign Florentine
	<i>Galericulata</i> ,	Common
	<i>Cretica</i> ,	Cretan
		} Skull-Cap.
<i>edum</i> ,	<i>Telephium</i> ,	Common Orpine
	<i>Album</i> ,	White
	<i>Purpureum</i> ,	Purple
	<i>Rupestre</i> ,	Stone Crop
	<i>Acre</i> ,	Wall-Pepper
	<i>Reflexum</i> ,	Reflexed
	<i>Sexangulare</i> ,	Six-angled
	<i>Stellatum</i> ,	Starry
	<i>Aizoon</i> ,	Yellow Siberian
	<i>Anacampteros</i> ,	Lesser round-leaved
		} House-Leek.
<i>impervium</i> ,	<i>Tectorum</i> ,	Common large
	<i>Globiferum</i> ,	Round-headed
	<i>Arachnoideum</i> ,	Cobweb
		} House-Leek.
<i>necio</i> ,	<i>Lurida</i> ,	Purple-spotted
	<i>Doria</i> ,	African
	<i>Saracenicus</i> ,	Saracen's All-heal
	<i>Doronichum</i> ,	Alpine
	<i>Elegans</i>	
<i>rapias</i> ,	<i>Heleborine</i> ,	Bastard
	<i>Latifolium</i> ,	Broad-leaved
	<i>Longifolium</i> ,	Long-leaved
		} Heleborine.
<i>ratula</i> ,	<i>Tinctorea</i> ,	Common
	<i>Spicata</i> ,	Tuberous-rooted
	<i>Squarrosa</i> ,	Rough-headed
	<i>Scariosa</i> ,	Broad-leaved
	<i>Præalta</i> ,	Virginian
		} Saw-Wort.

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Sibbaldia</i> ,	<i>Procumbens</i> ,	Trailing
		Bastard Cinquefoil.
<i>Sibthorpia</i> ,	<i>Europæa</i> ,	Bastard
		Monywort.
<i>Sideritis</i> ,	<i>Hyssopifolia</i> ,	Hyssop-leaved
		Ironwort.
<i>Silene</i> ,	<i>Nutans</i> ,	Nodding
	<i>Amæna</i> ,	Sea
		} Viscous Campion.
<i>Silphium</i> ,	<i>Laciniatum</i> ,	Cut-leaved
	<i>Perfoliatum</i> ,	Perfoliated
	<i>Trifoliatum</i> ,	Three-leaved
	<i>Conatum</i> ,	Conated
		} Bastard Chrysanthemum.
<i>Sisyrinchium</i> ,	<i>Bermudianum</i> ,	
<i>Smyrnum</i> ,	<i>Olusatrum</i> ,	Scotch
		Alexanders.
<i>Solidago</i> ,	<i>Sempervirens</i> ,	Evergreen broad-leaved
	β <i>Angustifolia</i> ,	Narrow-leaved
	<i>Canadensis</i> ,	Canada
	<i>Altissima</i> ,	Tallest-growing
	<i>Lateriflora</i> ,	Lateral-flowered
	<i>Cæsia</i> ,	Smooth-leaved
	<i>Flexicaulis</i> ,	Flexible-stalked
	<i>Latifolia</i> ,	Broad-leaved Canada
	<i>Virga Aurea</i> ,	Broad-leaved English
	β <i>Minor</i> ,	Lesser ditto
	<i>Noveboracensis</i> ,	New-York
	<i>Rugosa</i> ,	Wrinkled
	<i>Odorata</i> ,	Sweet
	<i>Alba</i> ,	White
	<i>Minuta</i> ,	Welch Mountain
		} Golden-rod.
<i>Sophora</i> ,	<i>Alopecuroides</i> ,	Fox
	<i>Tinctorea</i> ,	Virginian
	<i>Alba</i> ,	White
		} Cytissus.
<i>Spigelia</i> ,	<i>Marylandica</i> ,	Maryland
		Worm-Grass.
<i>Spiræa</i> ,	<i>Ulmaria Fl. Pleno</i> ,	Double Meadow-sweet
		} Spiræa.
	β <i>Fol. Variegatis</i> ,	Striped-leaved

efoil

ipion

ryfan

l.

afs.



HERNANDEZ

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

## HERBACEOUS PLANTS.

Genera.	Species.	English Names.
<i>Spiræa</i> ,	<i>Filipendula</i> ,	Dropwort
β	<i>Fl. Pleno</i> ,	Double ditto
	<i>Aruncus</i> ,	Goat's-beard
	<i>Lobata</i> ,	Lobed-leaved
	<i>Trifoliata</i> ,	Three-leaved
		} <i>Spiræa</i> .
<i>Rhachys</i> ,	<i>Germanica</i> ,	German
	<i>Cretica</i> ,	Cretan
	<i>Palustre</i> ,	Marsh
		} Base Horehound.
<i>Statice</i> ,	<i>Armeria</i> ,	Lesser
β	<i>Fl. Albo</i> ,	White
γ	<i>Scorzonerifolia</i> ,	Scorzonera-leaved
	<i>Limonium</i> ,	Broad-leaved
	<i>Speciosa</i> ,	Plantain-leaved
		} Thrift.
<i>Pipta</i> ,	<i>Pinnata</i> ,	Pinnated
	<i>Juncea</i> ,	Rush-leaved
		} Feather-Grass.
<i>Gentiana</i> ,	<i>Perennis</i> ,	Marsh
		Gentian.
<i>Gomphytum</i> ,	<i>Tuberosum</i> ,	Tuberous-rooted
	<i>Officinale</i> ,	Medicinal
		} Gromfrey.
<i>Tabernæmontana</i> ,	<i>Amsonia</i> ,	
<i>Tanacetum</i> ,	<i>Vulgaris</i> ,	Common yellow
β	<i>Fol. Crispis</i> ,	Curled-leaved
	<i>Balsamita</i> ,	Costmary
		} Tansey.
<i>Elephium</i> ,	<i>Imperati</i> ,	True
		Orpine.
<i>Teucrium</i> ,	<i>Scordonia</i> ,	Wood-Sage
	<i>Scordium</i> ,	Water
	<i>Chamædrys</i> ,	True
	<i>Montanum</i> ,	Mountain
	<i>Pyrenaicum</i> ,	Pyrenian
	<i>Canadense</i> ,	Canada
	<i>Virginicum</i> ,	Virginian
	<i>Lucidum</i> ,	Shining
		} Germander.

## HERBACEOUS PLANTS.

Genera. Species. English Names.

<i>Thalictrum</i> ,	Flavum,	Great	}	Meadow-Rue.
	Angustifolium,	Narrow-leaved		
	Aquilegifolium,	Columbine-leaved		
	Lucidum,	Shining		
	Tuberosum,	Tuberous-rooted		
	Alpinum,	Alpine		
	Cornuti;	Canada		
	Minus,	Lesser		
<i>Thapsia</i> ,	Fœtidum,	Stinking	}	Deadly Carrot.
	Villosa,	Hairy		
<i>Thymus</i> ,	Vulgaris,	Common garden	}	Thyme.
	Supinus,	Low ditto		
	Virginicus,	Virginian		
	Zygis,	Narrow upright		
	Cephalotus,	Portugal		
	Serpyllum,	Wild, or Mother of		
	Citratum,	Lemon		
	Angustifolium	Smooth		
	Glabrum,		}	
	Hirsutum,	Hairy		
<i>Tiarella</i> ,	Cordifolia,	Heart-shaped		Sceptre Flower.
<i>Tormentilla</i> ,	Erecta,	Upright	}	Tormentil.
	Reptans,	Creeping		
46. <i>Trachelium</i> ,	Cæruleum,	Blue		Throat-Wort.
<i>Tradescantia</i> ,	Virginiana,	Virginian	}	Spider-Wort.
	β Fl. Albo,	White		
55. <i>Tragopogon</i> ,	Pratense,	Meadow	}	174. 267. Goat's-Beard.
	Dalechampii,	Spanish		
<i>Trientalis</i> ,	Europæa,	Chickweed.		Winter-Green.
<i>Trifolium</i> ,	Lupinaster,	Bastard Lupin	}	Trefoil.
	Alpinum,	Alpine		
	Alpestre,	Long-spiked		
	Fragiferum,	Strawberry-leaved		



# CONFIDENTIAL

*[The page contains extremely faint, illegible markings and bleed-through from another document.]*





## HERBACEOUS PLANTS.

Genera.	Species.	English Names.	
<i>Verbascum,</i>	Nigrum,	Black	} Moth Mullein.
	Phæniceum,	Purple	
	Blattaria,	Yellow	
	Myconi,	Borrage-leaved	
<i>Verbena,</i>	Hastata,	Spear-shaped	} Vervain.
	Officinalis,	Medicinal	
	Bonariensis,	Tallest	
<i>Veronica,</i>	Sibirica,	Siberian	} Speedwell.
	Virginica,	Virginian	
	β Fl. Albo,	White ditto	
	Maritima,	Sea	
	β Fl. Albo,	White	
	γ Fl. Incarnato,	Flesh-coloured	
	Longifolia,	Long-leaved	
	Spuria,	Narrow-leaved	
	Incana,	White-leaved	
	Spicata,	Spiked	
	Hybrida,	Welch	
	Officinalis,	Medicinal	
	Austriaca,	Austrian	
	Montana,	German	
	Acinifolia,	Needle-shaped	
<i>Vicia,</i>	Marylandica,	Maryland	} Vetch.
	Monstrosa,	Odd-coloured	
<i>Viola,</i>	Teucrium,	Trailing	} Violet.
	Sylvatica,	Wood	
	Narbonensis,	Narbon	
	Palmata,	Palmated	
	Pedata,	Pedated	
	Odorata,	Double sweet blue	
	β Albo Pleno,	Double white	
	Montana,	Mountain	
	Canadensis,	Canada	
	Mirabilis,	Mutable	
<i>Zygophyllum,</i>	Biflora,	Two-flowered	} Bean Capel.
	Lutea,	Yellow	
	Hirta,	Hairy	
	Palustris,	Marsh	
	Fabago,	Herbaecous,	

S.

ullen

II.

per

*Viola pilosa*  
-- *tricolor alpin.*







# FRUITS in COLLECTIONS.

## PEACHES.

Nectarines.

Apricots.

Apples.

Pears.

Quinces.

Cherries.

Raspberries.

Strawberries.

Blackberries.

Gooseberries.

Currants.

Spberries.

Strawberries.

## TUBEROUS, TUBEROUS, and FIBROUS-ROOTED FLOWERS.

Jonquils, the winter.

Hyacinths.

Alchicums.

Scilla.

Queen Imperials.

St. John's Wort.

Stellarias, or chequered Tu-  
lips.

Adonis.

Hyacinths.

Quail.

Es.

Portulacas.

Ornithogalums.

Pancretian Lilies.

Ranunculas.

Snow-drops.

Tulips.

Narcissus.

Tuberoses, double and single.

## SEEDS of TREES and SHRUBS.

Arbutus.

Evergreen-Oak

Cork

Common English

American

} Acorns.

China

American

} Arbor-Vitæ

Hawthorn

Holly

Common Laurel

Portugal ditto

Wood ditto

Sweet-Bay

Yew

} Berries.

Red

White

Bermudas

Lebanus

} Cedar.

## SEEDS of HARDY TREES and SHRUBS.

Male-spreading Upright Deciduous	} Cypress.	Common Sycamore Scarlet Stripe-bark	} Maples.
Pinafter Cluster Stone New England Jersey Weymouth Scotch Frankincense Two and three- leaved Quebec	} Pine Seed.	Common Triple-thorned Scarlet Downy Beech Carolina	} Acacias. Sumach.
Norway Spruce White Spruce Black Spruce Hemlock Spruce Silver Balm of Gilead	} Firs.	Common Flowering Common American Mountain Virginian Marsh	} Hornbeam. Ash. Gilder Rose
Beech-Mast. Larix. Pyracantha. Privett.		Nettle-Tree. Tulip-Tree. Arbor Judæ. Euonymus. Catalpa. Virginian Dogwood. Candleberry-Myrtle. Mezerion. Lilacs.	
Spanish Horse	} Chestnuts.	Common Canada Poplar-leaved Black Paper	} Birch.
Virginian Sweet Hickery Dwarf Common Canada	} Walnuts.	Canada Scarlet-berried	} Elders.
Common Carolina Cluster	} Bird Cherry.	Common Colutea.	
Norway Virginian Ash leaved	} Maples.		

3.

s.

is.

h.

cam.

Ref



( 2 )

1990-1991

## OLEACEOUS SEEDS.

Oriental scarlet	} Colutea.	Egg Pearl	} Peas.
Gum adaniferous ock-Rose ortugal	} Cistus.	Mazagan Lisbon Long-podded White Blossom Red Blossom	} Beans.
Three-leaved ive-leaved	} Bladder Nuts.	Mumford Broad Spanish Sandwich	
Common lum-leaved ear-leaved	} Viburnums.	Toaker Taylor's Windsors Green	
abuinum.		Dwarf Fan Dwarf Bog	
nglish panish ortugal White ucca warf or Dyers	} Broom.	Early White Early Yellow Canterbury Dwarf Battersea Black speckled Dwarf Red speckled Dwarf White Dwarf Large Dutch Scarlet Negro	} French Beans.

## KITCHEN GARDEN SEEDS.

Early-Frame Nicholas harlton rmerot Tex-Readings panish Morotto onpareil arge Marrowfat warf Marrowfat reen Rouncival White Rouncival edman's dwarf arge Sugar warf Sugar rown ckle	} Peas.
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------

## OLEACEOUS SEEDS.

Early Cauliflower Late ditto Yorkshire Battersea Early Sugar-Loaf Large Sugar-Loaf Large Hollow Turnip Red Turnip-rooted	} Cabbage.
-----------------------------------------------------------------------------------------------------------------------------------------------------	------------


## SEEDS of ESCULENT ROOTS.

Yellow	}	Savoys.	Round	}	Spinach.
Green			Prickly French		
Early Purple	}	Broccoli.	Green	}	Purslane.
Late Purple			Golden		
White					
Green	}	Borecole.	French	}	Sorrel.
Red			Common		
Scotch					
Sea Kale.			Brown	}	Mustard.
			White		
White Coss	}		Common	}	Cress.
Green Coss			Broad-leaved		
Brown Coss			Curled		
Spotted Coss					
Common Brown			Finochia.		
Dutch			Dill.		
Royal Brown Dutch	}	Lettuces.	Chervil.		
Cabbage			Corn Sallad.		
Silesia			Burnet.		
Imperial					
Aleppo			Romana	}	Melon.
Capuchin			Cantaloup		
Hardy Green			Rock Cantaloup		
Lap			Black Rock		
			Silver-skinned		
Green curled	}	Endive.	Gourds of forts.		
White			Calibashes.		
Batavia			Pumpkins.		
Italian	}	Celery.	Short Prickly	}	Cucumber.
Solid			Long Prickly		
Celeriac			White Turkey		
			Green Turkey		
Red	}	Beet.			
White					
Green					
Common	}	Parsley.	Short top	}	Radish.
Curled			Salmon		
Hamburg			Red Turnip		

SEEDS of ESCULENT ROOTS



.  
h.  
ne.  
rd.  
.  
l.  
mber  
oot  
l.



## SEEDS of PERENNIAL FLOWERS.

White Turnip	}	Radish.	Sweet	}	Marjoram.
Black Spanish			Pott		

White Spanish	}	Onion.	Sweet	}	Basil.
Red Spanish			Bush		
Silver-skinned			Thyme.		
Strasbourg			Hyssop.		
Portugal			Tansy.		

Welsh	}	Leek.	Balm.
London Leek			Lavender.
French			Rosemary.
Orange			
Corn			

Orange	}	Carrot.
Corn		

Orange	}	Carrot.
Corn		

Carrot.	}	Columbines
Corzonera.		

Carrot.	}	Columbines
Corzonera.		

Carrot.	}	Columbines
Corzonera.		

Carrot.	}	Columbines
Corzonera.		

Carrot.	}	Columbines
Corzonera.		

Carrot.	}	Columbines
Corzonera.		

Carrot.	}	Columbines
Corzonera.		

Carrot.	}	Columbines
Corzonera.		

Carrot.	}	Columbines
Corzonera.		

Carrot.	}	Columbines
Corzonera.		

Carrot.	}	Columbines
Corzonera.		

Carrot.	}	Columbines
Corzonera.		

Carrot.	}	Columbines
Corzonera.		

Carrot.	}	Columbines
Corzonera.		

## SEEDS of PERENNIAL FLOWERS.

Rose	}	Columbines
Striped		

Canada	}	Fox-Glove.
Iron-coloured		

White	}	Larkspur.
Purple		

Yellow	}	Bellflower.
Bee		

Siberian	}	Speedwells.
White Nettle-leaved		

Blue ditto	}	Valerian.
Welsh		

## SEEDS of SWEET and POT HERBS.

Double Marygold.	}	Savory.
Mary.		

Summer	}	Savory.
Winter		



## SEEDS of TENDER ANNUAL PLANTS.

Blue  
White  
Yellow

} Valerian.

Polyanthes.  
Auricula.  
Carnation.  
Pink.  
Single Rocket.  
Double ditto  
Scarlet Lychnis.  
Single Pæony.  
Hollyhock.  
Globe Thistle.  
Everlasting Pea.  
Tree Primrose.  
Horn Poppy.  
Balm of Gilead.  
American Sunflower.  
Pulsatilla.  
Sweet Allifon.  
India Reed.  
Cyclamens.  
Bulbous Iris.  
Fritillarias.  
Globularia.  
Thalictrum.  
Anemonies.  
Ranunculas.

SEEDS of BIENNIAL  
FLOWERS.

French Honeyfuckle.  
Honesty.  
Sweet Scabious.  
Sweet William.  
Rose Campion.  
Snap Dragon.

Purple  
Red-topped

} Clary.

Nolana.

Brompton  
Queen  
Purple  
White  
White-wall-leaved

} Stock-July  
Flowers.

Yellow  
Bloody

} Wall-  
Fowers.

White  
Blue

} Canterbury  
Bells.

SEEDS of TENDER ANNUAL  
FLOWERS.

Dwarf Cockscomb.  
Purple  
Yellow  
Tricolor  
Bicolor  
Tree  
White  
Red  
Striped  
Spiked

} Amaranth

} Amaranth

} Amaranth

Sensitive  
Humble  
Ice-Plant

} Plant.

Purple  
Violet-coloured  
White

} Egg Plant

India Pink.  
Calendula.  
Palma Christi.

Double Scarlet  
Double Purple

} Balsam.

S.

July  
ers.

s.

rbury  
s.

UAL

nth

nth

nth

ant

8-10-1943 14 47 24 48 11 30 13 41 15 52 17 03 19 14 21 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042

1871

11



## SEEDS of HARDY ANNUALS.

Yellow	} Zennia.	White Painted-Lady Purple	} Sweet Peas.
Red-striped Yellow-striped Sweet-scented	} Marvel of Peru.	Painted-Lady Crown Tangier Painted-Lady Spanish Winged Grecian	} Peas.
Yellow sweet Purple ditto White ditto	} Sultans		
Opuncums. Love Apples.		Yellow White Rose Large Blue Dutch Blue Small Blue	} Lupines.
Major Marlet Striped	} Convolvul- us.		
Ignonette. Jacobæa.		Double Dwarf Double Carnation	} Poppies.

## SEEDS of HARDY ANNUALS.

Double Blue Double Red Double White Blue-striped Red-striped	} China- Asters.	Red White Striped Blue	} Cyanus.
Yellow African Raw-coloured dit. Orange ditto Dwarf sweet French Striped ditto	} Marygolds.	Annual Stocks many Varieties. Purple Yellow Spanish	} Hawkweed.
Double White Double Yellow	} Chrysanthe- mums.	Double Single Dwarf	} Sunflower.
White Purple Large-Headed White	} Candy Tufts	Large Dwarf Princes-Feather Love lies Bleeding Spanish Roman	} Nasturtium. Amaranthus Nigella.

## S E E D S for the Improvement of L A N D

Red  
White  
Oriental  
Curled

} Lavateras.

SEEDS for the Improvement  
LAND.

Red  
White

} Xeranthemums.

Red  
White Dutch  
Hop-Trefoil

} Clovers.

Dwarf Lychnis.  
Lobels Catchfly.  
Flos Adonis.  
Convolvulus Minor.  
Perficaria.  
Venus Looking-glass.  
Venus Navel-wort.  
Bladder Ketmia.  
Virginia Stock.  
Strawberry Spinach.  
Noli me Tangere.  
Cerinthe.  
Roman Nettle.  
Hedge-hog.  
Snails.  
Caterpillars.  
Upright Reseda.  
Moldavian Balm.  
Annual Snap-Dragon.  
Argemone.

French or Buck Wheat.  
Rye-Grass.  
Hay-Seed.  
Saint-Foine.  
French-Furze.  
Common-Broom.  
Dantzick-Flax.  
Lucerne.  
Hemp-Seed.  
Canary-Seed.  
Rape-Seed.  
Maw-Seed.  
Lentils.  
Woad.  
Mustard.  
Timothy-Grass.  
Burnet.  
Bird-Grass.

F I N I S.



